



Weston Solutions, Inc.
20 North Wacker Drive, Suite 1210
Chicago, IL 60606
(312) 424-3300 fax: (312) 424-3330
www.westonsolutions.com

August 11 2006

Ms. Gail Stanuch
Project Officer
United States Region V Environmental Protection Agency
77 W. Jackson Boulevard, 5th Floor
Chicago, IL 60604

EPA Region 5 Records Ctr.



261677

Re: Universal Form Clamp Fire Site (SITE ID: B5EH)
Bellwood, Cook County, Illinois
TDD: S05-GSA607-003
DCN: 614-2A-AIOD
WO#: 12767.077.003.0614.00

Dear Ms. Stanuch:

The United States Environmental Protection Agency (U.S. EPA) tasked the Weston Solutions, Inc., (WESTON®) Superfund Technical Assessment and Response Team (START) under Technical Direction Document (TDD) S05-GSA607-003 to assist with the Potentially Responsible Party (PRP)-led removal oversight activities at the Universal Form Clamp (Universal) facility in Bellwood, Cook County, Illinois. The removal activities were initiated to mitigate immediate threats to human health and the environment at 840 South 25th Avenue, Bellwood, Cook County, Illinois (the Site), due to a fire on June 14, 2006, at Universal's concrete chemical mixing area in Bellwood, Illinois, which resulted in the presence of unstable hazardous materials in containers. In addition, a polychlorinated biphenyl (PCB) transformer electrical substation located south of the chemical mixing area, on the Site, was affected by the fire. Oil staining was observed on the three transformers, the transformer concrete pad, and the soil surrounding the transformers. One WESTON START member conducted removal oversight under the direction of U.S. EPA On-Scene Coordinator (OSC) Michael Harris. START field activities included written and photo documentation, air monitoring, and oversight of clean-up activities conducted by Universal's insurance company's contractors.

SITE DESCRIPTION

The Site (41.87778 north and -87.86351 west) (Attachment A, Figure 1) is 12.74 acres, and is located in a primarily industrial/commercial area. The Site is bordered to the east by 25th Avenue, to the north by Madison Street, and to the west and south by railroad tracks (Attachment A, Figure 2). Residential homes are located approximately 500 feet west of the Site. Addison creek, which is the nearest surface water body is located approximately two blocks (<1/2 mile) south and west of the facility. Addison creek, which feeds into the Des Plaines river, receives drainage from the site.



Ms. Gail Stanuch
U.S. EPA

-2-

Universal Form Clamp Fire Site
August 11, 2006

The Site includes a form manufacturing department, warehouse, dock, transformer electrical substation, and a chemical mixing department. The chemical mixing department, which is also the area affected by the fire, consists of a west, central, and east room and a laboratory and boiler room. Universal's products are mainly stored within the main bulk storage tank farm (outside), the chemical mixing rooms, and inside the warehouse. Liquid storage at the facility consists of tanks, drums, and totes.

Universal manufactures and distributes a number of products for the concrete construction industry. Universal's product lines consist of professional forming systems and products, scaffolding and shoring products, concrete forming products and accessories, and construction chemicals.

Universal's chemical department receives, handles, stores, blends, and distributes petroleum-based products including mineral oil, diesel, Number 2 fuel oil, Number 6 fuel oil, kerosene, mineral spirits, transmission fluid, and motor oil. Universal receives its products via tanker trucks. The products are stored in various aboveground storage tanks, and are delivered to customers via Universal's or independent contractors' trucks.

BACKGROUND

On June 14, 2006, a spill, explosion, and then a fire occurred at the Site in the chemical mixing rooms. The spill occurred when Universal employees transferred material from a 55-gallon drum into a mixing tank. The spill led to the explosion when an unknown source ignited the vapors from the spill, resulting in an explosion. The fire began at approximately 9:00 a.m. and was extinguished by the Bellwood Fire Department at approximately 11:30 a.m. the incident resulted in one employee fatality and five injuries (three employees and two fire fighters).

Responders to the scene included U.S. EPA, the Bellwood and Maywood Fire Departments, the U.S. Chemical Safety Board (CSB), the Metropolitan Water Reclamation District of Greater Chicago, the Occupational Safety and Health Administration, the Department of Justice Bureau of Alcohol, Tobacco, Firearms & Explosives, and Universal's emergency response (ER) contractor, Poracky and Associates, and their clean-up subcontractor, HazChem Environmental Corporation, and their sampling and air monitoring contractor, Aires Corporation. During fire-fighting activities, Maywood Fire Department's Hazardous Materials Team led the environmental ER, including air monitoring. Air monitoring results indicated that there were no risks from volatile organic compounds to the surrounding community. The Metropolitan Water Reclamation District collected and monitored water samples from the sewers and Addison Creek. According to the Metropolitan Water Reclamation District, none of the run-off water entered Addison Creek, but runoff may have migrated to the sanitary canal through the sewers.



Ms. Gail Stanuch
U.S. EPA

-3-

Universal Form Clamp Fire Site
August 11, 2006

The Bellwood Fire Department completed their investigation and requested that a fire watch contractor remain on site 24 hours per day, seven days per week, until the electricity and fire sprinkler systems were operational. Universal hired Castle Fire, Inc., to conduct the fire watch. In addition, U.S. EPA OSC Harris requested that Universal also hire a security company to remain on site 24 hours per day, seven days per week, until all unstable, containerized chemicals, impacted by the fire were removed from the site.

On June 14, 2006, U.S. EPA provided Universal with a Notice of Federal Interest, in addition, U.S. EPA OSC Harris responded to the scene and provided oversight during the ER activities. Once the fire was contained, CSB allowed the facility to reopen, while the removal activities were being conducted in the chemical mixing department.

The following initial ER activities occurred from June 14, 2006, to June 29, 2006:

- Recovery of run-off water containing oil and solvents:
 - Blocking storm sewer drains in the affected area inside the building and the outside parking lot.
 - Dewatering 55,700 gallons of fire fighting water mixed with spilled product from drums and tanks into three Baker Fractionation tanks. The recovered liquid was sampled for disposal. Two Baker Fractionation tanks containing 53,000 gallons of non-hazardous water were hauled off site to Ortek, Inc., in McCook, Cook County, Illinois, and the third Baker Fractionation tank containing 2,700 gallons of hazardous water was hauled off site to Beaver Oil in Hodgkins, Cook County, Illinois.
- General debris clean-up:
 - One 30-cubic-yard roll-off box was filled with general debris (*e.g.*, corrugated boxes and personal protective equipment). A bulk sample was collected from the roll-off box and analytical data results indicated that the debris could be disposed of as non-regulated debris. The debris was disposed at Onyx/Veolia landfill in Zion, Lake County, Illinois.
- Constructed containment around the affected area with double poly liner and negative and positive air units, so the removal activities did not interfere with Universal's daily operation.
- Air monitoring



Ms. Gail Stanuch
U.S. EPA

-4-

Universal Form Clamp Fire Site
August 11, 2006

Analytical data are provided in Attachment C and the waste manifests are provided in Attachment D.

On June 24, 2006, U.S. Risk Management (U.S. Risk) and U.S. Environmental Services (USES) were hired by Universal as consultants to collect pre-removal air and wipe samples in the area affected by the fire. The U.S. Risk work plan, which includes the June 24, 2006, analytical data, is provided in Attachment E.

On June 29, 2006, Poracky and Associates and their subcontractors completed the initial ER clean-up activities and Universal's insurance company hired U.S. Risk and USES to perform removal activities. In addition, Universal's insurance company hired the Center for Toxicology and Environmental Health (CTEH) to conduct continuous air monitoring. On June 30, 2006, U.S. Risk, USES, and CTEH arrived on site to begin the removal and air monitoring activities. CTEH used the following instruments to perform the air monitoring: AreaRAEs, MultiRAEs, UltraRAEs with Benzene tubes, and Dräger benzene tubes.

REMOVAL ACTIVITIES

On July 5, 2006, U.S. EPA requested support from WESTON START to provide written and photo documentation, air monitoring verification, and removal oversight. On July 5, 2006, WESTON mobilized one START member to conduct air monitoring with a MultiRAE five-gas monitor and a Personal DataRAM (PDR), and perform a radiation survey with a Micro-R radiation meter. The MultiRAE readings showed non-detect levels for volatile organic compounds, carbon monoxide, lower explosive limit, and hydrogen sulfide; oxygen levels were 21%. The PDR readings were below permissible exposure limits (PEL). The Micro-R meter indicated that radiation levels did not exceed background levels. WESTON START demobilized the PDR and the Micro-R meter after the first day of oversight and kept the MultiRAE on site to conduct periodic air monitoring to verify PRP contractor readings. All of the MultiRAE readings were non-detect, and oxygen readings were between 20.7% and 21%.

From June 29, 2006, to July 8, 2006, CTEH performed the following activities.

- Staged eight AreaRAEs and monitored them remotely 24-hours-per-day, seven-days-per-week.
- Set up five AreaRAEs outside of the perimeter of the affected area (Northwest, Northeast, East, Southeast, and Southwest) and three in the area affected by the fire (east room, west room, central room).
- Took benzene readings every two hours using an UltraRAE. (If benzene was detected, it was verified using Dräger benzene tubes.)



Ms. Gail Stanuch
U.S. EPA

-5-

Universal Form Clamp Fire Site
August 11, 2006

All air monitoring readings were below PELs, except one benzene reading between 6.2 and 7.0 parts per million on July 2, 2006. The readings were possibly caused by unused corrugated boxes in the West Mixing Room. The corrugated boxes were removed and placed in the roll-off boxes for disposal, and all personnel exited the affected area and donned Level C PPE before returning to work in the affected area. The area was vented until benzene readings dropped to non-detect the following hour. CTEH air monitoring data are in Attachment E.

On July 8, 2006, CTEH demobilized from the site because all the unstable containers were out of the building and readings were below PELs. The Health and Safety Officer for USES continued to conduct air monitoring using a MultiRAE, and U.S. Risk conducted hourly MultiRAE and UltraRAE monitoring from all of the locations where the AreaRAEs were stationed. All readings were non-detect.

From June 29, 2006, to July 22, 2006, U.S. Risk and USES performed the following activities.

- Developed a Work Plan and Health and Safety Plan.
- Established a decontamination line in the loading dock area and a staging area in the west parking lot.
- Provided the work area with lighting.
- Sampled all tanks in the west chemical mixing room (S, M, T, P, P₂, O₁, O₂, Q, R₁, R₂, R₃ and R₄) and sampled all tanks outside (A, B, C, D, E, F, G, H, I and J), on the south side of the building for disposal purposes.
- Pumped out all tanks in the west chemical mixing room except tanks M, T, and P. (Tanks M and T were already empty, and the fatty acid stored in Tank P was not pumped out so that the product could be salvaged by Universal.)
- Shored a cinder block wall in the center chemical mixing room, which was damaged by the explosion.
- Secured and removed drums and shelves from around the collapsed wall.
- Sampled and categorized all drums, totes, and buckets containing product to determine the correct disposal method. (Containers were then over-packed and transported by Environmental Quality Industrial Services [EQ] to its disposal facility in Detroit, Michigan. The containers included hazardous materials [flammables and corrosives] and non-hazardous materials [used oil, anti-freeze, and resin].)



Ms. Gail Stanuch
U.S. EPA

-6-

Universal Form Clamp Fire Site
August 11, 2006

- Pressure-washed and decontaminated floors, walls, and other surfaces (e.g., empty tanks) in the affected area using Simple Green[®] degreaser. (All water generated during the pressure washing was collected into a vacuum truck and then transferred into two Baker Fractionation tank.)
- On July 19 and 21, 2006, the two Baker Fractionation tanks containing the rinsate water from the pressure washing was sampled for disposal analysis. The north Baker Fractionation tank contained 15,600 gallons of hazardous liquid and the south Fractionation tank contained 3,691 gallons of non-hazardous liquid. The liquid was transported by EQ to its disposal facility in Detroit, Michigan.
- Sorted, separated, and lab packed all the chemicals in and around the laboratory and the boiler room. (All lab-packed containers were transported on August 2, 2006, to EQ's disposal facility in Detroit, Michigan.)
- Resin sacks that were stored along the back dock were placed in roll-off boxes and transported off site to Onyx/Veolia landfill in Zion, Lake County, Illinois, for disposal. In addition, powderized resin (contained in bags on the rear loading dock) had melted in the fire and was removed using a mini backhoe and/or hand shovel and placed in roll-off boxes for disposal. Upon removing the resin that melted off the dock, a drain cover was found and melted resin had entered the drain. All resin in the drain basin was removed with a hand shovel.
- Fourteen 26-cubic-yard roll-off boxes containing non-hazardous waste (resin, urea and, construction debris), were transported by First Choice Logistics to Onyx/Veolia landfill in Zion, Lake County, Illinois.
- PCB-contaminated soil in the transformer electrical substation was temporarily covered with poly liner to prevent any PCB migration.

On July 14, 2006, U.S. EPA, START, Commonwealth Edison (ComEd), and Universal had a teleconference call to discuss the PCB transformer electrical substation cleanup. ComEd preferred to have its contractor, SET Environmental, Inc., (SET) conduct the cleanup. During the week of July 17, 2006, SET prepared for the cleanup by having all underground utilities identified and having Universal move the temporary trailer/generator that was blocking access to the PCB transformers.

On July 22, 2006, U.S. Risk and USES completed removal cleanup activities, except for those associated with the PCB transformer electrical substation and disposal of the drums, totes, buckets, and lab-pack containers and demobilized from the Site. The containers were disposed of at EQ's Detroit, Michigan, landfill on August 2 and 3, 2006.



Ms. Gail Stanuch
U.S. EPA

-7-

Universal Form Clamp Fire Site
August 11, 2006

On July 24, 2006, SET started decontaminating the transformers and concrete pad with d-limonene (citrus surfactant) and removed six to 12 inches of soil from the electrical substation area, approximately a 30-foot by 20-foot area. On July 26, 2006, SET completed all removal activities associated with the PCB transformer electrical substation and collected soil and surface wipe confirmation samples. Five 20-cubic-yard roll-off boxes filled with excavated soil were transported off site to be staged at SET's facility until analytical results were available and disposal arrangements were made.

On July 28, 2006, analytical data for the confirmation samples were received and indicated that PCB levels exceeded the clean-up criteria. On August 1, 2006, SET remobilized to the site and removed an additional 12 to 24 inches of soil from the transformer substation area that had PCB levels above the clean-up criteria. The area that was re-excavated, due to the PCB levels exceeding the clean-up criteria was east of the concrete pad and west of the building wall. SET collected six confirmation samples from the re-excavated area. The PCB-contaminated soil was placed in a 20-cubic-yard roll-off box and hauled off site for storage at SET's facility until analytical data were available and disposal arrangements were made. On August 9, 2006, the analytical data were received, and all sample results were below clean-up criteria.

On August 3, 2006, U.S. EPA and WESTON START demobilized from the site.

CONCLUSIONS AND RECOMMENDATIONS

As a result of the response activities described above, all threats to human health and the environment due to the presence of unstable, hazardous containers located in the chemical rooms of the Site have been mitigated. All containers that were affected by the fire were removed from the facility and shipped off site for disposal. In addition, contaminated Fractionation tanks and firefighting water generated during the fire were disposed of off site. The PCB-contaminated soil and concrete surfaces in the transformer substation area was removed and/or decontaminated and shipped off site for disposal. No further action is recommended at the Site.

The preparation of this letter report serves as the final TDD deliverable, per the request of OSC Harris. All tasks pertaining to this TDD have been completed. If there are any questions or comments regarding this report, please do not hesitate to contact WESTON at 312-424-3300.

Very truly yours,

WESTON SOLUTIONS, INC.

A handwritten signature in black ink, appearing to be "Bm", is written over the company name.



Ms. Gail Stanuch
U.S. EPA

-8-

Universal Form Clamp Fire Site
August 11, 2006

for Heidi Gorrill
START Project Manager


Attachment:

- A- Figures
- B- Photo Logs
- C- Analytical Data (CD)
- D- Manifests (CD)
- E- U.S. Risk Work Plan (CD)
- F- CTEH Air Data (CD)

cc: Michael Harris, U.S. EPA On-Scene Coordinator
START DCN File

Attachment A

Figures




Universal Form Clamp
Fire Site




WESTON SOLUTIONS, INC.
Region V – Superfund Technical Assessment and Response Team
20 North Wacker Drive, Chicago, IL 60606

Source: USGS

Title: Site Location Map	TDD Number: S05-GSA607-003	Figure: Figure 1
Site: Universal Form Clamp Fire Site	Contract Number: 68-W-00-119	Scale: 1:50,000
City: Bellwood	State: Illinois	Document Control Number: 614-2A-AIOD
		Date: 8/11/06





Attachment B

Photos

l: wpd

den

This document was prepared by Weston Solutions, Inc., expressly for U.S. EPA. It shall not be released or disclosed in whole or in part without the express, written permission of U.S. EPA.



Site: Universal Form Clamp Fire Site

Photo Number: 1

Date: July 6, 2006

Direction: Southwest

Photographer: B. Maradkel

Subject: Universal Form Clamp Facility – Front Exterior



Site: Universal Form Clamp Fire Site

Photo Number: 2

Date: July 6, 2006

Direction: South

Photographer: B. Maradkel

Subject: Universal Form Clamp Facility – Back Exterior and Support Zone



Site: Universal Form Clamp Fire Site

Photo Number: 3

Date: July 6, 2006

Direction: West

Photographer: B. Maradkel

Subject: West Chemical Mixing Room – Post Cleanup



Site: Universal Form Clamp Fire Site

Photo Number: 4

Date: July 6, 2006

Direction: Northwest

Photographer: B. Maradkel

Subject: West Chemical Mixing Room/ Explosion Area – Post Cleanup



Site: Universal Form Clamp Fire Site

Photo Number: 5

Date: July 6, 2006

Direction: East

Photographer: B. Maradkel

Subject: Center Room Mixing Area – Pre Cleanup



Site: Universal Form Clamp Fire Site

Photo Number: 6

Date: July 7, 2006

Direction: Northeast

Photographer: B. Maradkel

Subject: Center Room Mixing Area – Post Cleanup; wall damaged by the explosion (pictured shored) prior to drum removal from shelves and demolition of the remainder of the wall.



Site: Universal Form Clamp Fire Site

Photo Number: 7

Date: July 6, 2006

Direction: South

Photographer: B. Maradkel

Subject: Center Room Mixing Area – Pre Cleanup



Site: Universal Form Clamp Fire Site

Photo Number: 8

Date: July 7, 2006

Direction: South

Photographer: B. Maradkel

Subject: Center Room Mixing Area – Post Cleanup; PRP contractor powerwashing the floor



Site: Universal Form Clamp Fire Site

Photo Number: 9

Date: July 8, 2006

Direction: South

Photographer: B. Maradkel

Subject: Center Room Mixing Area/Lab – Pre Cleanup



Site: Universal Form Clamp Fire Site

Photo Number: 10

Date: July 11, 2006

Direction: Southwest

Photographer: B. Maradkel

Subject: Center Room Mixing Area/Outside the Lab – PRP contractors inventorying the containers and lab packing



Site: Universal Form Clamp Fire Site

Photo Number: 11

Date: July 10, 2006

Direction: NA

Photographer: B. Maradkel

Subject: Center Room Mixing Area/Outside the Lab – Lab containers segregated prior to lab packing



Site: Universal Form Clamp Fire Site

Photo Number: 12

Date: July 10, 2006

Direction: NA

Photographer: B. Maradkel

Subject: Center Room Mixing Area/Outside the Lab – Lab containers lab packed



Site: Universal Form Clamp Fire Site

Photo Number: 13

Date: July 6, 2006

Direction: Northwest

Photographer: B. Maradkel

Subject: Perimeter AreaRAE unit 4, located southeast of the exclusion zone



Site: Universal Form Clamp Fire Site

Photo Number: 14

Date: July 6, 2006

Direction: Southeast

Photographer: B. Maradkel

Subject: Center Room Mixing Area – Pre Cleanup; AreaRAE unit 9; PRP contractor taking enzene UltraRAE readings



Site: Universal Form Clamp Fire Site

Photo Number: 15

Date: July 9, 2006

Direction: South

Photographer: B. Maradkel

Subject: Center Room Mixing Area – PRP contractor pressure washing walls



Site: Universal Form Clamp Fire Site

Photo Number: 16

Date: July 12, 2006

Direction: Southeast

Photographer: B. Maradkel

Subject: Center Room Mixing Area – Post Cleanup



Site: Universal Form Clamp Fire Site

Photo Number: 17

Date: July 11, 2006

Direction: East

Photographer: B. Maradkel

Subject: South Dock/South of Center Room Mixing Area – Pre Cleanup



Site: Universal Form Clamp Fire Site

Photo Number: 18

Date: July 12, 2006

Direction: South

Photographer: B. Maradkel

Subject: South Dock/South of Center Room Mixing Area – Cleanup in progress



Site: Universal Form Clamp Fire Site

Photo Number: 19

Date: July 21, 2006

Direction: Northwest

Photographer: B. Maradkel

Subject: PRP contractors over packing drums, staging containers outside for disposal



Site: Universal Form Clamp Fire Site

Photo Number: 20

Date: August 3, 2006

Direction: Northwest

Photographer: B. Maradkel

Subject: PRP employees and truck driver loading drums in truck for disposal



Site: Universal Form Clamp Fire Site

Photo Number: 21

Date: July 24, 2006

Direction: East

Photographer: B. Maradkel

Subject: Transformer Substation Area – ComEd contractors pressure washing PCB-contaminated concrete pad and transformers



Site: Universal Form Clamp Fire Site

Photo Number: 22

Date: July 24, 2006

Direction: East

Photographer: B. Maradkel

Subject: Transformer Substation Area – ComEd contractors removing PCB-contaminated soil

Attachment C

Analytical Data

STAT Analysis Corporation

2255 West Harrison St., Suite B, Chicago, IL 60612-3505

Tel: (312) 733-0551 Fax: (312) 733-2386 STATinfo@STATAnalysis.com

Accreditation Numbers: IEPA ELAP 100445; ORELAP IL300001; AIHA 101160; NVLAP LabCode 101202-0

July 10, 2006

US Risk Management
365 Canal St. Suite 2760
New Orleans, LA 70130
Telephone: (504) 561-6563
Fax:

RE: 15060106, Universal Form Clamp, Bellwod, IL

STAT Project No: 06070046

Dear Tracey Dodd:

STAT Analysis received 3 samples for the referenced project on 7/5/2006. The analytical results are presented in the following report.

All analyses were performed in accordance with the requirements of 35 IAC Part 186 / NELAC standards. Analyses were performed in accordance with methods as referenced on the analytical report. Those analytical results expressed on a dry weight basis are also noted on the analytical report.

All analyses were performed within established holding time criteria, and all Quality Control criteria met EPA or laboratory specifications except when noted in the Case Narrative or Analytical Report. If required, an estimate of uncertainty for the analyses can be provided. A listing of accredited methods/parameters can also be provided.

Thank you for the opportunity to serve you and I look forward to working with you in the future. If you have any questions regarding the enclosed materials, please contact me at (312) 563-0371.

Sincerely,



Craig Chawla
Project Manager

The information contained in this report and any attachments is confidential information intended only for the use of the individual or entities named above. The results of this report relate only to the samples tested. If you have received this report in error, please notify us immediately by phone. This report shall not be reproduced, except in its entirety, unless written approval has been obtained from the laboratory.

CC:
James Laws

Client: US Risk Management
Project: 15060106, Universal Form Clamp, Bellwod, IL
Lab Order: 06070046

Work Order Sample Summary

Lab Sample ID	Client Sample ID	Tag Number	Collection Date	Date Received
06070046-001A	P1		7/5/2006 8:30:00 AM	7/5/2006
06070046-002A	S		7/5/2006 8:30:00 AM	7/5/2006
06070046-003A	Frac Tank 4861		7/5/2006 8:30:00 AM	7/5/2006

CLIENT: US Risk Management
Project: 15060106, Universal Form Clamp, Bellwod, IL
Lab Order: 06070046

CASE NARRATIVE

The VOC water LCS/LCSD analyzed 07/05/06 had recovery for 2-Hexanone outside of control limits (66%/68% recovery, QC Limits 70-130%).

Sample Frac Tank 4861 (06070046-003) had recovery for the following SVOC soil surrogates outside of control limits:

1,2- Dichlorobenzene: 186% recovery (QC Limits 20-130%)
2,4,6-Tribromophenol: 136% recovery (QC Limits 19-122%)
2- Fluorobiphenyl: 122% recovery (QC Limits 30-115%)
2-Fluorophenol: 135% recovery (QC Limits 25-121%)
4-Terphenyl: 147% recovery (QC Limits 18-137)

Re-analysis did not improve the results.

Sample Frac Tank 4861 (06070046-003) had recovery for SVOC surrogate 2-Chlorophenol-d4 outside of control limits (21% recovery, QC Limits 33-110%).

Re-analysis did not improve the results.

Sample S (06070046-002) had recovery for the following PNA water surrogates outside of control limits:

Nitrobenzene-d5: 33% recovery (QC Limits 35-114%)
2-Fluorobiphenyl: 27% recovery (QC Limits 43-116%)

The PNA soil MS/MSD prepared from sample Frac Tank 4861 (06070046-003) had recoveries and RPDs outside control limits.

STAT Analysis Corporation

2255 West Harrison St., Suite B, Chicago, IL 60612-3505

Tel: (312) 733-0551 Fax: (312) 733-2386 STATinfo@STATAnalysis.com

Accreditation Numbers: IEPA ELAP 100445; ORELAP IL300001; AIHA 101160; NVLAP LabCode 101202-0

Date Reported: July 10, 2006

Date Printed: July 10, 2006

Client: US Risk Management

Lab Order: 06070046

Project: 15060106, Universal Form Clamp, Bellwod, IL

Lab ID: 06070046-001

Client Sample ID: P1

Collection Date: 7/5/2006 8:30:00 AM

Matrix: Water

Analyses	Result	RL	Qualifier	Units	DF	Date Analyzed
TCLP Metals by ICP/MS						
	SW1311/6020 (SW3005A)		Prep Date: 7/6/2006		Analyst: JG	
Arsenic	ND	0.01		mg/L	5	7/6/2006
Barium	0.4	0.02		mg/L	5	7/6/2006
Cadmium	ND	0.005		mg/L	5	7/6/2006
Chromium	ND	0.01		mg/L	5	7/6/2006
Lead	ND	0.005		mg/L	5	7/6/2006
Selenium	ND	0.01		mg/L	5	7/6/2006
Silver	ND	0.01		mg/L	5	7/6/2006
Metals by ICP/MS						
	SW6020 (SW3005A)		Prep Date: 7/6/2006		Analyst: JG	
Arsenic	ND	0.004		mg/L	2	7/6/2006
Barium	0.023	0.004		mg/L	2	7/6/2006
Cadmium	ND	0.002		mg/L	2	7/6/2006
Chromium	ND	0.004		mg/L	2	7/6/2006
Lead	ND	0.002		mg/L	2	7/6/2006
Selenium	ND	0.004		mg/L	2	7/6/2006
Silver	ND	0.004		mg/L	2	7/6/2006
Polynuclear Aromatic Hydrocarbons						
	SW8270C-SIM (SW3510C)		Prep Date: 7/6/2006		Analyst: DCW	
Acenaphthene	0.0004	0.0004		mg/L	1	7/7/2006
Acenaphthylene	ND	0.0004		mg/L	1	7/7/2006
Anthracene	ND	0.0004		mg/L	1	7/7/2006
Benz(a)anthracene	0.00038	0.00026		mg/L	1	7/7/2006
Benzo(a)pyrene	ND	0.0004		mg/L	1	7/7/2006
Benzo(b)fluoranthene	ND	0.00036		mg/L	1	7/7/2006
Benzo(g,h,i)perylene	ND	0.0002		mg/L	1	7/7/2006
Benzo(k)fluoranthene	ND	0.00034		mg/L	1	7/7/2006
Chrysene	0.00036	0.0002		mg/L	1	7/7/2006
Dibenz(a,h)anthracene	0.00026	0.0002		mg/L	1	7/7/2006
Fluoranthene	ND	0.0004		mg/L	1	7/7/2006
Fluorene	0.0004	0.0004		mg/L	1	7/7/2006
Indeno(1,2,3-cd)pyrene	ND	0.0002		mg/L	1	7/7/2006
Naphthalene	0.016	0.0004		mg/L	1	7/7/2006
Phenanthrene	0.00072	0.0004		mg/L	1	7/7/2006
Pyrene	ND	0.0004		mg/L	1	7/7/2006
TCLP Semivolatile Organic Compounds						
	SW1311/8270C (SW3510C)		Prep Date: 7/6/2006		Analyst: JT	
1,4-Dichlorobenzene	ND	0.01		mg/L	1	7/6/2006
2,4-Dinitrotoluene	ND	0.01		mg/L	1	7/6/2006
Hexachlorobenzene	ND	0.01		mg/L	1	7/6/2006
Hexachlorobutadiene	ND	0.01		mg/L	1	7/6/2006

Qualifiers:

ND - Not Detected at the Reporting Limit

J - Analyte detected below quantitation limits

B - Analyte detected in the associated Method Blank

HT - Sample received past holding time

* - Non-accredited parameter

RL - Reporting / Quantitation Limit for the analysis

S - Spike Recovery outside accepted recovery limits

R - RPD outside accepted recovery limits

E - Value above quantitation range

H - Holding time exceeded

STAT Analysis Corporation

2255 West Harrison St., Suite B, Chicago, IL 60612-3505

Tel: (312) 733-0551 Fax: (312) 733-2386 STATinfo@STATAnalysis.com

Accreditation Numbers: IEPA ELAP 100445; ORELAP IL300001; AIHA 101160; NVLAP LabCode 101202-0

Date Reported: July 10, 2006

Date Printed: July 10, 2006

Client: US Risk Management

Lab Order: 06070046

Project: 15060106, Universal Form Clamp, Bellwod, IL

Lab ID: 06070046-001

Client Sample ID: P1

Collection Date: 7/5/2006 8:30:00 AM

Matrix: Water

Analyses	Result	RL	Qualifier	Units	DF	Date Analyzed
TCLP Semivolatile Organic Compounds						
		SW1311/8270C (SW3510C)		Prep Date: 7/6/2006		Analyst: JT
Hexachloroethane	ND	0.01		mg/L	1	7/6/2006
Nitrobenzene	ND	0.01		mg/L	1	7/6/2006
2-methylphenol	ND	0.01		mg/L	1	7/6/2006
3- & 4-Methylphenol	ND	0.01		mg/L	1	7/6/2006
Pentachlorophenol	ND	0.05		mg/L	1	7/6/2006
Pyridine	ND	0.01		mg/L	1	7/6/2006
2,4,5-Trichlorophenol	ND	0.01		mg/L	1	7/6/2006
2,4,6-Trichlorophenol	ND	0.01		mg/L	1	7/6/2006
Semivolatile Organic Compounds by GC/MS						
		SW8270C (SW3510C)		Prep Date: 7/6/2006		Analyst: JT
Aniline	ND	0.05		mg/L	1	7/6/2006
Benzidine	ND	0.05		mg/L	1	7/6/2006
Benzoic acid	ND	0.05		mg/L	1	7/6/2006
Benzyl alcohol	ND	0.02		mg/L	1	7/6/2006
Bis(2-chloroethoxy)methane	ND	0.02		mg/L	1	7/6/2006
Bis(2-chloroethyl)ether	ND	0.02		mg/L	1	7/6/2006
Bis(2-ethylhexyl)phthalate	0.034	0.02		mg/L	1	7/6/2006
4-Bromophenyl phenyl ether	ND	0.02		mg/L	1	7/6/2006
Butyl benzyl phthalate	ND	0.02		mg/L	1	7/6/2006
Carbazole	ND	0.05		mg/L	1	7/6/2006
4-Chloroaniline	ND	0.02		mg/L	1	7/6/2006
4-Chloro-3-methylphenol	ND	0.02		mg/L	1	7/6/2006
2-Chloronaphthalene	ND	0.02		mg/L	1	7/6/2006
2-Chlorophenol	ND	0.02		mg/L	1	7/6/2006
4-Chlorophenyl phenyl ether	ND	0.02		mg/L	1	7/6/2006
Dibenzofuran	ND	0.02		mg/L	1	7/6/2006
1,2-Dichlorobenzene	ND	0.02		mg/L	1	7/6/2006
1,3-Dichlorobenzene	ND	0.02		mg/L	1	7/6/2006
1,4-Dichlorobenzene	ND	0.02		mg/L	1	7/6/2006
3,3'-Dichlorobenzidine	ND	0.04		mg/L	1	7/6/2006
2,4-Dichlorophenol	ND	0.02		mg/L	1	7/6/2006
Diethyl phthalate	ND	0.02		mg/L	1	7/6/2006
2,4-Dimethylphenol	ND	0.02		mg/L	1	7/6/2006
Dimethyl phthalate	ND	0.02		mg/L	1	7/6/2006
4,6-Dinitro-2-methylphenol	ND	0.05		mg/L	1	7/6/2006
2,4-Dinitrophenol	ND	0.05		mg/L	1	7/6/2006
2,4-Dinitrotoluene	ND	0.02		mg/L	1	7/6/2006
2,6-Dinitrotoluene	ND	0.02		mg/L	1	7/6/2006
Di-n-butyl phthalate	ND	0.02		mg/L	1	7/6/2006

Qualifiers:
ND - Not Detected at the Reporting Limit
J - Analyte detected below quantitation limits
B - Analyte detected in the associated Method Blank
HT - Sample received past holding time
* - Non-accredited parameter

RL - Reporting / Quantitation Limit for the analysis
S - Spike Recovery outside accepted recovery limits
R - RPD outside accepted recovery limits
E - Value above quantitation range
H - Holding time exceeded

STAT Analysis Corporation

2255 West Harrison St., Suite B, Chicago, IL 60612-3505

Tel: (312) 733-0551 Fax: (312) 733-2386 STATinfo@STATAnalysis.com

Accreditation Numbers: IEPA ELAP 100445; ORELAP IL300001; AIHA 101160; NVLAP LabCode 101202-0

Date Reported: July 10, 2006

Date Printed: July 10, 2006

Client: US Risk Management

Lab Order: 06070046

Project: 15060106, Universal Form Clamp, Bellwod, IL

Lab ID: 06070046-001

Client Sample ID: P1

Collection Date: 7/5/2006 8:30:00 AM

Matrix: Water

Analyses	Result	RL	Qualifier	Units	DF	Date Analyzed
Semivolatile Organic Compounds by GC/MS						
	SW8270C (SW3510C)		Prep Date: 7/6/2006		Analyst: JT	
Di-n-octyl phthalate	ND	0.02		mg/L	1	7/6/2006
Hexachlorobenzene	ND	0.02		mg/L	1	7/6/2006
Hexachlorobutadiene	ND	0.02		mg/L	1	7/6/2006
Hexachlorocyclopentadiene	ND	0.02		mg/L	1	7/6/2006
Hexachloroethane	ND	0.02		mg/L	1	7/6/2006
Isophorone	ND	0.02		mg/L	1	7/6/2006
2-Methylnaphthalene	ND	0.02		mg/L	1	7/6/2006
2-Methylphenol	ND	0.02		mg/L	1	7/6/2006
4-Methylphenol	ND	0.02		mg/L	1	7/6/2006
2-Nitroaniline	ND	0.05		mg/L	1	7/6/2006
3-Nitroaniline	ND	0.05		mg/L	1	7/6/2006
4-Nitroaniline	ND	0.05		mg/L	1	7/6/2006
2-Nitrophenol	ND	0.02		mg/L	1	7/6/2006
4-Nitrophenol	ND	0.05		mg/L	1	7/6/2006
Nitrobenzene	ND	0.02		mg/L	1	7/6/2006
N-Nitrosodi-n-propylamine	ND	0.02		mg/L	1	7/6/2006
N-Nitrosodimethylamine	ND	0.02		mg/L	1	7/6/2006
N-Nitrosodiphenylamine	ND	0.02		mg/L	1	7/6/2006
2, 2'-oxybis(1-Chloropropane)	ND	0.02		mg/L	1	7/6/2006
Pentachlorophenol	ND	0.02		mg/L	1	7/6/2006
Phenol	ND	0.02		mg/L	1	7/6/2006
Pyridine	ND	0.05		mg/L	1	7/6/2006
1,2,4-Trichlorobenzene	ND	0.02		mg/L	1	7/6/2006
2,4,5-Trichlorophenol	ND	0.02		mg/L	1	7/6/2006
2,4,6-Trichlorophenol	ND	0.02		mg/L	1	7/6/2006
TCLP Volatile Organic Compounds by GC/MS						
	SW1311/8260B (SW5030B)		Prep Date:		Analyst: GAH	
Benzene	ND	0.05		mg/L	1	7/5/2006
2-Butanone	0.22	0.1		mg/L	1	7/5/2006
Carbon tetrachloride	ND	0.05		mg/L	1	7/5/2006
Chlorobenzene	ND	0.05		mg/L	1	7/5/2006
Chloroform	ND	0.05		mg/L	1	7/5/2006
1,2-Dichloroethane	ND	0.05		mg/L	1	7/5/2006
1,1-Dichloroethene	ND	0.05		mg/L	1	7/5/2006
Tetrachloroethene	ND	0.05		mg/L	1	7/5/2006
Trichloroethene	ND	0.05		mg/L	1	7/5/2006
Vinyl chloride	ND	0.05		mg/L	1	7/5/2006
Volatile Organic Compounds by GC/MS						
	SW8260B (SW5030B)		Prep Date:		Analyst: GAH	

Qualifiers:

ND - Not Detected at the Reporting Limit

J - Analyte detected below quantitation limits

B - Analyte detected in the associated Method Blank

HT - Sample received past holding time

* - Non-accredited parameter

RL - Reporting / Quantitation Limit for the analysis

S - Spike Recovery outside accepted recovery limits

R - RPD outside accepted recovery limits

E - Value above quantitation range

H - Holding time exceeded

STAT Analysis Corporation

2255 West Harrison St., Suite B, Chicago, IL 60612-3505

Tel: (312) 733-0551 Fax: (312) 733-2386 STATinfo@STATAnalysis.com

Accreditation Numbers: IEPA ELAP 100445; ORELAP IL300001; AIHA 101160; NVLAP LabCode 101202-0

Date Reported: July 10, 2006

Date Printed: July 10, 2006

Client: US Risk Management

Lab Order: 06070046

Project: 15060106, Universal Form Clamp, Bellwod, IL

Lab ID: 06070046-001

Client Sample ID: P1

Collection Date: 7/5/2006 8:30:00 AM

Matrix: Water

Analyses	Result	RL	Qualifier	Units	DF	Date Analyzed
Volatile Organic Compounds by GC/MS						
	SW8260B (SW5030B)			Prep Date:		Analyst: GAH
Acetone	0.38	0.1		mg/L	10	7/5/2006
Benzene	0.041	0.005		mg/L	1	7/5/2006
Bromodichloromethane	ND	0.005		mg/L	1	7/5/2006
Bromoform	ND	0.005		mg/L	1	7/5/2006
Bromomethane	ND	0.01		mg/L	1	7/5/2006
2-Butanone	0.22	0.01		mg/L	1	7/5/2006
Carbon disulfide	ND	0.005		mg/L	1	7/5/2006
Carbon tetrachloride	ND	0.005		mg/L	1	7/5/2006
Chlorobenzene	ND	0.005		mg/L	1	7/5/2006
Dibromochloromethane	ND	0.005		mg/L	1	7/5/2006
Chloroethane	ND	0.01		mg/L	1	7/5/2006
Chloroform	0.0059	0.005		mg/L	1	7/5/2006
Chloromethane	ND	0.01		mg/L	1	7/5/2006
1,1-Dichloroethane	ND	0.005		mg/L	1	7/5/2006
1,2-Dichloroethane	ND	0.005		mg/L	1	7/5/2006
1,1-Dichloroethene	ND	0.005		mg/L	1	7/5/2006
cis-1,2-Dichloroethene	ND	0.005		mg/L	1	7/5/2006
trans-1,2-Dichloroethene	ND	0.005		mg/L	1	7/5/2006
1,2-Dichloropropane	ND	0.005		mg/L	1	7/5/2006
cis-1,3-Dichloropropene	ND	0.001		mg/L	1	7/5/2006
trans-1,3-Dichloropropene	ND	0.001		mg/L	1	7/5/2006
Ethylbenzene	ND	0.005		mg/L	1	7/5/2006
2-Hexanone	ND	0.01		mg/L	1	7/5/2006
4-Methyl-2-pentanone	ND	0.01		mg/L	1	7/5/2006
Methylene chloride	ND	0.005		mg/L	1	7/5/2006
Methyl tert-butyl ether	ND	0.005		mg/L	1	7/5/2006
Styrene	0.012	0.005		mg/L	1	7/5/2006
1,1,2,2-Tetrachloroethane	ND	0.005		mg/L	1	7/5/2006
Tetrachloroethene	ND	0.005		mg/L	1	7/5/2006
Toluene	0.023	0.005		mg/L	1	7/5/2006
1,1,1-Trichloroethane	ND	0.005		mg/L	1	7/5/2006
1,1,2-Trichloroethane	ND	0.005		mg/L	1	7/5/2006
Trichloroethene	ND	0.005		mg/L	1	7/5/2006
Vinyl chloride	ND	0.002		mg/L	1	7/5/2006
Xylenes, Total	0.054	0.015		mg/L	1	7/5/2006
Cyanide, Reactive						
	SW7.3.3.2			Prep Date: 7/6/2006		Analyst: YZ
Reactive Cyanide	ND	0.05		mg/L	1	7/6/2006

Qualifiers:

ND - Not Detected at the Reporting Limit

J - Analyte detected below quantitation limits

B - Analyte detected in the associated Method Blank

HT - Sample received past holding time

* - Non-accredited parameter

RL - Reporting / Quantitation Limit for the analysis

S - Spike Recovery outside accepted recovery limits

R - RPD outside accepted recovery limits

E - Value above quantitation range

H - Holding time exceeded

STAT Analysis Corporation

2255 West Harrison St., Suite B, Chicago, IL 60612-3505

Tel: (312) 733-0551 Fax: (312) 733-2386 STATinfo@STATAnalysis.com

Accreditation Numbers: IEPA ELAP 100445; ORELAP IL300001; AIHA 101160; NVLAP LabCode 101202-0

Date Reported: July 10, 2006

Date Printed: July 10, 2006

Client: US Risk Management

Lab Order: 06070046

Project: 15060106, Universal Form Clamp, Bellwod, IL

Lab ID: 06070046-001

Client Sample ID: P1

Collection Date: 7/5/2006 8:30:00 AM

Matrix: Water

Analyses	Result	RL	Qualifier	Units	DF	Date Analyzed
Flash Point (Open-Cup)	SW1010				Prep Date: 7/5/2006	Analyst: RW
Flashpoint	No flash up to 205			°F	1	7/5/2006
pH	E150.1				Prep Date: 7/5/2006	Analyst: ICD
pH	6.9		*	pH units	1	7/5/2006
Sulfide, Reactive	SW7.3.4.2				Prep Date: 7/5/2006	Analyst: YZ
Reactive Sulfide	ND	1		mg/L	1	7/5/2006

Qualifiers:

ND - Not Detected at the Reporting Limit
J - Analyte detected below quantitation limits
B - Analyte detected in the associated Method Blank
HT - Sample received past holding time
* - Non-accredited parameter

RL - Reporting / Quantitation Limit for the analysis
S - Spike Recovery outside accepted recovery limits
R - RPD outside accepted recovery limits
E - Value above quantitation range
H - Holding time exceeded

STAT Analysis Corporation

2255 West Harrison St., Suite B, Chicago, IL 60612-3505

Tel: (312) 733-0551 Fax: (312) 733-2386 STATinfo@STATAnalysis.com

Accreditation Numbers: IEPA ELAP 100445; ORELAP IL300001; AIHA 101160; NVLAP LabCode 101202-0

Date Reported: July 10, 2006

Date Printed: July 10, 2006

Client: US Risk Management

Lab Order: 06070046

Project: 15060106, Universal Form Clamp, Bellwod, IL

Lab ID: 06070046-002

Client Sample ID: S

Collection Date: 7/5/2006 8:30:00 AM

Matrix: Water

Analyses	Result	RL	Qualifier	Units	DF	Date Analyzed
TCLP Metals by ICP/MS						
	SW1311/6020 (SW3005A)		Prep Date: 7/6/2006		Analyst: JG	
Arsenic	ND	0.05		mg/L	5	7/6/2006
Barium	4.5	0.1		mg/L	5	7/6/2006
Cadmium	ND	0.025		mg/L	5	7/6/2006
Chromium	ND	0.5		mg/L	50	7/10/2006
Lead	0.038	0.025		mg/L	5	7/6/2006
Selenium	ND	0.05		mg/L	5	7/6/2006
Silver	ND	0.05		mg/L	5	7/6/2006
Metals by ICP/MS						
	SW6020 (SW3005A)		Prep Date: 7/6/2006		Analyst: JG	
Arsenic	ND	0.02		mg/L	2	7/6/2006
Barium	0.5	0.2		mg/L	20	7/7/2006
Cadmium	ND	0.1		mg/L	20	7/7/2006
Chromium	ND	1		mg/L	100	7/6/2006
Lead	ND	0.1		mg/L	20	7/7/2006
Selenium	ND	0.02		mg/L	2	7/6/2006
Silver	ND	0.2		mg/L	20	7/7/2006
Polynuclear Aromatic Hydrocarbons						
	SW8270C-SIM (SW3510C)		Prep Date: 7/6/2006		Analyst: DCW	
Acenaphthene	0.00046	0.0004		mg/L	1	7/7/2006
Acenaphthylene	0.0024	0.0004		mg/L	1	7/7/2006
Anthracene	0.0019	0.0004		mg/L	1	7/7/2006
Benzo(a)anthracene	ND	0.00026		mg/L	1	7/7/2006
Benzo(a)pyrene	ND	0.0004		mg/L	1	7/7/2006
Benzo(b)fluoranthene	ND	0.00036		mg/L	1	7/7/2006
Benzo(g,h,i)perylene	ND	0.0002		mg/L	1	7/7/2006
Benzo(k)fluoranthene	ND	0.00034		mg/L	1	7/7/2006
Chrysene	ND	0.0002		mg/L	1	7/7/2006
Dibenz(a,h)anthracene	ND	0.0002		mg/L	1	7/7/2006
Fluoranthene	0.0005	0.0004		mg/L	1	7/7/2006
Fluorene	0.0012	0.0004		mg/L	1	7/7/2006
Indeno(1,2,3-cd)pyrene	ND	0.0002		mg/L	1	7/7/2006
Naphthalene	0.0067	0.0004		mg/L	1	7/7/2006
Phenanthrene	0.005	0.0004		mg/L	1	7/7/2006
Pyrene	0.0011	0.0004		mg/L	1	7/7/2006
TCLP Semivolatile Organic Compounds						
	SW1311/8270C (SW3510C)		Prep Date: 7/6/2006		Analyst: JT	
1,4-Dichlorobenzene	ND	0.01		mg/L	1	7/6/2006
2,4-Dinitrotoluene	ND	0.01		mg/L	1	7/6/2006
Hexachlorobenzene	ND	0.01		mg/L	1	7/6/2006
Hexachlorobutadiene	ND	0.01		mg/L	1	7/6/2006

Qualifiers:

ND - Not Detected at the Reporting Limit

J - Analyte detected below quantitation limits

B - Analyte detected in the associated Method Blank

HT - Sample received past holding time

* - Non-accredited parameter

RL - Reporting / Quantitation Limit for the analysis

S - Spike Recovery outside accepted recovery limits

R - RPD outside accepted recovery limits

E - Value above quantitation range

H - Holding time exceeded

STAT Analysis Corporation

2255 West Harrison St., Suite B, Chicago, IL 60612-3505

Tel: (312) 733-0551 Fax: (312) 733-2386 STATinfo@STATAnalysis.com

Accreditation Numbers: IEPA ELAP 100445; ORELAP IL300001; AIHA 101160; NVLAP LabCode 101202-0

Date Reported: July 10, 2006

Date Printed: July 10, 2006

Client: US Risk Management

Lab Order: 06070046

Project: 15060106, Universal Form Clamp, Bellwod, IL

Lab ID: 06070046-002

Client Sample ID: S

Collection Date: 7/5/2006 8:30:00 AM

Matrix: Water

Analyses	Result	RL	Qualifier	Units	DF	Date Analyzed
TCLP Semivolatile Organic Compounds						
	SW1311/8270C (SW3510C)			Prep Date: 7/6/2006		Analyst: JT
Hexachloroethane	ND	0.01		mg/L	1	7/6/2006
Nitrobenzene	ND	0.01		mg/L	1	7/6/2006
2-methylphenol	ND	0.01		mg/L	1	7/6/2006
3- & 4-Methylphenol	ND	0.01		mg/L	1	7/6/2006
Pentachlorophenol	ND	0.05		mg/L	1	7/6/2006
Pyridine	ND	0.01		mg/L	1	7/6/2006
2,4,5-Trichlorophenol	ND	0.01		mg/L	1	7/6/2006
2,4,6-Trichlorophenol	ND	0.01		mg/L	1	7/6/2006
Semivolatile Organic Compounds by GC/MS						
	SW8270C (SW3510C)			Prep Date: 7/6/2006		Analyst: JT
Aniline	ND	0.05		mg/L	1	7/6/2006
Benzidine	ND	0.05		mg/L	1	7/6/2006
Benzoic acid	ND	0.05		mg/L	1	7/6/2006
Benzyl alcohol	ND	0.02		mg/L	1	7/6/2006
Bis(2-chloroethoxy)methane	ND	0.02		mg/L	1	7/6/2006
Bis(2-chloroethyl)ether	ND	0.02		mg/L	1	7/6/2006
Bis(2-ethylhexyl)phthalate	0.037	0.02		mg/L	1	7/6/2006
4-Bromophenyl phenyl ether	ND	0.02		mg/L	1	7/6/2006
Butyl benzyl phthalate	ND	0.02		mg/L	1	7/6/2006
Carbazole	ND	0.05		mg/L	1	7/6/2006
4-Chloroaniline	ND	0.02		mg/L	1	7/6/2006
4-Chloro-3-methylphenol	ND	0.02		mg/L	1	7/6/2006
2-Chloronaphthalene	ND	0.02		mg/L	1	7/6/2006
2-Chlorophenol	ND	0.02		mg/L	1	7/6/2006
4-Chlorophenyl phenyl ether	ND	0.02		mg/L	1	7/6/2006
Dibenzofuran	ND	0.02		mg/L	1	7/6/2006
1,2-Dichlorobenzene	ND	0.02		mg/L	1	7/6/2006
1,3-Dichlorobenzene	ND	0.02		mg/L	1	7/6/2006
1,4-Dichlorobenzene	ND	0.02		mg/L	1	7/6/2006
3,3'-Dichlorobenzidine	ND	0.04		mg/L	1	7/6/2006
2,4-Dichlorophenol	ND	0.02		mg/L	1	7/6/2006
Diethyl phthalate	ND	0.02		mg/L	1	7/6/2006
2,4-Dimethylphenol	ND	0.02		mg/L	1	7/6/2006
Dimethyl phthalate	ND	0.02		mg/L	1	7/6/2006
4,6-Dinitro-2-methylphenol	ND	0.05		mg/L	1	7/6/2006
2,4-Dinitrophenol	ND	0.05		mg/L	1	7/6/2006
2,4-Dinitrotoluene	ND	0.02		mg/L	1	7/6/2006
2,6-Dinitrotoluene	ND	0.02		mg/L	1	7/6/2006
Di-n-butyl phthalate	ND	0.02		mg/L	1	7/6/2006

Qualifiers:

ND - Not Detected at the Reporting Limit

J - Analyte detected below quantitation limits

B - Analyte detected in the associated Method Blank

HT - Sample received past holding time

* - Non-accredited parameter

RL - Reporting / Quantitation Limit for the analysis

S - Spike Recovery outside accepted recovery limits

R - RPD outside accepted recovery limits

E - Value above quantitation range

H - Holding time exceeded

STAT Analysis Corporation

2255 West Harrison St., Suite B, Chicago, IL 60612-3505

Tel: (312) 733-0551 Fax: (312) 733-2386 STATinfo@STATAnalysis.com

Accreditation Numbers: IEPA ELAP 100445; ORELAP IL300001; AIHA 101160; NVLAP LabCode 101202-0

Date Reported: July 10, 2006

Date Printed: July 10, 2006

Client: US Risk Management

Lab Order: 06070046

Project: 15060106, Universal Form Clamp, Bellwod, IL

Lab ID: 06070046-002

Client Sample ID: S

Collection Date: 7/5/2006 8:30:00 AM

Matrix: Water

Analyses	Result	RL	Qualifier	Units	DF	Date Analyzed
Semivolatile Organic Compounds by GC/MS						
	SW8270C (SW3510C)		Prep Date: 7/6/2006		Analyst: JT	
Di-n-octyl phthalate	ND	0.02		mg/L	1	7/6/2006
Hexachlorobenzene	ND	0.02		mg/L	1	7/6/2006
Hexachlorobutadiene	ND	0.02		mg/L	1	7/6/2006
Hexachlorocyclopentadiene	ND	0.02		mg/L	1	7/6/2006
Hexachloroethane	ND	0.02		mg/L	1	7/6/2006
Isophorone	ND	0.02		mg/L	1	7/6/2006
2-Methylnaphthalene	ND	0.02		mg/L	1	7/6/2006
2-Methylphenol	ND	0.02		mg/L	1	7/6/2006
4-Methylphenol	ND	0.02		mg/L	1	7/6/2006
2-Nitroaniline	ND	0.05		mg/L	1	7/6/2006
3-Nitroaniline	ND	0.05		mg/L	1	7/6/2006
4-Nitroaniline	ND	0.05		mg/L	1	7/6/2006
2-Nitrophenol	ND	0.02		mg/L	1	7/6/2006
4-Nitrophenol	ND	0.05		mg/L	1	7/6/2006
Nitrobenzene	ND	0.02		mg/L	1	7/6/2006
N-Nitrosodi-n-propylamine	ND	0.02		mg/L	1	7/6/2006
N-Nitrosodimethylamine	ND	0.02		mg/L	1	7/6/2006
N-Nitrosodiphenylamine	ND	0.02		mg/L	1	7/6/2006
2, 2'-oxybis(1-Chloropropane)	ND	0.02		mg/L	1	7/6/2006
Pentachlorophenol	ND	0.02		mg/L	1	7/6/2006
Phenol	ND	0.02		mg/L	1	7/6/2006
Pyridine	ND	0.05		mg/L	1	7/6/2006
1,2,4-Trichlorobenzene	ND	0.02		mg/L	1	7/6/2006
2,4,5-Trichlorophenol	ND	0.02		mg/L	1	7/6/2006
2,4,6-Trichlorophenol	ND	0.02		mg/L	1	7/6/2006
TCLP Volatile Organic Compounds by GC/MS						
	SW1311/8260B (SW5030B)		Prep Date: 7/5/2006		Analyst: GAH	
Benzene	ND	0.05		mg/L	10	7/6/2006
2-Butanone	ND	0.1		mg/L	10	7/6/2006
Carbon tetrachloride	ND	0.05		mg/L	10	7/6/2006
Chlorobenzene	ND	0.05		mg/L	10	7/6/2006
Chloroform	ND	0.05		mg/L	10	7/6/2006
1,2-Dichloroethane	ND	0.05		mg/L	10	7/6/2006
1,1-Dichloroethene	ND	0.05		mg/L	10	7/6/2006
Tetrachloroethene	ND	0.05		mg/L	10	7/6/2006
Trichloroethene	ND	0.05		mg/L	10	7/6/2006
Vinyl chloride	ND	0.05		mg/L	10	7/6/2006
Volatile Organic Compounds by GC/MS						
	SW8260B (SW5030B)		Prep Date:		Analyst: GAH	

Qualifiers:

ND - Not Detected at the Reporting Limit

J - Analyte detected below quantitation limits

B - Analyte detected in the associated Method Blank

HT - Sample received past holding time

* - Non-accredited parameter

RL - Reporting / Quantitation Limit for the analysis

S - Spike Recovery outside accepted recovery limits

R - RPD outside accepted recovery limits

E - Value above quantitation range

H - Holding time exceeded

STAT Analysis Corporation

2255 West Harrison St., Suite B, Chicago, IL 60612-3505

Tel: (312) 733-0551 Fax: (312) 733-2386 STATinfo@STATAnalysis.com

Accreditation Numbers: IEPA ELAP 100445; ORELAP IL300001; AIHA 101160; NVLAP LabCode 101202-0

Date Reported: July 10, 2006

Date Printed: July 10, 2006

Client: US Risk Management

Lab Order: 06070046

Project: 15060106, Universal Form Clamp, Bellwod, IL

Lab ID: 06070046-002

Client Sample ID: S

Collection Date: 7/5/2006 8:30:00 AM

Matrix: Water

Analyses	Result	RL	Qualifier	Units	DF	Date Analyzed
Volatile Organic Compounds by GC/MS						
	SW8260B (SW5030B)			Prep Date:		Analyst: GAH
Acetone	0.22	0.01		mg/L	1	7/5/2006
Benzene	0.067	0.005		mg/L	1	7/5/2006
Bromodichloromethane	ND	0.005		mg/L	1	7/5/2006
Bromoform	ND	0.005		mg/L	1	7/5/2006
Bromomethane	ND	0.01		mg/L	1	7/5/2006
2-Butanone	0.028	0.01		mg/L	1	7/5/2006
Carbon disulfide	ND	0.005		mg/L	1	7/5/2006
Carbon tetrachloride	ND	0.005		mg/L	1	7/5/2006
Chlorobenzene	ND	0.005		mg/L	1	7/5/2006
Dibromochloromethane	0.0065	0.005		mg/L	1	7/5/2006
Chloroethane	ND	0.01		mg/L	1	7/5/2006
Chloroform	0.0076	0.005		mg/L	1	7/5/2006
Chloromethane	ND	0.01		mg/L	1	7/5/2006
1,1-Dichloroethane	ND	0.005		mg/L	1	7/5/2006
1,2-Dichloroethane	ND	0.005		mg/L	1	7/5/2006
1,1-Dichloroethene	ND	0.005		mg/L	1	7/5/2006
cis-1,2-Dichloroethene	ND	0.005		mg/L	1	7/5/2006
trans-1,2-Dichloroethene	ND	0.005		mg/L	1	7/5/2006
1,2-Dichloropropane	ND	0.005		mg/L	1	7/5/2006
cis-1,3-Dichloropropene	ND	0.001		mg/L	1	7/5/2006
trans-1,3-Dichloropropene	ND	0.001		mg/L	1	7/5/2006
Ethylbenzene	0.012	0.005		mg/L	1	7/5/2006
2-Hexanone	ND	0.01		mg/L	1	7/5/2006
4-Methyl-2-pentanone	ND	0.01		mg/L	1	7/5/2006
Methylene chloride	ND	0.005		mg/L	1	7/5/2006
Methyl tert-butyl ether	ND	0.005		mg/L	1	7/5/2006
Styrene	0.022	0.005		mg/L	1	7/5/2006
1,1,2,2-Tetrachloroethane	ND	0.005		mg/L	1	7/5/2006
Tetrachloroethene	ND	0.005		mg/L	1	7/5/2006
Toluene	0.048	0.005		mg/L	1	7/5/2006
1,1,1-Trichloroethane	ND	0.005		mg/L	1	7/5/2006
1,1,2-Trichloroethane	ND	0.005		mg/L	1	7/5/2006
Trichloroethene	ND	0.005		mg/L	1	7/5/2006
Vinyl chloride	ND	0.002		mg/L	1	7/5/2006
Xylenes, Total	0.11	0.015		mg/L	1	7/5/2006
Cyanide, Reactive						
	SW7.3.3.2			Prep Date: 7/6/2006		Analyst: YZ
Reactive Cyanide	ND	0.5		mg/L	1	7/6/2006

Qualifiers:

ND - Not Detected at the Reporting Limit

J - Analyte detected below quantitation limits

B - Analyte detected in the associated Method Blank

HT - Sample received past holding time

* - Non-accredited parameter

RL - Reporting / Quantitation Limit for the analysis

S - Spike Recovery outside accepted recovery limits

R - RPD outside accepted recovery limits

E - Value above quantitation range

H - Holding time exceeded

STAT Analysis Corporation

2255 West Harrison St., Suite B, Chicago, IL 60612-3505

Tel: (312) 733-0551 Fax: (312) 733-2386 STATinfo@STATAnalysis.com

Accreditation Numbers: IEPA ELAP 100445; ORELAP IL300001; AIHA 101160; NVLAP LabCode 101202-0

Date Reported: July 10, 2006

Date Printed: July 10, 2006

Client: US Risk Management

Lab Order: 06070046

Project: 15060106, Universal Form Clamp, Bellwod, IL

Lab ID: 06070046-002

Client Sample ID: S

Collection Date: 7/5/2006 8:30:00 AM

Matrix: Water

Analyses	Result	RL	Qualifier	Units	DF	Date Analyzed
Flash Point (Open-Cup)	SW1010				Prep Date: 7/6/2006	Analyst: RW
Flashpoint	No flash up to 207			°F	1	7/6/2006
pH	E150.1				Prep Date: 7/5/2006	Analyst: ICD
pH	11.5		*	pH units	1	7/5/2006
Sulfide, Reactive	SW7.3.4.2				Prep Date: 7/5/2006	Analyst: YZ
Reactive Sulfide	ND	10		mg/L	1	7/5/2006

Qualifiers:

ND - Not Detected at the Reporting Limit
J - Analyte detected below quantitation limits
B - Analyte detected in the associated Method Blank
HT - Sample received past holding time
* - Non-accredited parameter

RL - Reporting / Quantitation Limit for the analysis
S - Spike Recovery outside accepted recovery limits
R - RPD outside accepted recovery limits
E - Value above quantitation range
H - Holding time exceeded

STAT Analysis Corporation

2255 West Harrison St., Suite B, Chicago, IL 60612-3505

Tel: (312) 733-0551 Fax: (312) 733-2386 STATinfo@STATAnalysis.com

Accreditation Numbers: IEPA ELAP 100445; ORELAP IL300001; AIHA 101160; NVLAP LabCode 101202-0

Date Reported: July 10, 2006

Date Printed: July 10, 2006

Client: US Risk Management

Lab Order: 06070046

Project: 15060106, Universal Form Clamp, Bellwod, IL

Lab ID: 06070046-003

Client Sample ID: Frac Tank 4861

Collection Date: 7/5/2006 8:30:00 AM

Matrix: Water/ Oil

Analyses	Result	RL	Qualifier	Units	DF	Date Analyzed
Metals by ICP/MS						
	SW6020 (SW3050B)			Prep Date: 7/6/2006		Analyst: JG
Arsenic	ND	1.9		mg/Kg	10	7/6/2006
Barium	ND	1.9		mg/Kg	10	7/6/2006
Cadmium	ND	0.96		mg/Kg	10	7/6/2006
Chromium	ND	1.9		mg/Kg	10	7/6/2006
Lead	1.8	0.96		mg/Kg	10	7/6/2006
Selenium	ND	1.9		mg/Kg	10	7/6/2006
Silver	ND	1.9		mg/Kg	10	7/6/2006
TCLP Metals by ICP/MS						
	SW1311/6020 (SW3005A)			Prep Date: 7/6/2006		Analyst: JG
Arsenic	ND	0.01		mg/L	5	7/6/2006
Barium	2.5	0.02		mg/L	5	7/6/2006
Cadmium	ND	0.005		mg/L	5	7/6/2006
Chromium	0.019	0.01		mg/L	5	7/6/2006
Lead	0.013	0.005		mg/L	5	7/6/2006
Selenium	ND	0.01		mg/L	5	7/6/2006
Silver	ND	0.01		mg/L	5	7/6/2006
Polynuclear Aromatic Hydrocarbons in Oil						
	SW8270C-SIM (SW3580A)			Prep Date: 7/5/2006		Analyst: DCW
Naphthalene	420	66		mg/Kg	100	7/6/2006
Acenaphthylene	26	0.66		mg/Kg	1	7/6/2006
Acenaphthene	34	6.6		mg/Kg	10	7/6/2006
Fluorene	77	6.6		mg/Kg	10	7/6/2006
Fluorene	40	0.66		mg/Kg	1	7/6/2006
Phenanthrene	260	6.6		mg/Kg	10	7/6/2006
Anthracene	270	6.6		mg/Kg	10	7/6/2006
Fluoranthene	11	0.66		mg/Kg	1	7/6/2006
Pyrene	47	6.6		mg/Kg	10	7/6/2006
Benz(a)anthracene	1.9	0.66		mg/Kg	1	7/6/2006
Chrysene	2.8	0.66		mg/Kg	1	7/6/2006
Benzo(b)fluoranthene	1.4	0.66		mg/Kg	1	7/6/2006
Benzo(k)fluoranthene	1.1	0.66		mg/Kg	1	7/6/2006
Benzo(a)pyrene	2.1	0.66		mg/Kg	1	7/6/2006
Indeno(1,2,3-cd)pyrene	1.2	0.66		mg/Kg	1	7/6/2006
Dibenz(a,h)anthracene	1.3	0.66		mg/Kg	1	7/6/2006
Benzo(g,h,i)perylene	1.4	0.66		mg/Kg	1	7/6/2006
Semivolatile Organic Compounds by GC/MS						
	SW8270C (SW3580A)			Prep Date: 7/5/2006		Analyst: JT
1,2,4-Trichlorobenzene	ND	33		mg/Kg	1	7/6/2006
1,2-Dichlorobenzene	ND	33		mg/Kg	1	7/6/2006
1,3-Dichlorobenzene	ND	33		mg/Kg	1	7/6/2006

Qualifiers:

ND - Not Detected at the Reporting Limit

J - Analyte detected below quantitation limits

B - Analyte detected in the associated Method Blank

HT - Sample received past holding time

* - Non-accredited parameter

RL - Reporting / Quantitation Limit for the analysis

S - Spike Recovery outside accepted recovery limits

R - RPD outside accepted recovery limits

E - Value above quantitation range

H - Holding time exceeded

STAT Analysis Corporation

2255 West Harrison St., Suite B, Chicago, IL 60612-3505

Tel: (312) 733-0551 Fax: (312) 733-2386 STATinfo@STATAnalysis.com

Accreditation Numbers: IEPA ELAP 100445; ORELAP IL300001; AIHA 101160; NVLAP LabCode 101202-0

Date Reported: July 10, 2006

Date Printed: July 10, 2006

Client: US Risk Management

Lab Order: 06070046

Project: 15060106, Universal Form Clamp, Bellwod, IL

Lab ID: 06070046-003

Client Sample ID: Frac Tank 4861

Collection Date: 7/5/2006 8:30:00 AM

Matrix: Water/ Oil

Analyses	Result	RL	Qualifier	Units	DF	Date Analyzed
Semivolatile Organic Compounds by GC/MS	SW8270C (SW3580A)		Prep Date: 7/5/2006		Analyst: JT	
1,4-Dichlorobenzene	ND	33		mg/Kg	1	7/6/2006
2, 2'-oxybis(1-Chloropropane)	ND	33		mg/Kg	1	7/6/2006
2,4,5-Trichlorophenol	ND	33		mg/Kg	1	7/6/2006
2,4,6-Trichlorophenol	ND	33		mg/Kg	1	7/6/2006
2,4-Dichlorophenol	ND	33		mg/Kg	1	7/6/2006
2,4-Dimethylphenol	ND	33		mg/Kg	1	7/6/2006
2,4-Dinitrophenol	ND	66		mg/Kg	1	7/6/2006
2,4-Dinitrotoluene	ND	33		mg/Kg	1	7/6/2006
2,6-Dinitrotoluene	ND	33		mg/Kg	1	7/6/2006
2-Chloronaphthalene	ND	33		mg/Kg	1	7/6/2006
2-Chlorophenol	ND	33		mg/Kg	1	7/6/2006
2-Methylnaphthalene	910	330		mg/Kg	10	7/6/2006
2-Methylphenol	ND	33		mg/Kg	1	7/6/2006
2-Nitroaniline	ND	66		mg/Kg	1	7/6/2006
2-Nitrophenol	ND	33		mg/Kg	1	7/6/2006
3,3'-Dichlorobenzidine	ND	33		mg/Kg	1	7/6/2006
3-Nitroaniline	ND	66		mg/Kg	1	7/6/2006
4,6-Dinitro-2-methylphenol	ND	66		mg/Kg	1	7/6/2006
4-Bromophenyl phenyl ether	ND	33		mg/Kg	1	7/6/2006
4-Chloro-3-methylphenol	ND	33		mg/Kg	1	7/6/2006
4-Chloroaniline	ND	33		mg/Kg	1	7/6/2006
4-Chlorophenyl phenyl ether	ND	33		mg/Kg	1	7/6/2006
4-Methylphenol	ND	33		mg/Kg	1	7/6/2006
4-Nitroaniline	ND	66		mg/Kg	1	7/6/2006
4-Nitrophenol	ND	66		mg/Kg	1	7/6/2006
Aniline	ND	33		mg/Kg	1	7/6/2006
Benzidine	ND	33		mg/Kg	1	7/6/2006
Benzoic acid	ND	66		mg/Kg	1	7/6/2006
Benzyl alcohol	ND	33		mg/Kg	1	7/6/2006
Bis(2-chloroethoxy)methane	ND	33		mg/Kg	1	7/6/2006
Bis(2-chloroethyl)ether	ND	33		mg/Kg	1	7/6/2006
Bis(2-ethylhexyl)phthalate	ND	33		mg/Kg	1	7/6/2006
Butyl benzyl phthalate	ND	33		mg/Kg	1	7/6/2006
Carbazole	ND	33		mg/Kg	1	7/6/2006
Di-n-butyl phthalate	ND	33		mg/Kg	1	7/6/2006
Di-n-octyl phthalate	ND	33		mg/Kg	1	7/6/2006
Dibenzofuran	ND	33		mg/Kg	1	7/6/2006
Diethyl phthalate	ND	33		mg/Kg	1	7/6/2006

Qualifiers:

ND - Not Detected at the Reporting Limit

J - Analyte detected below quantitation limits

B - Analyte detected in the associated Method Blank

HT - Sample received past holding time

* - Non-accredited parameter

RL - Reporting / Quantitation Limit for the analysis

S - Spike Recovery outside accepted recovery limits

R - RPD outside accepted recovery limits

E - Value above quantitation range

H - Holding time exceeded

STAT Analysis Corporation

2255 West Harrison St., Suite B, Chicago, IL 60612-3505

Tel: (312) 733-0551 Fax: (312) 733-2386 STATinfo@STATAnalysis.com

Accreditation Numbers: IEPA ELAP 100445; ORELAP IL300001; AIHA 101160; NVLAP LabCode 101202-0

Date Reported: July 10, 2006

Date Printed: July 10, 2006

Client: US Risk Management

Lab Order: 06070046

Project: 15060106, Universal Form Clamp, Bellwod, IL

Lab ID: 06070046-003

Client Sample ID: Frac Tank 4861

Collection Date: 7/5/2006 8:30:00 AM

Matrix: Water/ Oil

Analyses	Result	RL	Qualifier	Units	DF	Date Analyzed
Semivolatile Organic Compounds by GC/MS						
	SW8270C (SW3580A)			Prep Date: 7/5/2006		Analyst: JT
Dimethyl phthalate	ND	33		mg/Kg	1	7/6/2006
Hexachlorobenzene	ND	33		mg/Kg	1	7/6/2006
Hexachlorobutadiene	ND	33		mg/Kg	1	7/6/2006
Hexachlorocyclopentadiene	ND	33		mg/Kg	1	7/6/2006
Hexachloroethane	ND	33		mg/Kg	1	7/6/2006
Isophorone	ND	33		mg/Kg	1	7/6/2006
N-Nitrosodi-n-propylamine	ND	33		mg/Kg	1	7/6/2006
N-Nitrosodimethylamine	ND	33		mg/Kg	1	7/6/2006
N-Nitrosodiphenylamine	ND	33		mg/Kg	1	7/6/2006
Nitrobenzene	ND	33		mg/Kg	1	7/6/2006
Pentachlorophenol	ND	66		mg/Kg	1	7/6/2006
Phenol	ND	33		mg/Kg	1	7/6/2006
Pyridine	ND	33		mg/Kg	1	7/6/2006
TCLP Semivolatile Organic Compounds						
	SW1311/8270C (SW3510C)			Prep Date: 7/6/2006		Analyst: JT
1,4-Dichlorobenzene	ND	0.02		mg/L	1	7/6/2006
2,4-Dinitrotoluene	ND	0.02		mg/L	1	7/6/2006
Hexachlorobenzene	ND	0.02		mg/L	1	7/6/2006
Hexachlorobutadiene	ND	0.02		mg/L	1	7/6/2006
Hexachloroethane	ND	0.02		mg/L	1	7/6/2006
Nitrobenzene	ND	0.02		mg/L	1	7/6/2006
2-methylphenol	ND	0.02		mg/L	1	7/6/2006
3- & 4-Methylphenol	ND	0.02		mg/L	1	7/6/2006
Pentachlorophenol	ND	0.1		mg/L	1	7/6/2006
Pyridine	ND	0.02		mg/L	1	7/6/2006
2,4,5-Trichlorophenol	ND	0.02		mg/L	1	7/6/2006
2,4,6-Trichlorophenol	ND	0.02		mg/L	1	7/6/2006
Volatile Organic Compounds by GC/MS						
	SW8260B			Prep Date: 7/5/2006		Analyst: SK
Acetone	ND	470		mg/Kg	10000	7/9/2006
Benzene	ND	47		mg/Kg	10000	7/9/2006
Bromodichloromethane	ND	47		mg/Kg	10000	7/9/2006
Bromoform	ND	47		mg/Kg	10000	7/9/2006
Bromomethane	ND	94		mg/Kg	10000	7/9/2006
2-Butanone	ND	94		mg/Kg	10000	7/9/2006
Carbon disulfide	ND	47		mg/Kg	10000	7/9/2006
Carbon tetrachloride	ND	47		mg/Kg	10000	7/9/2006
Chlorobenzene	ND	47		mg/Kg	10000	7/9/2006
Dibromochloromethane	ND	47		mg/Kg	10000	7/9/2006

Qualifiers:

ND - Not Detected at the Reporting Limit

J - Analyte detected below quantitation limits

B - Analyte detected in the associated Method Blank

HT - Sample received past holding time

* - Non-accredited parameter

RL - Reporting / Quantitation Limit for the analysis

S - Spike Recovery outside accepted recovery limits

R - RPD outside accepted recovery limits

E - Value above quantitation range

H - Holding time exceeded

STAT Analysis Corporation

2255 West Harrison St., Suite B, Chicago, IL 60612-3505

Tel: (312) 733-0551 Fax: (312) 733-2386 STATinfo@STATAnalysis.com

Accreditation Numbers: IEPA ELAP 100445; ORELAP IL300001; AIHA 101160; NVLAP LabCode 101202-0

Date Reported: July 10, 2006

Date Printed: July 10, 2006

Client: US Risk Management

Lab Order: 06070046

Project: 15060106, Universal Form Clamp, Bellwod, IL

Lab ID: 06070046-003

Client Sample ID: Frac Tank 4861

Collection Date: 7/5/2006 8:30:00 AM

Matrix: Water/ Oil

Analyses	Result	RL	Qualifier	Units	DF	Date Analyzed
Volatile Organic Compounds by GC/MS						
	SW8260B				Prep Date: 7/5/2006	Analyst: SK
Chloroethane	ND	94		mg/Kg	10000	7/9/2006
Chloroform	ND	47		mg/Kg	10000	7/9/2006
Chloromethane	ND	94		mg/Kg	10000	7/9/2006
1,1-Dichloroethane	ND	47		mg/Kg	10000	7/9/2006
1,2-Dichloroethane	ND	47		mg/Kg	10000	7/9/2006
1,1-Dichloroethene	ND	47		mg/Kg	10000	7/9/2006
cis-1,2-Dichloroethene	ND	47		mg/Kg	10000	7/9/2006
trans-1,2-Dichloroethene	ND	47		mg/Kg	10000	7/9/2006
1,2-Dichloropropane	ND	47		mg/Kg	10000	7/9/2006
cis-1,3-Dichloropropene	ND	47		mg/Kg	10000	7/9/2006
trans-1,3-Dichloropropene	ND	47		mg/Kg	10000	7/9/2006
Ethylbenzene	100	47		mg/Kg	10000	7/9/2006
2-Hexanone	ND	94		mg/Kg	10000	7/9/2006
4-Methyl-2-pentanone	ND	94		mg/Kg	10000	7/9/2006
Methylene chloride	ND	94		mg/Kg	10000	7/9/2006
Methyl tert-butyl ether	ND	47		mg/Kg	10000	7/9/2006
Styrene	67	47		mg/Kg	10000	7/9/2006
1,1,2,2-Tetrachloroethane	ND	47		mg/Kg	10000	7/9/2006
Tetrachloroethene	ND	47		mg/Kg	10000	7/9/2006
Toluene	110	47		mg/Kg	10000	7/9/2006
1,1,1-Trichloroethane	ND	47		mg/Kg	10000	7/9/2006
1,1,2-Trichloroethane	ND	47		mg/Kg	10000	7/9/2006
Trichloroethene	ND	47		mg/Kg	10000	7/9/2006
Vinyl chloride	ND	47		mg/Kg	10000	7/9/2006
Xylenes, Total	1200	140		mg/Kg	10000	7/9/2006
TCLP Volatile Organic Compounds by GC/MS						
	SW1311/8260B (SW5030B)				Prep Date:	Analyst: PS
Benzene	0.21	0.05		mg/L	10	7/7/2006
2-Butanone	ND	0.1		mg/L	10	7/7/2006
Carbon tetrachloride	ND	0.05		mg/L	10	7/7/2006
Chlorobenzene	ND	0.05		mg/L	10	7/7/2006
Chloroform	ND	0.05		mg/L	10	7/7/2006
1,2-Dichloroethane	ND	0.05		mg/L	10	7/7/2006
1,1-Dichloroethene	ND	0.05		mg/L	10	7/7/2006
Tetrachloroethene	ND	0.05		mg/L	10	7/7/2006
Trichloroethene	ND	0.05		mg/L	10	7/7/2006
Vinyl chloride	ND	0.05		mg/L	10	7/7/2006
Cyanide, Reactive						
	SW7.3.3.2				Prep Date: 7/6/2006	Analyst: YZ

Qualifiers:

ND - Not Detected at the Reporting Limit

J - Analyte detected below quantitation limits

B - Analyte detected in the associated Method Blank

HT - Sample received past holding time

* - Non-accredited parameter

RL - Reporting / Quantitation Limit for the analysis

S - Spike Recovery outside accepted recovery limits

R - RPD outside accepted recovery limits

E - Value above quantitation range

H - Holding time exceeded

STAT Analysis Corporation

2255 West Harrison St., Suite B, Chicago, IL 60612-3505

Tel: (312) 733-0551 Fax: (312) 733-2386 STATinfo@STATAnalysis.com

Accreditation Numbers: IEPA ELAP 100445; ORELAP IL300001; AIHA 101160; NVLAP LabCode 101202-0

Date Reported: July 10, 2006

Date Printed: July 10, 2006

Client: US Risk Management

Lab Order: 06070046

Project: 15060106, Universal Form Clamp, Bellwod, IL

Lab ID: 06070046-003

Client Sample ID: Frac Tank 4861

Collection Date: 7/5/2006 8:30:00 AM

Matrix: Water/ Oil

Analyses	Result	RL	Qualifier	Units	DF	Date Analyzed
Cyanide, Reactive	SW7.3.3.2					
Reactive Cyanide	ND	1		mg/Kg	1	Prep Date: 7/6/2006 Analyst: YZ 7/6/2006
Flash Point (Open-Cup)	SW1010					
Flashpoint	Flash at 95			°F	1	Prep Date: 7/6/2006 Analyst: RW 7/6/2006
pH (25 °C)	SW9045C					
pH	7.3			pH Units	1	Prep Date: 7/5/2006 Analyst: ICD 7/5/2006
Sulfide, Reactive	SW7.3.4.2					
Reactive Sulfide	ND	10		mg/Kg	1	Prep Date: 7/5/2006 Analyst: YZ 7/5/2006

Qualifiers:

ND - Not Detected at the Reporting Limit
J - Analyte detected below quantitation limits
B - Analyte detected in the associated Method Blank
HT - Sample received past holding time
* - Non-accredited parameter

RL - Reporting / Quantitation Limit for the analysis
S - Spike Recovery outside accepted recovery limits
R - RPD outside accepted recovery limits
E - Value above quantitation range
H - Holding time exceeded

CHAIN OF CUSTODY RECORD

[illegible]

Sample Receipt Checklist

Client Name US RISK


Date and Time Received:

7/5/2006

Work Order Number 06070046

Received by: CDF

Checklist completed by:

 7/5/06
Signature Date

Reviewed by:

 7/6/06
Initials Date

Matrix

Carrier name Client Delivered

Shipping container/cooler in good condition?	Yes <input checked="" type="checkbox"/>	No <input type="checkbox"/>	Not Present <input type="checkbox"/>
Custody seals intact on shipping container/cooler?	Yes <input type="checkbox"/>	No <input type="checkbox"/>	Not Present <input checked="" type="checkbox"/>
Custody seals intact on sample bottles?	Yes <input type="checkbox"/>	No <input type="checkbox"/>	Not Present <input checked="" type="checkbox"/>
Chain of custody present?	Yes <input checked="" type="checkbox"/>	No <input type="checkbox"/>	
Chain of custody signed when relinquished and received?	Yes <input checked="" type="checkbox"/>	No <input type="checkbox"/>	
Chain of custody agrees with sample labels/containers?	Yes <input checked="" type="checkbox"/>	No <input type="checkbox"/>	
Samples in proper container/bottle?	Yes <input checked="" type="checkbox"/>	No <input type="checkbox"/>	
Sample containers intact?	Yes <input checked="" type="checkbox"/>	No <input type="checkbox"/>	
Sufficient sample volume for indicated test?	Yes <input checked="" type="checkbox"/>	No <input type="checkbox"/>	
All samples received within holding time?	Yes <input checked="" type="checkbox"/>	No <input type="checkbox"/>	
Container or Temp Blank temperature in compliance?	Yes <input checked="" type="checkbox"/>	No <input type="checkbox"/>	Temperature On Ice: °C
Water - VOA vials have zero headspace?	No VOA vials submitted <input type="checkbox"/>	Yes <input type="checkbox"/>	No <input type="checkbox"/>
Water - Samples pH checked?	Yes <input type="checkbox"/>	No <input type="checkbox"/>	Checked by:
Water - Samples properly preserved?	Yes <input type="checkbox"/>	No <input type="checkbox"/>	pH Adjusted?

Any No response must be detailed in the comments section below.

Comments:

Client / Person
contacted:

Date contacted:

Contacted by:

Response:

STAT Analysis Corporation

2255 West Harrison St., Suite B, Chicago, IL 60612-3505

Tel: (312) 733-0551 Fax: (312) 733-2386 STATinfo@STATAnalysis.com

Accreditation Numbers: IEPA ELAP 100445; ORELAP IL300001; AIHA 101160; NVLAP LabCode 101202-0

July 07, 2006

US Risk Management
365 Canal St. Suite 2760
New Orleans, LA 70130
Telephone: (504) 561-6563
Fax:

RE: 15060106, Universal Form Clamp, Bellwod, IL

STAT Project No: 06070052

Dear Tracey Dodd:


STAT Analysis received 12 samples for the referenced project on 7/5/2006. The analytical results are presented in the following report.

All analyses were performed in accordance with the requirements of 35 IAC Part 186 / NELAC standards. Analyses were performed in accordance with methods as referenced on the analytical report. Those analytical results expressed on a dry weight basis are also noted on the analytical report.

All analyses were performed within established holding time criteria, and all Quality Control criteria met EPA or laboratory specifications except when noted in the Case Narrative or Analytical Report. If required, an estimate of uncertainty for the analyses can be provided. A listing of accredited methods/parameters can also be provided.

Thank you for the opportunity to serve you and I look forward to working with you in the future. If you have any questions regarding the enclosed materials, please contact me at (312) 563-0371.

Sincerely,



Jennifer Hass

Project Manager

The information contained in this report and any attachments is confidential information intended only for the use of the individual or entities named above. The results of this report relate only to the samples tested. If you have received this report in error, please notify us immediately by phone. This report shall not be reproduced, except in its entirety, unless written approval has been obtained from the laboratory.

CC:

James Laws

CLIENT: US Risk Management
Project: 15060106, Universal Form Clamp, Bellwod, IL
Lab Order: 06070052

CASE NARRATIVE

The PNA wipe LCS/LCSD (LCS-21389-PNA/LCSD-21389-PNA) had recoveries and RPD outside of control limits.

Client: US Risk Management
Project: 15060106, Universal Form Clamp, Bellwod, IL
Lab Order: 06070052

Work Order Sample Summary

Lab Sample ID	Client Sample ID	Tag Number	Collection Date	Date Received
06070052-001A	1-East Wall-Center Rm	12"x12"	7/5/2006 1:15:00 PM	7/5/2006
06070052-002A	2-East Wall-Center Rm	12"x12"	7/5/2006 1:15:00 PM	7/5/2006
06070052-003A	3-North Wall-Center Rm	12"x12"	7/5/2006 1:15:00 PM	7/5/2006
06070052-004A	4-North Wall-Center Rm	12"x12"	7/5/2006 1:15:00 PM	7/5/2006
06070052-005A	5-West Wall-Center Rm	12"x12"	7/5/2006 1:15:00 PM	7/5/2006
06070052-006A	6-West Wall-Center Rm	12"x12"	7/5/2006 1:15:00 PM	7/5/2006
06070052-007A	7-Northwest Wall-Center Rm	12"x12"	7/5/2006 1:15:00 PM	7/5/2006
06070052-008A	8-Northwest Wall-Center Rm	12"x12"	7/5/2006 1:15:00 PM	7/5/2006
06070052-009A	9-North Wall-CCS (Blank)	12"x12"	7/5/2006 1:15:00 PM	7/5/2006
06070052-010A	10-North Wall-CCS (Blank)	12"x12"	7/5/2006 1:15:00 PM	7/5/2006
06070052-011A	11-East Wall-6" From F/R	12"x12"	7/5/2006 1:15:00 PM	7/5/2006
06070052-012A	12-East Wall-6" From F/R	12"x12"	7/5/2006 1:15:00 PM	7/5/2006

STAT Analysis Corporation

2255 West Harrison St., Suite B, Chicago, IL 60612-3505

Tel: (312) 733-0551 Fax: (312) 733-2386 STATinfo@STATAnalysis.com

Accreditation Numbers: IEPA ELAP 100445; ORELAP IL300001; AIHA 101160; NVLAP LabCode 101202-0

Report Date: July 07, 2006

Print Date: July 07, 2006

Client:	US Risk Management	Client Sample ID:	1-East Wall-Center Rm
Lab Order:	06070052	Tag Number:	12"x12"
Project:	15060106, Universal Form Clamp, Bellwod, IL	Collection Date:	7/5/2006 1:15:00 PM
Lab ID:	06070052-001A	Matrix:	Wipe

Analyses	Result	RL	Qualifier	Units	DF	Date Analyzed
----------	--------	----	-----------	-------	----	---------------

Metals by ICP/MS	SW6020 (SW3050B)				Prep Date: 7/6/2006	Analyst: JG
Arsenic	ND	2.5		µg/ft²	10	7/6/2006
Barium	12	2.5		µg/ft²	10	7/6/2006
Cadmium	ND	2.5		µg/ft²	10	7/6/2006
Chromium	ND	2.5		µg/ft²	10	7/6/2006
Lead	3.5	2.5		µg/ft²	10	7/6/2006
Selenium	ND	2.5		µg/ft²	10	7/6/2006
Silver	ND	2.5		µg/ft²	10	7/6/2006

Qualifiers:	ND - Not Detected at the Reporting Limit	RL - Reporting / Quantitation Limit for the analysis
	J - Analyte detected below quantitation limits	S - Spike Recovery outside accepted recovery limits
	B - Analyte detected in the associated Method Blank	R - RPD outside accepted recovery limits
	HT - Sample received past holding time	E - Value above quantitation range
	* - Non-accredited parameter	H - Holding time exceeded

STAT Analysis Corporation

2255 West Harrison St., Suite B, Chicago, IL 60612-3505

Tel: (312) 733-0551 Fax: (312) 733-2386 STATinfo@STATAnalysis.com

Accreditation Numbers: IEPA ELAP 100445; ORELAP IL300001; AIHA 101160; NVLAP LabCode 101202-0

Report Date: July 07, 2006

Print Date: July 07, 2006

Client:	US Risk Management	Client Sample ID:	2-East Wall-Center Rm
Lab Order:	06070052	Tag Number:	12"x12"
Project:	15060106, Universal Form Clamp, Bellwod, IL	Collection Date:	7/5/2006 1:15:00 PM
Lab ID:	06070052-002A	Matrix:	Wipe

Analyses	Result	RL	Qualifier	Units	DF	Date Analyzed
Polynuclear Aromatic Hydrocarbons (Wipe)	SW8270C-SIM (SW3550B)		Prep Date: 7/6/2006		Analyst: DCW	
Acenaphthene	ND	0.5		µg/ft ²	1	7/6/2006
Acenaphthylene	ND	0.5		µg/ft ²	1	7/6/2006
Anthracene	ND	0.5		µg/ft ²	1	7/6/2006
Benz(a)anthracene	ND	0.5		µg/ft ²	1	7/6/2006
Benzo(a)pyrene	ND	0.5		µg/ft ²	1	7/6/2006
Benzo(b)fluoranthene	ND	0.5		µg/ft ²	1	7/6/2006
Benzo(g,h,i)perylene	ND	0.5		µg/ft ²	1	7/6/2006
Benzo(k)fluoranthene	ND	0.5		µg/ft ²	1	7/6/2006
Chrysene	ND	0.5		µg/ft ²	1	7/6/2006
Dibenz(a,h)anthracene	ND	0.5		µg/ft ²	1	7/6/2006
Fluoranthene	ND	0.5		µg/ft ²	1	7/6/2006
Fluorene	ND	0.5		µg/ft ²	1	7/6/2006
Indeno(1,2,3-cd)pyrene	ND	0.5		µg/ft ²	1	7/6/2006
Naphthalene	ND	0.5		µg/ft ²	1	7/6/2006
Phenanthrene	ND	0.5		µg/ft ²	1	7/6/2006
Pyrene	ND	0.5		µg/ft ²	1	7/6/2006

Qualifiers:
ND - Not Detected at the Reporting Limit
J - Analyte detected below quantitation limits
B - Analyte detected in the associated Method Blank
HT - Sample received past holding time
* - Non-accredited parameter

RL - Reporting / Quantitation Limit for the analysis
S - Spike Recovery outside accepted recovery limits
R - RPD outside accepted recovery limits
E - Value above quantitation range
H - Holding time exceeded

STAT Analysis Corporation

2255 West Harrison St., Suite B, Chicago, IL 60612-3505

Tel: (312) 733-0551 Fax: (312) 733-2386 STATinfo@STATAnalysis.com

Accreditation Numbers: IEPA ELAP 100445; ORELAP IL300001; AIHA 101160; NVLAP LabCode 101202-0

Report Date: July 07, 2006

Print Date: July 07, 2006

Client:	US Risk Management	Client Sample ID:	3-North Wall-Center Rm
Lab Order:	06070052	Tag Number:	12"x12"
Project:	15060106, Universal Form Clamp, Bellwod, IL	Collection Date:	7/5/2006 1:15:00 PM
Lab ID:	06070052-003A	Matrix:	Wipe

Analyses	Result	RL	Qualifier	Units	DF	Date Analyzed
----------	--------	----	-----------	-------	----	---------------

Metals by ICP/MS	SW6020 (SW3050B)				Prep Date: 7/6/2006	Analyst: JG
Arsenic	ND	2.5		µg/ft²	10	7/6/2006
Barium	2.8	2.5		µg/ft²	10	7/6/2006
Cadmium	ND	2.5		µg/ft²	10	7/6/2006
Chromium	ND	2.5		µg/ft²	10	7/6/2006
Lead	ND	2.5		µg/ft²	10	7/6/2006
Selenium	ND	2.5		µg/ft²	10	7/6/2006
Silver	ND	2.5		µg/ft²	10	7/6/2006

Qualifiers:	ND - Not Detected at the Reporting Limit	RL - Reporting / Quantitation Limit for the analysis
	J - Analyte detected below quantitation limits	S - Spike Recovery outside accepted recovery limits
	B - Analyte detected in the associated Method Blank	R - RPD outside accepted recovery limits
	HT - Sample received past holding time	E - Value above quantitation range
	* - Non-accredited parameter	H - Holding time exceeded

STAT Analysis Corporation

2255 West Harrison St., Suite B, Chicago, IL 60612-3505

Tel: (312) 733-0551 Fax: (312) 733-2386 STATinfo@STATAnalysis.com

Accreditation Numbers: IEPA ELAP 100445; ORELAP IL300001; AIHA 101160; NVLAP LabCode 101202-0

Report Date: July 07, 2006

Print Date: July 07, 2006

Client:	US Risk Management	Client Sample ID:	4-North Wall-Center Rm
Lab Order:	06070052	Tag Number:	12"x12"
Project:	15060106, Universal Form Clamp, Bellwod, IL	Collection Date:	7/5/2006 1:15:00 PM
Lab ID:	06070052-004A	Matrix:	Wipe

Analyses	Result	RL	Qualifier	Units	DF	Date Analyzed
Polynuclear Aromatic Hydrocarbons (Wipe)	SW8270C-SIM (SW3550B)			Prep Date: 7/6/2006		Analyst: DCW
Acenaphthene	ND	0.5		µg/ft ²	1	7/6/2006
Acenaphthylene	ND	0.5		µg/ft ²	1	7/6/2006
Anthracene	ND	0.5		µg/ft ²	1	7/6/2006
Benz(a)anthracene	ND	0.5		µg/ft ²	1	7/6/2006
Benzo(a)pyrene	ND	0.5		µg/ft ²	1	7/6/2006
Benzo(b)fluoranthene	ND	0.5		µg/ft ²	1	7/6/2006
Benzo(g,h,i)perylene	ND	0.5		µg/ft ²	1	7/6/2006
Benzo(k)fluoranthene	ND	0.5		µg/ft ²	1	7/6/2006
Chrysene	ND	0.5		µg/ft ²	1	7/6/2006
Dibenz(a,h)anthracene	ND	0.5		µg/ft ²	1	7/6/2006
Fluoranthene	ND	0.5		µg/ft ²	1	7/6/2006
Fluorene	ND	0.5		µg/ft ²	1	7/6/2006
Indeno(1,2,3-cd)pyrene	ND	0.5		µg/ft ²	1	7/6/2006
Naphthalene	ND	0.5		µg/ft ²	1	7/6/2006
Phenanthrene	ND	0.5		µg/ft ²	1	7/6/2006
Pyrene	ND	0.5		µg/ft ²	1	7/6/2006

Qualifiers:

ND - Not Detected at the Reporting Limit
J - Analyte detected below quantitation limits
B - Analyte detected in the associated Method Blank
HT - Sample received past holding time
* - Non-accredited parameter

RL - Reporting / Quantitation Limit for the analysis
S - Spike Recovery outside accepted recovery limits
R - RPD outside accepted recovery limits
E - Value above quantitation range
H - Holding time exceeded

STAT Analysis Corporation

2255 West Harrison St., Suite B, Chicago, IL 60612-3505

Tel: (312) 733-0551 Fax: (312) 733-2386 STATinfo@STATAnalysis.com

Accreditation Numbers: IEPA ELAP 100445; ORELAP IL300001; AIHA 101160; NVLAP LabCode 101202-0

Report Date: July 07, 2006

Print Date: July 07, 2006

Client:	US Risk Management	Client Sample ID:	5-West Wall-Center Rm
Lab Order:	06070052	Tag Number:	12"x12"
Project:	15060106, Universal Form Clamp, Bellwod, IL	Collection Date:	7/5/2006 1:15:00 PM
Lab ID:	06070052-005A	Matrix:	Wipe

Analyses	Result	RL	Qualifier	Units	DF	Date Analyzed
----------	--------	----	-----------	-------	----	---------------

Metals by ICP/MS	SW6020 (SW3050B)				Prep Date: 7/6/2006	Analyst: JG
Arsenic	ND	2.5		µg/ft²	10	7/6/2006
Barium	7.8	2.5		µg/ft²	10	7/6/2006
Cadmium	ND	2.5		µg/ft²	10	7/6/2006
Chromium	4	2.5		µg/ft²	10	7/6/2006
Lead	22	2.5		µg/ft²	10	7/6/2006
Selenium	ND	2.5		µg/ft²	10	7/6/2006
Silver	ND	2.5		µg/ft²	10	7/6/2006

Qualifiers:	ND - Not Detected at the Reporting Limit	RL - Reporting / Quantitation Limit for the analysis
	J - Analyte detected below quantitation limits	S - Spike Recovery outside accepted recovery limits
	B - Analyte detected in the associated Method Blank	R - RPD outside accepted recovery limits
	HT - Sample received past holding time	E - Value above quantitation range
	* - Non-accredited parameter	H - Holding time exceeded

STAT Analysis Corporation

2255 West Harrison St., Suite B, Chicago, IL 60612-3505

Tel: (312) 733-0551 Fax: (312) 733-2386 STATinfo@STATAnalysis.com

Accreditation Numbers: IEPA ELAP 100445; ORELAP IL300001; AIHA 101160; NVLAP LabCode 101202-0

Report Date: July 07, 2006

Print Date: July 07, 2006

Client:	US Risk Management	Client Sample ID:	6-West Wall-Center Rm
Lab Order:	06070052	Tag Number:	12"x12"
Project:	15060106, Universal Form Clamp, Bellwod, IL	Collection Date:	7/5/2006 1:15:00 PM
Lab ID:	06070052-006A	Matrix:	Wipe

Analyses	Result	RL	Qualifier	Units	DF	Date Analyzed
Polynuclear Aromatic Hydrocarbons (Wipe)						
	SW8270C-SIM (SW3550B)			Prep Date: 7/6/2006		Analyst: DCW
Acenaphthene	ND	0.5		µg/ft ²	1	7/6/2006
Acenaphthylene	ND	0.5		µg/ft ²	1	7/6/2006
Anthracene	ND	0.5		µg/ft ²	1	7/6/2006
Benz(a)anthracene	1.2	0.5		µg/ft ²	1	7/6/2006
Benzo(a)pyrene	0.6	0.5		µg/ft ²	1	7/6/2006
Benzo(b)fluoranthene	0.8	0.5		µg/ft ²	1	7/6/2006
Benzo(g,h,i)perylene	0.9	0.5		µg/ft ²	1	7/6/2006
Benzo(k)fluoranthene	ND	0.5		µg/ft ²	1	7/6/2006
Chrysene	0.9	0.5		µg/ft ²	1	7/6/2006
Dibenz(a,h)anthracene	ND	0.5		µg/ft ²	1	7/6/2006
Fluoranthene	2.4	0.5		µg/ft ²	1	7/6/2006
Fluorene	ND	0.5		µg/ft ²	1	7/6/2006
Indeno(1,2,3-cd)pyrene	1.4	0.5		µg/ft ²	1	7/6/2006
Naphthalene	ND	0.5		µg/ft ²	1	7/6/2006
Phenanthrene	1.4	0.5		µg/ft ²	1	7/6/2006
Pyrene	1.9	0.5		µg/ft ²	1	7/6/2006

Qualifiers:	ND - Not Detected at the Reporting Limit	RL - Reporting / Quantitation Limit for the analysis
	J - Analyte detected below quantitation limits	S - Spike Recovery outside accepted recovery limits
	B - Analyte detected in the associated Method Blank	R - RPD outside accepted recovery limits
	HT - Sample received past holding time	E - Value above quantitation range
	* - Non-accredited parameter	H - Holding time exceeded

STAT Analysis Corporation

2255 West Harrison St., Suite B, Chicago, IL 60612-3505

Tel: (312) 733-0551 Fax: (312) 733-2386 STATinfo@STATAnalysis.com

Accreditation Numbers: IEPA ELAP 100445; ORELAP IL300001; AIHA 101160; NVLAP LabCode 101202-0

Report Date: July 07, 2006

Print Date: July 07, 2006

Client:	US Risk Management	Client Sample ID:	7-Northwest Wall-Center Rm
Lab Order:	06070052	Tag Number:	12"x12"
Project:	15060106, Universal Form Clamp, Bellwod, IL	Collection Date:	7/5/2006 1:15:00 PM
Lab ID:	06070052-007A	Matrix:	Wipe

Analyses	Result	RL	Qualifier	Units	DF	Date Analyzed
Metals by ICP/MS	SW6020 (SW3050B)		Prep Date: 7/6/2006		Analyst: JG	
Arsenic	ND	2.5		µg/ft²	10	7/6/2006
Barium	25	2.5		µg/ft²	10	7/6/2006
Cadmium	ND	2.5		µg/ft²	10	7/6/2006
Chromium	ND	2.5		µg/ft²	10	7/6/2006
Lead	ND	2.5		µg/ft²	10	7/6/2006
Selenium	ND	2.5		µg/ft²	10	7/6/2006
Silver	ND	2.5		µg/ft²	10	7/6/2006

Qualifiers:	ND - Not Detected at the Reporting Limit	RL - Reporting / Quantitation Limit for the analysis
	J - Analyte detected below quantitation limits	S - Spike Recovery outside accepted recovery limits
	B - Analyte detected in the associated Method Blank	R - RPD outside accepted recovery limits
	HT - Sample received past holding time	E - Value above quantitation range
	* - Non-accredited parameter	H - Holding time exceeded

STAT Analysis Corporation

2255 West Harrison St., Suite B, Chicago, IL 60612-3505

Tel: (312) 733-0551 Fax: (312) 733-2386 STATinfo@STATAnalysis.com

Accreditation Numbers: IEPA ELAP 100445; ORELAP IL300001; AIHA 101160; NVLAP LabCode 101202-0

Report Date: July 07, 2006

Print Date: July 07, 2006

Client:	US Risk Management	Client Sample ID:	8-Northwest Wall-Center Rm
Lab Order:	06070052	Tag Number:	12"x12"
Project:	15060106, Universal Form Clamp, Bellwod, IL	Collection Date:	7/5/2006 1:15:00 PM
Lab ID:	06070052-008A	Matrix:	Wipe

Analyses	Result	RL	Qualifier	Units	DF	Date Analyzed
Polynuclear Aromatic Hydrocarbons (Wipe)						
	SW8270C-SIM (SW3550B)			Prep Date: 7/6/2006		Analyst: DCW
Acenaphthene	ND	0.5		µg/ft ²	1	7/6/2006
Acenaphthylene	ND	0.5		µg/ft ²	1	7/6/2006
Anthracene	0.5	0.5		µg/ft ²	1	7/6/2006
Benz(a)anthracene	1.2	0.5		µg/ft ²	1	7/6/2006
Benzo(a)pyrene	0.7	0.5		µg/ft ²	1	7/6/2006
Benzo(b)fluoranthene	0.9	0.5		µg/ft ²	1	7/6/2006
Benzo(g,h,i)perylene	0.9	0.5		µg/ft ²	1	7/6/2006
Benzo(k)fluoranthene	ND	0.5		µg/ft ²	1	7/6/2006
Chrysene	1.1	0.5		µg/ft ²	1	7/6/2006
Dibenz(a,h)anthracene	ND	0.5		µg/ft ²	1	7/6/2006
Fluoranthene	3.2	0.5		µg/ft ²	1	7/6/2006
Fluorene	ND	0.5		µg/ft ²	1	7/6/2006
Indeno(1,2,3-cd)pyrene	1.4	0.5		µg/ft ²	1	7/6/2006
Naphthalene	ND	0.5		µg/ft ²	1	7/6/2006
Phenanthrene	1.9	0.5		µg/ft ²	1	7/6/2006
Pyrene	2.4	0.5		µg/ft ²	1	7/6/2006

Qualifiers:

ND - Not Detected at the Reporting Limit
J - Analyte detected below quantitation limits
B - Analyte detected in the associated Method Blank
HT - Sample received past holding time
* - Non-accredited parameter

RL - Reporting / Quantitation Limit for the analysis
S - Spike Recovery outside accepted recovery limits
R - RPD outside accepted recovery limits
E - Value above quantitation range
H - Holding time exceeded

STAT Analysis Corporation

2255 West Harrison St., Suite B, Chicago, IL 60612-3505

Tel: (312) 733-0551 Fax: (312) 733-2386 STATinfo@STATAnalysis.com

Accreditation Numbers: IEPA ELAP 100445; ORELAP IL300001; AIHA 101160; NVLAP LabCode 101202-0

Report Date: July 07, 2006

Print Date: July 07, 2006

Client:	US Risk Management	Client Sample ID:	9-North Wall-CCS (Blank)
Lab Order:	06070052	Tag Number:	12"x12"
Project:	15060106, Universal Form Clamp, Bellwod, IL	Collection Date:	7/5/2006 1:15:00 PM
Lab ID:	06070052-009A	Matrix:	Wipe

Analyses	Result	RL	Qualifier	Units	DF	Date Analyzed
Metals by ICP/MS	SW6020 (SW3050B)		Prep Date: 7/6/2006		Analyst: JG	
Arsenic	ND	2.5		µg/ft²	10	7/6/2006
Barium	20	2.5		µg/ft²	10	7/6/2006
Cadmium	ND	2.5		µg/ft²	10	7/6/2006
Chromium	22	2.5		µg/ft²	10	7/6/2006
Lead	130	2.5		µg/ft²	10	7/6/2006
Selenium	ND	2.5		µg/ft²	10	7/6/2006
Silver	ND	2.5		µg/ft²	10	7/6/2006

Qualifiers:

ND - Not Detected at the Reporting Limit
J - Analyte detected below quantitation limits
B - Analyte detected in the associated Method Blank
HT - Sample received past holding time
* - Non-accredited parameter

RL - Reporting / Quantitation Limit for the analysis
S - Spike Recovery outside accepted recovery limits
R - RPD outside accepted recovery limits
E - Value above quantitation range
H - Holding time exceeded

STAT Analysis Corporation

2255 West Harrison St., Suite B, Chicago, IL 60612-3505

Tel: (312) 733-0551 Fax: (312) 733-2386 STATinfo@STATAnalysis.com

Accreditation Numbers: IEPA ELAP 100445; ORELAP IL300001; AIHA 101160; NVLAP LabCode 101202-0

Report Date: July 07, 2006

Print Date: July 07, 2006

Client:	US Risk Management	Client Sample ID:	10-North Wall-CCS (Blank)
Lab Order:	06070052	Tag Number:	12"x12"
Project:	15060106, Universal Form Clamp, Bellwod, IL	Collection Date:	7/5/2006 1:15:00 PM
Lab ID:	06070052-010A	Matrix:	Wipe

Analyses	Result	RL	Qualifier	Units	DF	Date Analyzed
Polynuclear Aromatic Hydrocarbons (Wipe)	SW8270C-SIM (SW3550B)			Prep Date: 7/6/2006		Analyst: DCW
Acenaphthene	ND	0.5		µg/ft ²	1	7/6/2006
Acenaphthylene	ND	0.5		µg/ft ²	1	7/6/2006
Anthracene	ND	0.5		µg/ft ²	1	7/6/2006
Benz(a)anthracene	ND	0.5		µg/ft ²	1	7/6/2006
Benzo(a)pyrene	ND	0.5		µg/ft ²	1	7/6/2006
Benzo(b)fluoranthene	ND	0.5		µg/ft ²	1	7/6/2006
Benzo(g,h,i)perylene	ND	0.5		µg/ft ²	1	7/6/2006
Benzo(k)fluoranthene	ND	0.5		µg/ft ²	1	7/6/2006
Chrysene	ND	0.5		µg/ft ²	1	7/6/2006
Dibenz(a,h)anthracene	ND	0.5		µg/ft ²	1	7/6/2006
Fluoranthene	ND	0.5		µg/ft ²	1	7/6/2006
Fluorene	ND	0.5		µg/ft ²	1	7/6/2006
Indeno(1,2,3-cd)pyrene	ND	0.5		µg/ft ²	1	7/6/2006
Naphthalene	ND	0.5		µg/ft ²	1	7/6/2006
Phenanthrene	ND	0.5		µg/ft ²	1	7/6/2006
Pyrene	ND	0.5		µg/ft ²	1	7/6/2006

Qualifiers:

ND - Not Detected at the Reporting Limit
J - Analyte detected below quantitation limits
B - Analyte detected in the associated Method Blank
HT - Sample received past holding time
* - Non-accredited parameter

RL - Reporting / Quantitation Limit for the analysis
S - Spike Recovery outside accepted recovery limits
R - RPD outside accepted recovery limits
E - Value above quantitation range
H - Holding time exceeded

STAT Analysis Corporation

2255 West Harrison St., Suite B, Chicago, IL 60612-3505

Tel: (312) 733-0551 Fax: (312) 733-2386 STATinfo@STATAnalysis.com

Accreditation Numbers: IEPA ELAP 100445; ORELAP IL300001; AIHA 101160; NVLAP LabCode 101202-0

Report Date: July 07, 2006

Print Date: July 07, 2006

Client:	US Risk Management	Client Sample ID:	11-East Wall-6" From F/R
Lab Order:	06070052	Tag Number:	12"x12"
Project:	15060106, Universal Form Clamp, Bellwod, IL	Collection Date:	7/5/2006 1:15:00 PM
Lab ID:	06070052-011A	Matrix:	Wipe

Analyses	Result	RL	Qualifier	Units	DF	Date Analyzed
Metals by ICP/MS	SW6020 (SW3050B)		Prep Date: 7/6/2006		Analyst: JG	
Arsenic	ND	2.5		µg/ft²	10	7/6/2006
Barium	11	2.5		µg/ft²	10	7/6/2006
Cadmium	ND	2.5		µg/ft²	10	7/6/2006
Chromium	3.2	2.5		µg/ft²	10	7/6/2006
Lead	5.8	2.5		µg/ft²	10	7/6/2006
Selenium	ND	2.5		µg/ft²	10	7/6/2006
Silver	ND	2.5		µg/ft²	10	7/6/2006

Qualifiers:

ND - Not Detected at the Reporting Limit
J - Analyte detected below quantitation limits
B - Analyte detected in the associated Method Blank
HT - Sample received past holding time
* - Non-accredited parameter

RL - Reporting / Quantitation Limit for the analysis
S - Spike Recovery outside accepted recovery limits
R - RPD outside accepted recovery limits
E - Value above quantitation range
H - Holding time exceeded

STAT Analysis Corporation

2255 West Harrison St., Suite B, Chicago, IL 60612-3505

Tel: (312) 733-0551 Fax: (312) 733-2386 STATinfo@STATAnalysis.com

Accreditation Numbers: IEPA ELAP 100445; ORELAP IL300001; AIHA 101160; NVLAP LabCode 101202-0

Report Date: July 07, 2006

Print Date: July 07, 2006

Client:	US Risk Management	Client Sample ID:	12-East Wall-6" From F/R
Lab Order:	06070052	Tag Number:	12"x12"
Project:	15060106, Universal Form Clamp, Bellwod, IL	Collection Date:	7/5/2006 1:15:00 PM
Lab ID:	06070052-012A	Matrix:	Wipe

Analyses	Result	RL	Qualifier	Units	DF	Date Analyzed
Polynuclear Aromatic Hydrocarbons (Wipe)	SW8270C-SIM (SW3550B)		Prep Date: 7/6/2006		Analyst: DCW	
Acenaphthene	ND	0.5		µg/ft ²	1	7/6/2006
Acenaphthylene	ND	0.5		µg/ft ²	1	7/6/2006
Anthracene	ND	0.5		µg/ft ²	1	7/6/2006
Benz(a)anthracene	1	0.5		µg/ft ²	1	7/6/2006
Benzo(a)pyrene	1.2	0.5		µg/ft ²	1	7/6/2006
Benzo(b)fluoranthene	ND	0.5		µg/ft ²	1	7/6/2006
Benzo(g,h,i)perylene	0.9	0.5		µg/ft ²	1	7/6/2006
Benzo(k)fluoranthene	ND	0.5		µg/ft ²	1	7/6/2006
Chrysene	0.8	0.5		µg/ft ²	1	7/6/2006
Dibenz(a,h)anthracene	ND	0.5		µg/ft ²	1	7/6/2006
Fluoranthene	2.2	0.5		µg/ft ²	1	7/6/2006
Fluorene	ND	0.5		µg/ft ²	1	7/6/2006
Indeno(1,2,3-cd)pyrene	1.3	0.5		µg/ft ²	1	7/6/2006
Naphthalene	ND	0.5		µg/ft ²	1	7/6/2006
Phenanthrene	1.3	0.5		µg/ft ²	1	7/6/2006
Pyrene	1.9	0.5		µg/ft ²	1	7/6/2006

Qualifiers:	ND - Not Detected at the Reporting Limit	RL - Reporting / Quantitation Limit for the analysis
	J - Analyte detected below quantitation limits	S - Spike Recovery outside accepted recovery limits
	B - Analyte detected in the associated Method Blank	R - RPD outside accepted recovery limits
	HT - Sample received past holding time	E - Value above quantitation range
	* - Non-accredited parameter	H - Holding time exceeded

CHAIN OF CUSTODY RECORD

Company: United States Risk Management									
Project Number: 15060106				Client Tracking No.:					
Project Name: Universal Form Clamp									
Project Location: Bellwood, Illinois									
Sampler(s): James Laws				Phone: 504-561-6563					
Report To: Tracey Dodd				Fax: 708-440-0100					
Report To: James Laws				e-mail: jlaws@us-risk.com					
QC Level: 1 2 3 4									
Client Sample Number/Description:			Date Taken	Time Taken	Matrix	Comp	Grab	Preserv	No. of Containers
1-East Wall - Center Rm			7/5/06	1315					1
2-East Wall - Center Rm									
3-North Wall - Center Rm									
4-North Wall - Center Rm									
5-West Wall - Center Rm									
6-West Wall - Center Rm									
7-Northeast Wall - Center Rm									
8-Northeast Wall - Center Rm									
9-North Wall - CCS (black)									
10-North Wall - CCS									
11-East Wall - 6" from FHR									
12-East Wall - 6" from FHR									
<div> <div>Relinquished by: (Signature)</div> <div>Received by: (Signature)</div> <div>Relinquished by: (Signature)</div> <div>Received by: (Signature)</div> <div>Relinquished by: (Signature)</div> <div>Received by: (Signature)</div> </div>									
<div> <div>Date/Time: 7/5/06 14:50</div> <div>Date/Time: 7/5/06 14:50</div> <div>Date/Time:</div> <div>Date/Time:</div> <div>Date/Time:</div> <div>Date/Time:</div> </div>									
<div> <div>Relinquished by: (Signature)</div> <div>Received by: (Signature)</div> <div>Relinquished by: (Signature)</div> <div>Received by: (Signature)</div> <div>Relinquished by: (Signature)</div> <div>Received by: (Signature)</div> </div>									
<div> <div>Date/Time:</div> <div>Date/Time:</div> <div>Date/Time:</div> <div>Date/Time:</div> <div>Date/Time:</div> <div>Date/Time:</div> </div>									
<div> <div>Relinquished by: (Signature)</div> <div>Received by: (Signature)</div> <div>Relinquished by: (Signature)</div> <div>Received by: (Signature)</div> <div>Relinquished by: (Signature)</div> <div>Received by: (Signature)</div> </div>									
<div> <div>Date/Time:</div> <div>Date/Time:</div> <div>Date/Time:</div> <div>Date/Time:</div> <div>Date/Time:</div> <div>Date/Time:</div> </div>									
<div> <div>Relinquished by: (Signature)</div> <div>Received by: (Signature)</div> <div>Relinquished by: (Signature)</div> <div>Received by: (Signature)</div> <div>Relinquished by: (Signature)</div> <div>Received by: (Signature)</div> </div>									
<div> <div>Date/Time:</div> <div>Date/Time:</div> <div>Date/Time:</div> <div>Date/Time:</div> <div>Date/Time:</div> <div>Date/Time:</div> </div>									
<div> <div>Relinquished by: (Signature)</div> <div>Received by: (Signature)</div> <div>Relinquished by: (Signature)</div> <div>Received by: (Signature)</div> <div>Relinquished by: (Signature)</div> <div>Received by: (Signature)</div> </div>									
<div> <div>Date/Time:</div> <div>Date/Time:</div> <div>Date/Time:</div> <div>Date/Time:</div> <div>Date/Time:</div> <div>Date/Time:</div> </div>									
<div> <div>Relinquished by: (Signature)</div> <div>Received by: (Signature)</div> <div>Relinquished by: (Signature)</div> <div>Received by: (Signature)</div> <div>Relinquished by: (Signature)</div> <div>Received by: (Signature)</div> </div>									
<div> <div>Date/Time:</div> <div>Date/Time:</div> <div>Date/Time:</div> <div>Date/Time:</div> <div>Date/Time:</div> <div>Date/Time:</div> </div>									
<div> <div>Relinquished by: (Signature)</div> <div>Received by: (Signature)</div> <div>Relinquished by: (Signature)</div> <div>Received by: (Signature)</div> <div>Relinquished by: (Signature)</div> <div>Received by: (Signature)</div> </div>									
<div> <div>Date/Time:</div> <div>Date/Time:</div> <div>Date/Time:</div> <div>Date/Time:</div> <div>Date/Time:</div> <div>Date/Time:</div> </div>									
<div> <div>Relinquished by: (Signature)</div> <div>Received by: (Signature)</div> <div>Relinquished by: (Signature)</div> <div>Received by: (Signature)</div> <div>Relinquished by: (Signature)</div> <div>Received by: (Signature)</div> </div>									
<div> <div>Date/Time:</div> <div>Date/Time:</div> <div>Date/Time:</div> <div>Date/Time:</div> <div>Date/Time:</div> <div>Date/Time:</div> </div>									
<div> <div>Relinquished by: (Signature)</div> <div>Received by: (Signature)</div> <div>Relinquished by: (Signature)</div> <div>Received by: (Signature)</div> <div>Relinquished by: (Signature)</div> <div>Received by: (Signature)</div> </div>									
<div> <div>Date/Time:</div> <div>Date/Time:</div> <div>Date/Time:</div> <div>Date/Time:</div> <div>Date/Time:</div> <div>Date/Time:</div> </div>									
<div> <div>Relinquished by: (Signature)</div> <div>Received by: (Signature)</div> <div>Relinquished by: (Signature)</div> <div>Received by: (Signature)</div> <div>Relinquished by: (Signature)</div> <div>Received by: (Signature)</div> </div>									
<div> <div>Date/Time:</div> <div>Date/Time:</div> <div>Date/Time:</div> <div>Date/Time:</div> <div>Date/Time:</div> <div>Date/Time:</div> </div>									
<div> <div>Relinquished by: (Signature)</div> <div>Received by: (Signature)</div> <div>Relinquished by: (Signature)</div> <div>Received by: (Signature)</div> <div>Relinquished by: (Signature)</div> <div>Received by: (Signature)</div> </div>									
<div> <div>Date/Time:</div> <div>Date/Time:</div> <div>Date/Time:</div> <div>Date/Time:</div> <div>Date/Time:</div> <div>Date/Time:</div> </div>									
<div> <div>Relinquished by: (Signature)</div> <div>Received by: (Signature)</div> <div>Relinquished by: (Signature)</div> <div>Received by: (Signature)</div> <div>Relinquished by: (Signature)</div> <div>Received by: (Signature)</div> </div>									
<div> <div>Date/Time:</div> <div>Date/Time:</div> <div>Date/Time:</div> <div>Date/Time:</div> <div>Date/Time:</div> <div>Date/Time:</div> </div>									
<div> <div>Relinquished by: (Signature)</div> <div>Received by: (Signature)</div> <div>Relinquished by: (Signature)</div> <div>Received by: (Signature)</div> <div>Relinquished by: (Signature)</div> <div>Received by: (Signature)</div> </div>									
<div> <div>Date/Time:</div> <div>Date/Time:</div> <div>Date/Time:</div> <div>Date/Time:</div> <div>Date/Time:</div> <div>Date/Time:</div> </div>									
<div> <div>Relinquished by: (Signature)</div> <div>Received by: (Signature)</div> <div>Relinquished by: (Signature)</div> <div>Received by: (Signature)</div> <div>Relinquished by: (Signature)</div> <div>Received by: (Signature)</div> </div>									
<div> <div>Date/Time:</div> <div>Date/Time:</div> <div>Date/Time:</div> <div>Date/Time:</div> <div>Date/Time:</div> <div>Date/Time:</div> </div>									
<div> <div>Relinquished by: (Signature)</div> <div>Received by: (Signature)</div> <div>Relinquished by: (Signature)</div> <div>Received by: (Signature)</div> <div>Relinquished by: (Signature)</div> <div>Received by: (Signature)</div> </div>									
<div> <div>Date/Time:</div> <div>Date/Time:</div> <div>Date/Time:</div> <div>Date/Time:</div> <div>Date/Time:</div> <div>Date/Time:</div> </div>									
<div> <div>Relinquished by: (Signature)</div> <div>Received by: (Signature)</div> <div>Relinquished by: (Signature)</div> <div>Received by: (Signature)</div> <div>Relinquished by: (Signature)</div> <div>Received by: (Signature)</div> </div>									
<div> <div>Date/Time:</div> <div>Date/Time:</div> <div>Date/Time:</div> <div>Date/Time:</div> <div>Date/Time:</div> <div>Date/Time:</div> </div>									
<div> <div>Relinquished by: (Signature)</div> <div>Received by: (Signature)</div> <div>Relinquished by: (Signature)</div> <div>Received by: (Signature)</div> <div>Relinquished by: (Signature)</div> <div>Received by: (Signature)</div> </div>									
<div> <div>Date/Time:</div> <div>Date/Time:</div> <div>Date/Time:</div> <div>Date/Time:</div> <div>Date/Time:</div> <div>Date/Time:</div> </div>									
<div> <div>Relinquished by: (Signature)</div> <div>Received by: (Signature)</div> <div>Relinquished by: (Signature)</div> <div>Received by: (Signature</div></div>									

Sample Receipt Checklist

Client Name US RISK

Date and Time Received:

7/5/2006

Work Order Number 06070052

Received by: CDF

Checklist completed by:

James Cat
Signature Date 7/5/06

Reviewed by:

Jen
Initials Date 7/6/06

Matrix

Carrier name Client Delivered

Shipping container/cooler in good condition?	Yes <input checked="" type="checkbox"/>	No <input type="checkbox"/>	Not Present <input type="checkbox"/>
Custody seals intact on shipping container/cooler?	Yes <input type="checkbox"/>	No <input type="checkbox"/>	Not Present <input checked="" type="checkbox"/>
Custody seals intact on sample bottles?	Yes <input type="checkbox"/>	No <input type="checkbox"/>	Not Present <input checked="" type="checkbox"/>
Chain of custody present?	Yes <input checked="" type="checkbox"/>	No <input type="checkbox"/>	
Chain of custody signed when relinquished and received?	Yes <input checked="" type="checkbox"/>	No <input type="checkbox"/>	
Chain of custody agrees with sample labels/containers?	Yes <input checked="" type="checkbox"/>	No <input type="checkbox"/>	
Samples in proper container/bottle?	Yes <input checked="" type="checkbox"/>	No <input type="checkbox"/>	
Sample containers intact?	Yes <input checked="" type="checkbox"/>	No <input type="checkbox"/>	
Sufficient sample volume for indicated test?	Yes <input checked="" type="checkbox"/>	No <input type="checkbox"/>	
All samples received within holding time?	Yes <input checked="" type="checkbox"/>	No <input type="checkbox"/>	
Container or Temp Blank temperature in compliance?	Yes <input type="checkbox"/>	No <input checked="" type="checkbox"/>	Temperature Ambient °C
Water - VOA vials have zero headspace?	No VOA vials submitted <input type="checkbox"/>	Yes <input type="checkbox"/>	No <input type="checkbox"/>
Water - Samples pH checked?	Yes <input type="checkbox"/>	No <input type="checkbox"/>	Checked by:
Water - Samples properly preserved?	Yes <input type="checkbox"/>	No <input type="checkbox"/>	pH Adjusted?

Any No response must be detailed in the comments section below.

Comments:

Client / Person contacted:

James

Date contacted:

7/6/06

Contacted by:

Jen

Response:

Proceed with analysis.

STAT Analysis Corporation

2255 West Harrison St., Suite B, Chicago, IL 60612-3505

Tel: (312) 733-0551 Fax: (312) 733-2386 STATinfo@STATAnalysis.com

Accreditation Numbers: IEPA ELAP 100445; ORELAP IL300001; AIHA 101160; NVLAP LabCode 101202-0

Print Date: July 10, 2006

Client:	US Risk Management	Client Sample ID:	1- Salvage Drums
Lab Order:	06070129	Tag Number:	
Project:	15060106, Universal Form, Bellwood, Illinois	Collection Date:	7/7/2006 8:30:00 AM
Lab ID:	06070129-001A	Matrix:	Wipe

Analyses	Result	RL	Qualifier	Units	DF	Date Analyzed
Polynuclear Aromatic Hydrocarbons (Wipe)						
	SW8270C-SIM (SW3550B)		Prep Date: 7/7/2006		Analyst: DCW	
Acenaphthene	ND	1		µg/wipe	1	7/7/2006
Acenaphthylene	ND	1		µg/wipe	1	7/7/2006
Anthracene	ND	1		µg/wipe	1	7/7/2006
Benz(a)anthracene	ND	1		µg/wipe	1	7/7/2006
Benzo(a)pyrene	ND	1		µg/wipe	1	7/7/2006
Benzo(b)fluoranthene	ND	1		µg/wipe	1	7/7/2006
Benzo(g,h,i)perylene	ND	1		µg/wipe	1	7/7/2006
Benzo(k)fluoranthene	ND	1		µg/wipe	1	7/7/2006
Chrysene	ND	1		µg/wipe	1	7/7/2006
Dibenz(a,h)anthracene	ND	1		µg/wipe	1	7/7/2006
Fluoranthene	ND	1		µg/wipe	1	7/7/2006
Fluorene	ND	1		µg/wipe	1	7/7/2006
Indeno(1,2,3-cd)pyrene	ND	1		µg/wipe	1	7/7/2006
Naphthalene	ND	1		µg/wipe	1	7/7/2006
Phenanthrene	ND	1		µg/wipe	1	7/7/2006
Pyrene	ND	1		µg/wipe	1	7/7/2006

Qualifiers:	ND - Not Detected at the Reporting Limit	RL - Reporting / Quantitation Limit for the analysis
	J - Analyte detected below quantitation limits	S - Spike Recovery outside accepted recovery limits
	B - Analyte detected in the associated Method Blank	R - RPD outside accepted recovery limits
	HT - Sample recovery past holding time	E - Value above quantitation range
	* - Non-accredited parameter	H - Holding time exceeded

STAT Analysis Corporation

2255 West Harrison St., Suite B, Chicago, IL 60612-3505

Tel: (312) 733-0551 Fax: (312) 733-2386 STATinfo@STATAnalysis.com

Accreditation Numbers: IEPA ELAP 100445; ORELAP IL300001; AIHA 101160; NVLAP LabCode 101202-0

Print Date: July 10, 2006

Client:	US Risk Management	Client Sample ID:	2- Salvage Drums
Lab Order:	06070129	Tag Number:	
Project:	15060106, Universal Form, Bellwood, Illinois	Collection Date:	7/7/2006 8:30:00 AM
Lab ID:	06070129-002A	Matrix:	Wipe

Analyses	Result	RL	Qualifier	Units	DF	Date Analyzed
----------	--------	----	-----------	-------	----	---------------

Metals by ICP/MS	SW6020 (SW3050B)				Prep Date: 7/7/2006	Analyst: JG
Arsenic	ND	2.5		µg/wipe	10	7/7/2006
Barium	14	2.5		µg/wipe	10	7/7/2006
Cadmium	ND	2.5		µg/wipe	10	7/7/2006
Chromium	ND	5		µg/wipe	10	7/7/2006
Lead	4.7	2.5		µg/wipe	10	7/7/2006
Selenium	ND	2.5		µg/wipe	10	7/7/2006
Silver	ND	2.5		µg/wipe	10	7/7/2006

Qualifiers:	ND - Not Detected at the Reporting Limit	RL - Reporting / Quantitation Limit for the analysis
	J - Analyte detected below quantitation limits	S - Spike Recovery outside accepted recovery limits
	B - Analyte detected in the associated Method Blank	R - RPD outside accepted recovery limits
	HT - Sample recovery past holding time	E - Value above quantitation range
	* - Non-accredited parameter	H - Holding time exceeded

STAT Analysis Corporation

2255 West Harrison St., Suite B, Chicago, IL 60612-3505

Tel: (312) 733-0551 Fax: (312) 733-2386 STATinfo@STATAnalysis.com

Accreditation Numbers: IEPA ELAP 100445; ORELAP IL300001; AIHA 101160; NVLAP LabCode 101202-0

Print Date: July 10, 2006

Client:	US Risk Management	Client Sample ID:	3- Salvage Drums
Lab Order:	06070129	Tag Number:	
Project:	15060106, Universal Form, Bellwood, Illinois	Collection Date:	7/7/2006 8:30:00 AM
Lab ID:	06070129-003A	Matrix:	Wipe

Analyses	Result	RL	Qualifier	Units	DF	Date Analyzed
Polynuclear Aromatic Hydrocarbons (Wipe)						
	SW8270C-SIM (SW3550B)		Prep Date: 7/7/2006		Analyst: DCW	
Acenaphthene	ND	1		µg/wipe	1	7/7/2006
Acenaphthylene	ND	1		µg/wipe	1	7/7/2006
Anthracene	ND	1		µg/wipe	1	7/7/2006
Benz(a)anthracene	ND	1		µg/wipe	1	7/7/2006
Benzo(a)pyrene	ND	1		µg/wipe	1	7/7/2006
Benzo(b)fluoranthene	ND	1		µg/wipe	1	7/7/2006
Benzo(g,h,i)perylene	ND	1		µg/wipe	1	7/7/2006
Benzo(k)fluoranthene	ND	1		µg/wipe	1	7/7/2006
Chrysene	ND	1		µg/wipe	1	7/7/2006
Dibenz(a,h)anthracene	ND	1		µg/wipe	1	7/7/2006
Fluoranthene	ND	1		µg/wipe	1	7/7/2006
Fluorene	ND	1		µg/wipe	1	7/7/2006
Indeno(1,2,3-cd)pyrene	ND	1		µg/wipe	1	7/7/2006
Naphthalene	ND	1		µg/wipe	1	7/7/2006
Phenanthrene	ND	1		µg/wipe	1	7/7/2006
Pyrene	ND	1		µg/wipe	1	7/7/2006

Qualifiers:	ND - Not Detected at the Reporting Limit	RL - Reporting / Quantitation Limit for the analysis
	J - Analyte detected below quantitation limits	S - Spike Recovery outside accepted recovery limits
	B - Analyte detected in the associated Method Blank	R - RPD outside accepted recovery limits
	HT - Sample recovery past holding time	E - Value above quantitation range
	* - Non-accredited parameter	H - Holding time exceeded

STAT Analysis Corporation

2255 West Harrison St., Suite B, Chicago, IL 60612-3505

Tel: (312) 733-0551 Fax: (312) 733-2386 STATinfo@STATAnalysis.com

Accreditation Numbers: IEPA ELAP 100445; ORELAP IL300001; AIHA 101160; NVLAP LabCode 101202-0

Print Date: July 10, 2006

Client:	US Risk Management	Client Sample ID:	5- Rolloff R25384
Lab Order:	06070129	Tag Number:	
Project:	15060106, Universal Form, Bellwood, Illinois	Collection Date:	7/7/2006 8:30:00 AM
Lab ID:	06070129-005A	Matrix:	Wipe

Analyses	Result	RL	Qualifier	Units	DF	Date Analyzed
Polynuclear Aromatic Hydrocarbons (Wipe)						
	SW8270C-SIM (SW3550B)		Prep Date: 7/7/2006		Analyst: DCW	
Acenaphthene	ND	1		µg/wipe	1	7/7/2006
Acenaphthylene	ND	1		µg/wipe	1	7/7/2006
Anthracene	ND	1		µg/wipe	1	7/7/2006
Benz(a)anthracene	1	1		µg/wipe	1	7/7/2006
Benzo(a)pyrene	ND	1		µg/wipe	1	7/7/2006
Benzo(b)fluoranthene	ND	1		µg/wipe	1	7/7/2006
Benzo(g,h,i)perylene	ND	1		µg/wipe	1	7/7/2006
Benzo(k)fluoranthene	ND	1		µg/wipe	1	7/7/2006
Chrysene	1.2	1		µg/wipe	1	7/7/2006
Dibenz(a,h)anthracene	ND	1		µg/wipe	1	7/7/2006
Fluoranthene	1.8	1		µg/wipe	1	7/7/2006
Fluorene	ND	1		µg/wipe	1	7/7/2006
Indeno(1,2,3-cd)pyrene	ND	1		µg/wipe	1	7/7/2006
Naphthalene	ND	1		µg/wipe	1	7/7/2006
Phenanthrene	1.2	1		µg/wipe	1	7/7/2006
Pyrene	1	1		µg/wipe	1	7/7/2006

Qualifiers:	ND - Not Detected at the Reporting Limit	RL - Reporting / Quantitation Limit for the analysis
	J - Analyte detected below quantitation limits	S - Spike Recovery outside accepted recovery limits
	B - Analyte detected in the associated Method Blank	R - RPD outside accepted recovery limits
	HT - Sample recovery past holding time	E - Value above quantitation range
	* - Non-accredited parameter	H - Holding time exceeded

STAT Analysis Corporation

2255 West Harrison St., Suite B, Chicago, IL 60612-3505

Tel: (312) 733-0551 Fax: (312) 733-2386 STATinfo@STATAnalysis.com

Accreditation Numbers: IEPA ELAP 100445; ORELAP IL300001; AIHA 101160; NVLAP LabCode 101202-0

Print Date: July 10, 2006

Client:	US Risk Management	Client Sample ID:	6- Rolloff R25384
Lab Order:	06070129	Tag Number:	
Project:	15060106, Universal Form, Bellwood, Illinois	Collection Date:	7/7/2006 8:30:00 AM
Lab ID:	06070129-006A	Matrix:	Wipe

Analyses	Result	RL	Qualifier	Units	DF	Date Analyzed
----------	--------	----	-----------	-------	----	---------------

Metals by ICP/MS	SW6020 (SW3050B)				Prep Date: 7/7/2006	Analyst: JG
Arsenic	ND	2.5		µg/wipe	10	7/7/2006
Barium	14	2.5		µg/wipe	10	7/7/2006
Cadmium	ND	2.5		µg/wipe	10	7/7/2006
Chromium	5.7	5		µg/wipe	10	7/7/2006
Lead	10	2.5		µg/wipe	10	7/7/2006
Selenium	ND	2.5		µg/wipe	10	7/7/2006
Silver	ND	2.5		µg/wipe	10	7/7/2006

Qualifiers:

ND - Not Detected at the Reporting Limit

J - Analyte detected below quantitation limits

B - Analyte detected in the associated Method Blank

HT - Sample recovery past holding time

* - Non-accredited parameter

RL - Reporting / Quantitation Limit for the analysis

S - Spike Recovery outside accepted recovery limits

R - RPD outside accepted recovery limits

E - Value above quantitation range

H - Holding time exceeded

STAT Analysis Corporation

2255 West Harrison St., Suite B, Chicago, IL 60612-3505

Tel: (312) 733-0551 Fax: (312) 733-2386 STATinfo@STATAnalysis.com

Accreditation Numbers: IEPA ELAP 100445; ORELAP IL300001; AIHA 101160; NVLAP LabCode 101202-0

Print Date: July 10, 2006

Client:	US Risk Management	Client Sample ID:	7- Rolloff R25332
Lab Order:	06070129	Tag Number:	
Project:	15060106, Universal Form, Bellwood, Illinois	Collection Date:	7/7/2006 8:30:00 AM
Lab ID:	06070129-007A	Matrix:	Wipe

Analyses	Result	RL	Qualifier	Units	DF	Date Analyzed
Polynuclear Aromatic Hydrocarbons (Wipe)						
	SW8270C-SIM (SW3550B)		Prep Date: 7/7/2006		Analyst: DCW	
Acenaphthene	ND	1		µg/wipe	1	7/7/2006
Acenaphthylene	ND	1		µg/wipe	1	7/7/2006
Anthracene	ND	1		µg/wipe	1	7/7/2006
Benz(a)anthracene	ND	1		µg/wipe	1	7/7/2006
Benzo(a)pyrene	ND	1		µg/wipe	1	7/7/2006
Benzo(b)fluoranthene	ND	1		µg/wipe	1	7/7/2006
Benzo(g,h,i)perylene	ND	1		µg/wipe	1	7/7/2006
Benzo(k)fluoranthene	ND	1		µg/wipe	1	7/7/2006
Chrysene	ND	1		µg/wipe	1	7/7/2006
Dibenz(a,h)anthracene	ND	1		µg/wipe	1	7/7/2006
Fluoranthene	ND	1		µg/wipe	1	7/7/2006
Fluorene	ND	1		µg/wipe	1	7/7/2006
Indeno(1,2,3-cd)pyrene	ND	1		µg/wipe	1	7/7/2006
Naphthalene	ND	1		µg/wipe	1	7/7/2006
Phenanthrene	ND	1		µg/wipe	1	7/7/2006
Pyrene	ND	1		µg/wipe	1	7/7/2006

Qualifiers:	ND - Not Detected at the Reporting Limit	RL - Reporting / Quantitation Limit for the analysis
	J - Analyte detected below quantitation limits	S - Spike Recovery outside accepted recovery limits
	B - Analyte detected in the associated Method Blank	R - RPD outside accepted recovery limits
	HT - Sample recovery past holding time	E - Value above quantitation range
	* - Non-accredited parameter	H - Holding time exceeded

STAT Analysis Corporation

2255 West Harrison St., Suite B, Chicago, IL 60612-3505

Tel: (312) 733-0551 Fax: (312) 733-2386 STATinfo@STATAnalysis.com

Accreditation Numbers: IEPA ELAP 100445; ORELAP IL300001; AIHA 101160; NVLAP LabCode 101202-0

Print Date: July 10, 2006

Client:	US Risk Management	Client Sample ID:	8- Rolloff R25332
Lab Order:	06070129	Tag Number:	
Project:	15060106, Universal Form, Bellwood, Illinois	Collection Date:	7/7/2006 8:30:00 AM
Lab ID:	06070129-008A	Matrix:	Wipe

Analyses	Result	RL	Qualifier	Units	DF	Date Analyzed
----------	--------	----	-----------	-------	----	---------------

Metals by ICP/MS	SW6020 (SW3050B)				Prep Date: 7/7/2006	Analyst: JG
Arsenic	ND	2.5		µg/wipe	10	7/7/2006
Barium	3	2.5		µg/wipe	10	7/7/2006
Cadmium	ND	2.5		µg/wipe	10	7/7/2006
Chromium	ND	5		µg/wipe	10	7/7/2006
Lead	ND	2.5		µg/wipe	10	7/7/2006
Selenium	ND	2.5		µg/wipe	10	7/7/2006
Silver	ND	2.5		µg/wipe	10	7/7/2006

Qualifiers:

ND - Not Detected at the Reporting Limit

J - Analyte detected below quantitation limits

B - Analyte detected in the associated Method Blank

HT - Sample recovery past holding time

* - Non-accredited parameter

RL - Reporting / Quantitation Limit for the analysis

S - Spike Recovery outside accepted recovery limits

R - RPD outside accepted recovery limits

E - Value above quantitation range

H - Holding time exceeded

STAT Analysis Corporation

2255 West Harrison St., Suite B, Chicago, IL 60612-3505

Tel: (312) 733-0551 Fax: (312) 733-2386 STATinfo@STATAnalysis.com

Accreditation Numbers: IEPA ELAP 100445; ORELAP IL300001; AIHA 101160; NVLAP LabCode 101202-0

Print Date: July 10, 2006

Client:	US Risk Management	Client Sample ID:	9- Rolloff R2924RT
Lab Order:	06070129	Tag Number:	
Project:	15060106, Universal Form, Bellwood, Illinois	Collection Date:	7/7/2006 8:30:00 AM
Lab ID:	06070129-009A	Matrix:	Debris

Analyses	Result	RL	Qualifier	Units	DF	Date Analyzed
----------	--------	----	-----------	-------	----	---------------

Metals by ICP/MS	SW6020 (SW3050B)	Prep Date: 7/10/2006	Analyst: JG		
Arsenic	ND	0.94	mg/Kg	10	7/10/2006
Barium	10	0.94	mg/Kg	10	7/10/2006
Cadmium	ND	0.47	mg/Kg	10	7/10/2006
Chromium	1.3	0.94	mg/Kg	10	7/10/2006
Lead	0.98	0.47	mg/Kg	10	7/10/2006
Selenium	ND	0.94	mg/Kg	10	7/10/2006
Silver	ND	0.94	mg/Kg	10	7/10/2006

Polynuclear Aromatic Hydrocarbons in Soil	SW8270C-SIM (SW3580A)	Prep Date: 7/8/2006	Analyst: VS		
Naphthalene	1.2	0.72	mg/Kg	1	7/9/2006
Acenaphthylene	1.2	0.72	mg/Kg	1	7/9/2006
Acenaphthene	ND	0.72	mg/Kg	1	7/9/2006
Fluorene	ND	0.72	mg/Kg	1	7/9/2006
Phenanthrene	4.1	0.72	mg/Kg	1	7/9/2006
Anthracene	1.1	0.72	mg/Kg	1	7/9/2006
Fluoranthene	1.8	0.72	mg/Kg	1	7/9/2006
Pyrene	1.1	0.72	mg/Kg	1	7/9/2006
Benz(a)anthracene	ND	0.72	mg/Kg	1	7/9/2006
Chrysene	ND	0.72	mg/Kg	1	7/9/2006
Benzo(b)fluoranthene	ND	0.72	mg/Kg	1	7/9/2006
Benzo(k)fluoranthene	ND	0.72	mg/Kg	1	7/9/2006
Benzo(a)pyrene	ND	0.72	mg/Kg	1	7/9/2006
Indeno(1,2,3-cd)pyrene	ND	0.72	mg/Kg	1	7/9/2006
Dibenz(a,h)anthracene	ND	0.72	mg/Kg	1	7/9/2006
Benzo(g,h,i)perylene	ND	0.72	mg/Kg	1	7/9/2006

Volatile Organic Compounds by GC/MS	SW8260B	Prep Date: 7/7/2006	Analyst: PS		
Acetone	ND	0.4	mg/Kg	1	7/9/2006
Benzene	ND	0.04	mg/Kg	1	7/9/2006
Bromodichloromethane	ND	0.04	mg/Kg	1	7/9/2006
Bromoform	ND	0.04	mg/Kg	1	7/9/2006
Bromomethane	ND	0.079	mg/Kg	1	7/9/2006
2-Butanone	ND	0.079	mg/Kg	1	7/9/2006
Carbon disulfide	ND	0.04	mg/Kg	1	7/9/2006
Carbon tetrachloride	ND	0.04	mg/Kg	1	7/9/2006
Chlorobenzene	ND	0.04	mg/Kg	1	7/9/2006
Dibromochloromethane	ND	0.04	mg/Kg	1	7/9/2006
Chloroethane	ND	0.079	mg/Kg	1	7/9/2006
Chloroform	ND	0.04	mg/Kg	1	7/9/2006

Qualifiers:	ND - Not Detected at the Reporting Limit	RL - Reporting / Quantitation Limit for the analysis
	J - Analyte detected below quantitation limits	S - Spike Recovery outside accepted recovery limits
	B - Analyte detected at the associated Method Blank	R - RPD outside accepted recovery limits
	HT - Sample recovery past holding time	E - Value above quantitation range
	* - Non-accredited parameter	H - Holding time exceeded

STAT Analysis Corporation

2255 West Harrison St., Suite B, Chicago, IL 60612-3505

Tel: (312) 733-0551 Fax: (312) 733-2386 STATinfo@STATAnalysis.com

Accreditation Numbers: IEPA ELAP 100445; ORELAP IL300001; AIHA 101160; NVLAP LabCode 101202-0

Print Date: July 10, 2006

Client:	US Risk Management	Client Sample ID:	9- Rolloff R2924RT
Lab Order:	06070129	Tag Number:	
Project:	15060106, Universal Form, Bellwood, Illinois	Collection Date:	7/7/2006 8:30:00 AM
Lab ID:	06070129-009A	Matrix:	Debris

Analyses	Result	RL	Qualifier	Units	DF	Date Analyzed
----------	--------	----	-----------	-------	----	---------------

Volatile Organic Compounds by GC/MS	SW8260B				Prep Date: 7/7/2006	Analyst: PS
--	----------------	--	--	--	---------------------	-------------

Chloromethane	ND	0.079		mg/Kg	1	7/9/2006
1,1-Dichloroethane	ND	0.04		mg/Kg	1	7/9/2006
1,2-Dichloroethane	ND	0.04		mg/Kg	1	7/9/2006
1,1-Dichloroethene	ND	0.04		mg/Kg	1	7/9/2006
cis-1,2-Dichloroethene	ND	0.04		mg/Kg	1	7/9/2006
trans-1,2-Dichloroethene	ND	0.04		mg/Kg	1	7/9/2006
1,2-Dichloropropane	ND	0.04		mg/Kg	1	7/9/2006
cis-1,3-Dichloropropene	ND	0.04		mg/Kg	1	7/9/2006
trans-1,3-Dichloropropene	ND	0.04		mg/Kg	1	7/9/2006
Ethylbenzene	ND	0.04		mg/Kg	1	7/9/2006
2-Hexanone	ND	0.079		mg/Kg	1	7/9/2006
4-Methyl-2-pentanone	ND	0.079		mg/Kg	1	7/9/2006
Methylene chloride	0.15	0.079		mg/Kg	1	7/9/2006
Methyl tert-butyl ether	ND	0.04		mg/Kg	1	7/9/2006
Styrene	ND	0.04		mg/Kg	1	7/9/2006
1,1,2,2-Tetrachloroethane	ND	0.04		mg/Kg	1	7/9/2006
Tetrachloroethene	ND	0.04		mg/Kg	1	7/9/2006
Toluene	ND	0.04		mg/Kg	1	7/9/2006
1,1,1-Trichloroethane	ND	0.04		mg/Kg	1	7/9/2006
1,1,2-Trichloroethane	ND	0.04		mg/Kg	1	7/9/2006
Trichloroethene	ND	0.04		mg/Kg	1	7/9/2006
Vinyl chloride	ND	0.04		mg/Kg	1	7/9/2006
Xylenes, Total	0.66	0.12		mg/Kg	1	7/9/2006

Cyanide, Reactive	SW7.3.3.2				Prep Date: 7/10/2006	Analyst: YZ
Reactive Cyanide	ND	1		mg/Kg	1	7/10/2006

Flash Point (Open-Cup)	SW1010				Prep Date: 7/8/2006	Analyst: RW
Flashpoint	No flash up to 212			°F	1	7/8/2006

pH (25 °C)	SW9045C				Prep Date: 7/7/2006	Analyst: ICD
pH	5.9			pH Units	1	7/7/2006

Sulfide, Reactive	SW7.3.4.2				Prep Date: 7/10/2006	Analyst: YZ
Reactive Sulfide	ND	10		mg/Kg	1	7/10/2006

Qualifiers:	ND - Not Detected at the Reporting Limit	RL - Reporting / Quantitation Limit for the analysis
	J - Analyte detected below quantitation limits	S - Spike Recovery outside accepted recovery limits
	B - Analyte detected in the associated Method Blank	R - RPD outside accepted recovery limits
	HT - Sample recovery past holding time	E - Value above quantitation range
	* - Non-accredited parameter	H - Holding time exceeded

Page 10 of 14

STAT Analysis Corporation

2255 West Harrison St., Suite B, Chicago, IL 60612-3505

Tel: (312) 733-0551 Fax: (312) 733-2386 STATinfo@STATAnalysis.com

Accreditation Numbers: IEPA ELAP 100445; ORELAP IL300001; AIHA 101160; NVLAP LabCode 101202-0

Print Date: July 10, 2006

Client:	US Risk Management	Client Sample ID:	10- Waste Drums
Lab Order:	06070129	Tag Number:	
Project:	15060106, Universal Form, Bellwood, Illinois	Collection Date:	7/7/2006 8:30:00 AM
Lab ID:	06070129-010A	Matrix:	Water/ Oil

Analyses	Result	RL	Qualifier	Units	DF	Date Analyzed
----------	--------	----	-----------	-------	----	---------------

Metals by ICP/MS	SW6020 (SW3050B)	Prep Date: 7/10/2006	Analyst: JG		
Arsenic	ND	0.93	mg/Kg	10	7/10/2006
Barium	ND	0.93	mg/Kg	10	7/10/2006
Cadmium	ND	0.46	mg/Kg	10	7/10/2006
Chromium	ND	0.93	mg/Kg	10	7/10/2006
Lead	ND	0.46	mg/Kg	10	7/10/2006
Silver	ND	0.93	mg/Kg	10	7/10/2006
Thallium	ND	0.93	mg/Kg	10	7/10/2006

Polynuclear Aromatic Hydrocarbons in Oil	SW8270C-SIM (SW3580A)	Prep Date: 7/8/2006	Analyst: VS		
Naphthalene	26	0.8	mg/Kg	1	7/9/2006
Acenaphthylene	24	0.8	mg/Kg	1	7/9/2006
Acenaphthene	0.96	0.8	mg/Kg	1	7/9/2006
Fluorene	2.1	0.8	mg/Kg	1	7/9/2006
Phenanthrene	ND	0.8	mg/Kg	1	7/9/2006
Anthracene	ND	0.8	mg/Kg	1	7/9/2006
Fluoranthene	2.8	0.8	mg/Kg	1	7/9/2006
Pyrene	ND	0.8	mg/Kg	1	7/9/2006
Benz(a)anthracene	ND	0.8	mg/Kg	1	7/9/2006
Chrysene	ND	0.8	mg/Kg	1	7/9/2006
Benzo(b)fluoranthene	ND	0.8	mg/Kg	1	7/9/2006
Benzo(k)fluoranthene	ND	0.8	mg/Kg	1	7/9/2006
Benzo(a)pyrene	ND	0.8	mg/Kg	1	7/9/2006
Indeno(1,2,3-cd)pyrene	ND	0.8	mg/Kg	1	7/9/2006
Dibenz(a,h)anthracene	ND	0.8	mg/Kg	1	7/9/2006
Benzo(g,h,i)perylene	ND	0.8	mg/Kg	1	7/9/2006

Semivolatile Organic Compounds by GC/MS	SW8270C (SW3580A)	Prep Date: 7/8/2006	Analyst: JT		
1,2,4-Trichlorobenzene	ND	40	mg/Kg	1	7/8/2006
1,2-Dichlorobenzene	ND	40	mg/Kg	1	7/8/2006
1,3-Dichlorobenzene	ND	40	mg/Kg	1	7/8/2006
1,4-Dichlorobenzene	ND	40	mg/Kg	1	7/8/2006
2, 2'-oxybis(1-Chloropropane)	ND	40	mg/Kg	1	7/8/2006
2,4,5-Trichlorophenol	ND	40	mg/Kg	1	7/8/2006
2,4,6-Trichlorophenol	ND	40	mg/Kg	1	7/8/2006
2,4-Dichlorophenol	ND	40	mg/Kg	1	7/8/2006
2,4-Dimethylphenol	ND	40	mg/Kg	1	7/8/2006
2,4-Dinitrophenol	ND	80	mg/Kg	1	7/8/2006
2,4-Dinitrotoluene	ND	40	mg/Kg	1	7/8/2006
2,6-Dinitrotoluene	ND	40	mg/Kg	1	7/8/2006

Qualifiers:	ND - Not Detected at the Reporting Limit	RL - Reporting / Quantitation Limit for the analysis
	J - Analyte detected below quantitation limits	S - Spike Recovery outside accepted recovery limits
	B - Analyte detected in the associated Method Blank	R - RPD outside accepted recovery limits
	HT - Sample recovery past holding time	E - Value above quantitation range
	* - Non-accredited parameter	H - Holding time exceeded

STAT Analysis Corporation

2255 West Harrison St., Suite B, Chicago, IL 60612-3505

Tel: (312) 733-0551 Fax: (312) 733-2386 STATinfo@STATAnalysis.com

Accreditation Numbers: IEPA ELAP 100445; ORELAP IL300001; AIHA 101160; NVLAP LabCode 101202-0

Print Date: July 10, 2006

Client:	US Risk Management	Client Sample ID:	10- Waste Drums
Lab Order:	06070129	Tag Number:	
Project:	15060106, Universal Form, Bellwood, Illinois	Collection Date:	7/7/2006 8:30:00 AM
Lab ID:	06070129-010A	Matrix:	Water/ Oil

Analyses	Result	RL	Qualifier	Units	DF	Date Analyzed
----------	--------	----	-----------	-------	----	---------------

Semivolatile Organic Compounds by GC/MS	SW8270C (SW3580A)			Prep Date: 7/8/2006	Analyst: JT	
2-Chloronaphthalene	ND	40		mg/Kg	1	7/8/2006
2-Chlorophenol	ND	40		mg/Kg	1	7/8/2006
2-Methylnaphthalene	160	40		mg/Kg	1	7/8/2006
2-Methylphenol	ND	40		mg/Kg	1	7/8/2006
2-Nitroaniline	ND	80		mg/Kg	1	7/8/2006
2-Nitrophenol	ND	40		mg/Kg	1	7/8/2006
3,3'-Dichlorobenzidine	ND	40		mg/Kg	1	7/8/2006
3-Nitroaniline	ND	80		mg/Kg	1	7/8/2006
4,6-Dinitro-2-methylphenol	ND	80		mg/Kg	1	7/8/2006
4-Bromophenyl phenyl ether	ND	40		mg/Kg	1	7/8/2006
4-Chloro-3-methylphenol	ND	40		mg/Kg	1	7/8/2006
4-Chloroaniline	ND	40		mg/Kg	1	7/8/2006
4-Chlorophenyl phenyl ether	ND	40		mg/Kg	1	7/8/2006
4-Methylphenol	ND	40		mg/Kg	1	7/8/2006
4-Nitroaniline	ND	80		mg/Kg	1	7/8/2006
4-Nitrophenol	ND	80		mg/Kg	1	7/8/2006
Aniline	ND	40		mg/Kg	1	7/8/2006
Benidine	ND	40		mg/Kg	1	7/8/2006
Benzoic acid	ND	80		mg/Kg	1	7/8/2006
Benzyl alcohol	ND	40		mg/Kg	1	7/8/2006
Bis(2-chloroethoxy)methane	ND	40		mg/Kg	1	7/8/2006
Bis(2-chloroethyl)ether	ND	40		mg/Kg	1	7/8/2006
Bis(2-ethylhexyl)phthalate	ND	40		mg/Kg	1	7/8/2006
Butyl benzyl phthalate	ND	40		mg/Kg	1	7/8/2006
Carbazole	ND	40		mg/Kg	1	7/8/2006
Di-n-butyl phthalate	ND	40		mg/Kg	1	7/8/2006
Di-n-octyl phthalate	ND	40		mg/Kg	1	7/8/2006
Dibenzofuran	ND	40		mg/Kg	1	7/8/2006
Diethyl phthalate	ND	40		mg/Kg	1	7/8/2006
Dimethyl phthalate	ND	40		mg/Kg	1	7/8/2006
Hexachlorobenzene	ND	40		mg/Kg	1	7/8/2006
Hexachlorobutadiene	ND	40		mg/Kg	1	7/8/2006
Hexachlorocyclopentadiene	ND	40		mg/Kg	1	7/8/2006
Hexachloroethane	ND	40		mg/Kg	1	7/8/2006
Isophorone	ND	40		mg/Kg	1	7/8/2006
N-Nitrosodi-n-propylamine	ND	40		mg/Kg	1	7/8/2006
N-Nitrosodimethylamine	ND	40		mg/Kg	1	7/8/2006
N-Nitrosodiphenylamine	ND	40		mg/Kg	1	7/8/2006

Qualifiers:	ND - Not Detected at the Reporting Limit	RL - Reporting / Quantitation Limit for the analysis
	J - Analyte detected below quantitation limits	S - Spike Recovery outside accepted recovery limits
	B - Analyte detected in the associated Method Blank	R - RPD outside accepted recovery limits
	HT - Sample recovery past holding time	E - Value above quantitation range
	* - Non-accredited parameter	H - Holding time exceeded

STAT Analysis Corporation

2255 West Harrison St., Suite B, Chicago, IL 60612-3505

Tel: (312) 733-0551 Fax: (312) 733-2386 STATinfo@STATAnalysis.com

Accreditation Numbers: IEPA ELAP 100445; ORELAP IL300001; AIHA 101160; NVLAP LabCode 101202-0

Print Date: July 10, 2006

Client:	US Risk Management	Client Sample ID:	10- Waste Drums
Lab Order:	06070129	Tag Number:	
Project:	15060106, Universal Form, Bellwood, Illinois	Collection Date:	7/7/2006 8:30:00 AM
Lab ID:	06070129-010A	Matrix:	Water/ Oil

Analyses	Result	RL	Qualifier	Units	DF	Date Analyzed
----------	--------	----	-----------	-------	----	---------------

Semivolatile Organic Compounds by GC/MS	SW8270C (SW3580A)	Prep Date: 7/8/2006		Analyst: JT	
Nitrobenzene	ND	40		mg/Kg	1 7/8/2006
Pentachlorophenol	ND	80		mg/Kg	1 7/8/2006
Phenol	ND	40		mg/Kg	1 7/8/2006
Pyridine	ND	40		mg/Kg	1 7/8/2006

Volatile Organic Compounds by GC/MS	SW8260B	Prep Date: 7/7/2006		Analyst: PS	
Acetone	ND	5.2		mg/Kg	100 7/9/2006
Benzene	ND	0.52		mg/Kg	100 7/9/2006
Bromodichloromethane	ND	0.52		mg/Kg	100 7/9/2006
Bromoform	ND	0.52		mg/Kg	100 7/9/2006
Bromomethane	ND	1		mg/Kg	100 7/9/2006
2-Butanone	ND	1		mg/Kg	100 7/9/2006
Carbon disulfide	ND	0.52		mg/Kg	100 7/9/2006
Carbon tetrachloride	ND	0.52		mg/Kg	100 7/9/2006
Chlorobenzene	ND	0.52		mg/Kg	100 7/9/2006
Dibromochloromethane	ND	0.52		mg/Kg	100 7/9/2006
Chloroethane	ND	1		mg/Kg	100 7/9/2006
Chloroform	ND	0.52		mg/Kg	100 7/9/2006
Chloromethane	ND	1		mg/Kg	100 7/9/2006
1,1-Dichloroethane	ND	0.52		mg/Kg	100 7/9/2006
1,2-Dichloroethane	ND	0.52		mg/Kg	100 7/9/2006
1,1-Dichloroethene	ND	0.52		mg/Kg	100 7/9/2006
cis-1,2-Dichloroethene	ND	0.52		mg/Kg	100 7/9/2006
trans-1,2-Dichloroethene	ND	0.52		mg/Kg	100 7/9/2006
1,2-Dichloropropane	ND	0.52		mg/Kg	100 7/9/2006
cis-1,3-Dichloropropene	ND	0.52		mg/Kg	100 7/9/2006
trans-1,3-Dichloropropene	ND	0.52		mg/Kg	100 7/9/2006
Ethylbenzene	0.7	0.52		mg/Kg	100 7/9/2006
2-Hexanone	ND	1		mg/Kg	100 7/9/2006
4-Methyl-2-pentanone	ND	1		mg/Kg	100 7/9/2006
Methylene chloride	ND	1		mg/Kg	100 7/9/2006
Methyl tert-butyl ether	ND	0.52		mg/Kg	100 7/9/2006
Styrene	ND	0.52		mg/Kg	100 7/9/2006
1,1,2,2-Tetrachloroethane	ND	0.52		mg/Kg	100 7/9/2006
Tetrachloroethene	ND	0.52		mg/Kg	100 7/9/2006
Toluene	ND	0.52		mg/Kg	100 7/9/2006
1,1,1-Trichloroethane	ND	0.52		mg/Kg	100 7/9/2006
1,1,2-Trichloroethane	ND	0.52		mg/Kg	100 7/9/2006
Trichloroethene	ND	0.52		mg/Kg	100 7/9/2006

Qualifiers:	ND - Not Detected at the Reporting Limit	RL - Reporting / Quantitation Limit for the analysis
	J - Analyte detected below quantitation limits	S - Spike Recovery outside accepted recovery limits
	B - Analyte detected at the associated Method Blank	R - RPD outside accepted recovery limits
	HT - Sample recovery past holding time	E - Value above quantitation range
	* - Non-accredited parameter	H - Holding time exceeded

STAT Analysis Corporation

2255 West Harrison St., Suite B, Chicago, IL 60612-3505

Tel: (312) 733-0551 Fax: (312) 733-2386 STATinfo@STATAnalysis.com

Accreditation Numbers: IEPA ELAP 100445; ORELAP IL300001; AIHA 101160; NVLAP LabCode 101202-0

Print Date: July 10, 2006

Client:	US Risk Management	Client Sample ID:	10- Waste Drums
Lab Order:	06070129	Tag Number:	
Project:	15060106, Universal Form, Bellwood, Illinois	Collection Date:	7/7/2006 8:30:00 AM
Lab ID:	06070129-010A	Matrix:	Water/ Oil

Analyses	Result	RL	Qualifier	Units	DF	Date Analyzed
Volatile Organic Compounds by GC/MS	SW8260B					Prep Date: 7/7/2006 Analyst: PS
Vinyl chloride	ND	0.52		mg/Kg	100	7/9/2006
Xylenes, Total	8.8	1.5		mg/Kg	100	7/9/2006
Cyanide, Reactive	SW7.3.3.2					Prep Date: 7/10/2006 Analyst: YZ
Reactive Cyanide	ND	1		mg/Kg	1	7/10/2006
Flash Point (Open-Cup)	SW1010					Prep Date: 7/7/2006 Analyst: RW
Flashpoint	No flash up to 212			°F	1	7/7/2006
pH (25 °C)	SW9045C					Prep Date: 7/7/2006 Analyst: ICD
pH	6.5			pH Units	1	7/7/2006
Sulfide, Reactive	SW7.3.4.2					Prep Date: 7/10/2006 Analyst: YZ
Reactive Sulfide	ND	10		mg/Kg	1	7/10/2006

Qualifiers:	ND - Not Detected at the Reporting Limit	RL - Reporting / Quantitation Limit for the analysis
	J - Analyte detected below quantitation limits	S - Spike Recovery outside accepted recovery limits
	B - Analyte detected in the associated Method Blank	R - RPD outside accepted recovery limits
	HT - Sample recovery past holding time	E - Value above quantitation range
	* - Non-accredited parameter	H - Holding time exceeded

STAT Analysis Corporation

2255 West Harrison St., Suite B, Chicago, IL 60612-3505

Tel: (312) 733-0551 Fax: (312) 733-2386 STATinfo@STATAnalysis.com

Accreditation Numbers: IEPA ELAP 100445; ORELAP IL300001; AIHA 101160; NVLAP LabCode 101202-0

July 12, 2006

US Risk Management
365 Canal St. Suite 2760
New Orleans, LA 70130
Telephone: (504) 561-6563
Fax:

RE: 15060104, Universal Form Clamp, Bellwood, Illinois

STAT Project No: 06070175

Dear Tracey Dodd:


STAT Analysis received 1 sample for the referenced project on 7/10/2006. The analytical results are presented in the following report.

All analyses were performed in accordance with the requirements of 35 IAC Part 186 / NELAC standards. Analyses were performed in accordance with methods as referenced on the analytical report. Those analytical results expressed on a dry weight basis are also noted on the analytical report.

All analyses were performed within established holding time criteria, and all Quality Control criteria met EPA or laboratory specifications except when noted in the Case Narrative or Analytical Report. If required, an estimate of uncertainty for the analyses can be provided. A listing of accredited methods/parameters can also be provided.

Thank you for the opportunity to serve you and I look forward to working with you in the future. If you have any questions regarding the enclosed materials, please contact me at (312) 563-0371.

Sincerely,



Jennifer Hass

Project Manager

The information contained in this report and any attachments is confidential information intended only for the use of the individual or entities named above. The results of this report relate only to the samples tested. If you have received this report in error, please notify us immediately by phone. This report shall not be reproduced, except in its entirety, unless written approval has been obtained from the laboratory.

CC:

James Laws

Client: US Risk Management
Project: 15060104, Universal Form Clamp, Bellwood, Illinois
Lab Order: 06070175

Work Order Sample Summary

Lab Sample ID	Client Sample ID	Tag Number	Collection Date	Date Received
06070175-001A	West Room Debris in R/O		7/10/2006 8:45:00 AM	7/10/2006

CLIENT: US Risk Management
Project: 15060104, Universal Form Clamp, Bellwood, Ill
Lab Order: 06070175

CASE NARRATIVE

The VOC soil LCS/LCSD analyzed 07/11/06 had recovery for Bromomethane outside of control limits (63%/65% recovery, QC Limits 70-130%).

In VOC analysis of soil sample West Room Debris in R/O (06070175-001), Methylene Chloride present is a possible lab artifact.

Sample West Room Debris in R/O (06070175-001) had recovery for PNA surrogate 1,2-Dichlorobenzene-d4 outside of control limits (4% Recovery, QC Limits 20-130%).

STAT Analysis Corporation

2255 West Harrison St., Suite B, Chicago, IL 60612-3505

Tel: (312) 733-0551 Fax: (312) 733-2386 STATinfo@STATAnalysis.com

Accreditation Numbers: IEPA ELAP 100445; ORELAP IL300001; AIHA 101160; NVLAP LabCode 101202-0

Date Reported: July 12, 2006

Date Printed: July 12, 2006

Client: US Risk Management

Lab Order: 06070175

Project: 15060104, Universal Form Clamp, Bellwood, Illino

Lab ID: 06070175-001

Client Sample ID: West Room Debris in R/O

Collection Date: 7/10/2006 8:45:00 AM

Matrix: Soil

Analyses	Result	RL	Qualifier	Units	DF	Date Analyzed
Metals by ICP/MS						
	SW6020 (SW3050B)				Prep Date: 7/11/2006	Analyst: JG
Arsenic	2.8	1.3		mg/Kg-dry	10	7/11/2006
Barium	460	1.3		mg/Kg-dry	10	7/11/2006
Cadmium	2.8	0.63		mg/Kg-dry	10	7/11/2006
Chromium	27	1.3		mg/Kg-dry	10	7/11/2006
Lead	100	32		mg/Kg-dry	500	7/11/2006
Selenium	ND	1.3		mg/Kg-dry	10	7/11/2006
Silver	ND	1.3		mg/Kg-dry	10	7/11/2006
TCLP Metals by ICP/MS						
	SW1311/6020 (SW3005A)				Prep Date: 7/11/2006	Analyst: JG
Arsenic	ND	0.01		mg/L	5	7/11/2006
Barium	0.26	0.02		mg/L	5	7/11/2006
Cadmium	0.017	0.005		mg/L	5	7/11/2006
Chromium	0.021	0.01		mg/L	5	7/11/2006
Lead	0.069	0.005		mg/L	5	7/11/2006
Selenium	ND	0.01		mg/L	5	7/11/2006
Silver	ND	0.01		mg/L	5	7/11/2006
Polynuclear Aromatic Hydrocarbons						
	SW8270C-SIM (SW3550B)				Prep Date: 7/10/2006	Analyst: DCW
Acenaphthene	ND	0.88		mg/Kg-dry	10	7/11/2006
Acenaphthylene	1.2	0.88		mg/Kg-dry	10	7/11/2006
Anthracene	0.98	0.88		mg/Kg-dry	10	7/11/2006
Benz(a)anthracene	1.1	0.88		mg/Kg-dry	10	7/11/2006
Benzo(a)pyrene	4.6	0.88		mg/Kg-dry	10	7/11/2006
Benzo(b)fluoranthene	ND	0.88		mg/Kg-dry	10	7/11/2006
Benzo(g,h,i)perylene	ND	0.88		mg/Kg-dry	10	7/11/2006
Benzo(k)fluoranthene	ND	0.88		mg/Kg-dry	10	7/11/2006
Chrysene	0.98	0.88		mg/Kg-dry	10	7/11/2006
Dibenz(a,h)anthracene	ND	0.88		mg/Kg-dry	10	7/11/2006
Fluoranthene	1.9	0.88		mg/Kg-dry	10	7/11/2006
Fluorene	ND	0.88		mg/Kg-dry	10	7/11/2006
Indeno(1,2,3-cd)pyrene	0.98	0.88		mg/Kg-dry	10	7/11/2006
Naphthalene	2	0.88		mg/Kg-dry	10	7/11/2006
Phenanthrene	4.6	0.88		mg/Kg-dry	10	7/11/2006
Pyrene	1.9	0.88		mg/Kg-dry	10	7/11/2006
Semivolatile Organic Compounds by GC/MS						
	SW8270C (SW3550B)				Prep Date: 7/10/2006	Analyst: JT
Aniline	ND	4.5		mg/Kg-dry	1	7/11/2006
Benzdine	ND	4.5		mg/Kg-dry	1	7/11/2006
Benzoic acid	ND	21		mg/Kg-dry	1	7/11/2006
Benzyl alcohol	ND	4.5		mg/Kg-dry	1	7/11/2006

Qualifiers:

ND - Not Detected at the Reporting Limit

J - Analyte detected below quantitation limits

B - Analyte detected in the associated Method Blank

HT - Sample received past holding time

* - Non-accredited parameter

RL - Reporting / Quantitation Limit for the analysis

S - Spike Recovery outside accepted recovery limits

R - RPD outside accepted recovery limits

E - Value above quantitation range

H - Holding time exceeded

STAT Analysis Corporation

2255 West Harrison St., Suite B, Chicago, IL 60612-3505

Tel: (312) 733-0551 Fax: (312) 733-2386 STATinfo@STATAnalysis.com

Accreditation Numbers: IEPA ELAP 100445; ORELAP IL300001; AIHA 101160; NVLAP LabCode 101202-0

Date Reported: July 12, 2006

Date Printed: July 12, 2006

Client: US Risk Management

Lab Order: 06070175

Project: 15060104, Universal Form Clamp, Bellwood, Illino

Lab ID: 06070175-001

Client Sample ID: West Room Debris in R/O

Collection Date: 7/10/2006 8:45:00 AM

Matrix: Soil

Analyses	Result	RL	Qualifier	Units	DF	Date Analyzed
Semivolatile Organic Compounds by GC/MS						
	SW8270C (SW3550B)		Prep Date: 7/10/2006		Analyst: JT	
Bis(2-chloroethoxy)methane	ND	4.5		mg/Kg-dry	1	7/11/2006
Bis(2-chloroethyl)ether	ND	4.5		mg/Kg-dry	1	7/11/2006
Bis(2-ethylhexyl)phthalate	ND	4.5		mg/Kg-dry	1	7/11/2006
4-Bromophenyl phenyl ether	ND	4.5		mg/Kg-dry	1	7/11/2006
Butyl benzyl phthalate	ND	4.5		mg/Kg-dry	1	7/11/2006
Carbazole	ND	4.5		mg/Kg-dry	1	7/11/2006
4-Chloroaniline	ND	4.5		mg/Kg-dry	1	7/11/2006
4-Chloro-3-methylphenol	ND	4.5		mg/Kg-dry	1	7/11/2006
2-Chloronaphthalene	ND	4.5		mg/Kg-dry	1	7/11/2006
2-Chlorophenol	ND	4.5		mg/Kg-dry	1	7/11/2006
4-Chlorophenyl phenyl ether	ND	4.5		mg/Kg-dry	1	7/11/2006
Dibenzofuran	ND	4.5		mg/Kg-dry	1	7/11/2006
1,2-Dichlorobenzene	ND	4.5		mg/Kg-dry	1	7/11/2006
1,3-Dichlorobenzene	ND	4.5		mg/Kg-dry	1	7/11/2006
1,4-Dichlorobenzene	ND	4.5		mg/Kg-dry	1	7/11/2006
3,3'-Dichlorobenzidine	ND	8.8		mg/Kg-dry	1	7/11/2006
2,4-Dichlorophenol	ND	4.5		mg/Kg-dry	1	7/11/2006
Diethyl phthalate	ND	4.5		mg/Kg-dry	1	7/11/2006
2,4-Dimethylphenol	ND	4.5		mg/Kg-dry	1	7/11/2006
Dimethyl phthalate	ND	4.5		mg/Kg-dry	1	7/11/2006
4,6-Dinitro-2-methylphenol	ND	21		mg/Kg-dry	1	7/11/2006
2,4-Dinitrophenol	ND	21		mg/Kg-dry	1	7/11/2006
2,4-Dinitrotoluene	ND	4.5		mg/Kg-dry	1	7/11/2006
2,6-Dinitrotoluene	ND	4.5		mg/Kg-dry	1	7/11/2006
Di-n-butyl phthalate	ND	4.5		mg/Kg-dry	1	7/11/2006
Di-n-octyl phthalate	ND	4.5		mg/Kg-dry	1	7/11/2006
Hexachlorobenzene	ND	4.5		mg/Kg-dry	1	7/11/2006
Hexachlorobutadiene	ND	4.5		mg/Kg-dry	1	7/11/2006
Hexachlorocyclopentadiene	ND	4.5		mg/Kg-dry	1	7/11/2006
Hexachloroethane	ND	4.5		mg/Kg-dry	1	7/11/2006
Isophorone	ND	4.5		mg/Kg-dry	1	7/11/2006
2-Methylnaphthalene	ND	4.5		mg/Kg-dry	1	7/11/2006
2-Methylphenol	ND	4.5		mg/Kg-dry	1	7/11/2006
4-Methylphenol	ND	4.5		mg/Kg-dry	1	7/11/2006
2-Nitroaniline	ND	21		mg/Kg-dry	1	7/11/2006
3-Nitroaniline	ND	21		mg/Kg-dry	1	7/11/2006
4-Nitroaniline	ND	21		mg/Kg-dry	1	7/11/2006
2-Nitrophenol	ND	4.5		mg/Kg-dry	1	7/11/2006

Qualifiers:

ND - Not Detected at the Reporting Limit

J - Analyte detected below quantitation limits

B - Analyte detected in the associated Method Blank

HT - Sample received past holding time

* - Non-accredited parameter

RL - Reporting / Quantitation Limit for the analysis

S - Spike Recovery outside accepted recovery limits

R - RPD outside accepted recovery limits

E - Value above quantitation range

H - Holding time exceeded

STAT Analysis Corporation

2255 West Harrison St., Suite B, Chicago, IL 60612-3505

Tel: (312) 733-0551 Fax: (312) 733-2386 STATinfo@STATAnalysis.com

Accreditation Numbers: IEPA ELAP 100445; ORELAP IL300001; AIHA 101160; NVLAP LabCode 101202-0

Date Reported: July 12, 2006

Date Printed: July 12, 2006

Client: US Risk Management

Lab Order: 06070175

Project: 15060104, Universal Form Clamp, Bellwood, Illino

Lab ID: 06070175-001

Client Sample ID: West Room Debris in R/O

Collection Date: 7/10/2006 8:45:00 AM

Matrix: Soil

Analyses	Result	RL	Qualifier	Units	DF	Date Analyzed
Semivolatile Organic Compounds by GC/MS						
	SW8270C (SW3550B)		Prep Date: 7/10/2006		Analyst: JT	
4-Nitrophenol	ND	21		mg/Kg-dry	1	7/11/2006
Nitrobenzene	ND	4.5		mg/Kg-dry	1	7/11/2006
N-Nitrosodi-n-propylamine	ND	4.5		mg/Kg-dry	1	7/11/2006
N-Nitrosodimethylamine	ND	4.5		mg/Kg-dry	1	7/11/2006
N-Nitrosodiphenylamine	ND	4.5		mg/Kg-dry	1	7/11/2006
2, 2'-oxybis(1-Chloropropane)	ND	4.5		mg/Kg-dry	1	7/11/2006
Pentachlorophenol	ND	21		mg/Kg-dry	1	7/11/2006
Phenol	ND	4.5		mg/Kg-dry	1	7/11/2006
Pyridine	ND	4.5		mg/Kg-dry	1	7/11/2006
1,2,4-Trichlorobenzene	ND	4.5		mg/Kg-dry	1	7/11/2006
2,4,5-Trichlorophenol	ND	8.8		mg/Kg-dry	1	7/11/2006
2,4,6-Trichlorophenol	ND	4.5		mg/Kg-dry	1	7/11/2006
TCLP Semivolatile Organic Compounds						
	SW1311/8270C (SW3510C)		Prep Date: 7/11/2006		Analyst: JT	
1,4-Dichlorobenzene	ND	0.01		mg/L	1	7/11/2006
2,4-Dinitrotoluene	ND	0.01		mg/L	1	7/11/2006
Hexachlorobenzene	ND	0.01		mg/L	1	7/11/2006
Hexachlorobutadiene	ND	0.01		mg/L	1	7/11/2006
Hexachloroethane	ND	0.01		mg/L	1	7/11/2006
Nitrobenzene	ND	0.01		mg/L	1	7/11/2006
2-methylphenol	ND	0.01		mg/L	1	7/11/2006
3- & 4-Methylphenol	ND	0.01		mg/L	1	7/11/2006
Pentachlorophenol	ND	0.05		mg/L	1	7/11/2006
Pyridine	ND	0.01		mg/L	1	7/11/2006
2,4,5-Trichlorophenol	ND	0.01		mg/L	1	7/11/2006
2,4,6-Trichlorophenol	ND	0.01		mg/L	1	7/11/2006
Volatile Organic Compounds by GC/MS						
	SW8260B		Prep Date: 7/10/2006		Analyst: SK	
Acetone	ND	3.6		mg/Kg-dry	50	7/11/2006
Benzene	0.65	0.36		mg/Kg-dry	50	7/11/2006
Bromodichloromethane	ND	0.36		mg/Kg-dry	50	7/11/2006
Bromoform	ND	0.36		mg/Kg-dry	50	7/11/2006
Bromomethane	ND	0.73		mg/Kg-dry	50	7/11/2006
2-Butanone	ND	0.73		mg/Kg-dry	50	7/11/2006
Carbon disulfide	ND	0.36		mg/Kg-dry	50	7/11/2006
Carbon tetrachloride	ND	0.36		mg/Kg-dry	50	7/11/2006
Chlorobenzene	ND	0.36		mg/Kg-dry	50	7/11/2006
Dibromochloromethane	ND	0.36		mg/Kg-dry	50	7/11/2006
Chloroethane	ND	0.73		mg/Kg-dry	50	7/11/2006

Qualifiers:

ND - Not Detected at the Reporting Limit

J - Analyte detected below quantitation limits

B - Analyte detected in the associated Method Blank

HT - Sample received past holding time

* - Non-accredited parameter

RL - Reporting / Quantitation Limit for the analysis

S - Spike Recovery outside accepted recovery limits

R - RPD outside accepted recovery limits

E - Value above quantitation range

H - Holding time exceeded

STAT Analysis Corporation

2255 West Harrison St., Suite B, Chicago, IL 60612-3505

Tel: (312) 733-0551 Fax: (312) 733-2386 STATinfo@STATAnalysis.com

Accreditation Numbers: IEPA ELAP 100445; ORELAP IL300001; AIHA 101160; NVLAP LabCode 101202-0

Date Reported: July 12, 2006

Date Printed: July 12, 2006

Client: US Risk Management

Lab Order: 06070175

Project: 15060104, Universal Form Clamp, Bellwood, Illino

Lab ID: 06070175-001

Client Sample ID: West Room Debris in R/O

Collection Date: 7/10/2006 8:45:00 AM

Matrix: Soil

Analyses	Result	RL	Qualifier	Units	DF	Date Analyzed
Volatile Organic Compounds by GC/MS						
	SW8260B				Prep Date: 7/10/2006	Analyst: SK
Chloroform	ND	0.36		mg/Kg-dry	50	7/11/2006
Chloromethane	ND	0.73		mg/Kg-dry	50	7/11/2006
1,1-Dichloroethane	ND	0.36		mg/Kg-dry	50	7/11/2006
1,2-Dichloroethane	ND	0.36		mg/Kg-dry	50	7/11/2006
1,1-Dichloroethene	ND	0.36		mg/Kg-dry	50	7/11/2006
cis-1,2-Dichloroethene	ND	0.36		mg/Kg-dry	50	7/11/2006
trans-1,2-Dichloroethene	ND	0.36		mg/Kg-dry	50	7/11/2006
1,2-Dichloropropane	ND	0.36		mg/Kg-dry	50	7/11/2006
cis-1,3-Dichloropropene	ND	0.36		mg/Kg-dry	50	7/11/2006
trans-1,3-Dichloropropene	ND	0.36		mg/Kg-dry	50	7/11/2006
Ethylbenzene	1.2	0.36		mg/Kg-dry	50	7/11/2006
2-Hexanone	ND	0.73		mg/Kg-dry	50	7/11/2006
4-Methyl-2-pentanone	ND	0.73		mg/Kg-dry	50	7/11/2006
Methylene chloride	1.7	0.73		mg/Kg-dry	50	7/11/2006
Methyl tert-butyl ether	ND	0.36		mg/Kg-dry	50	7/11/2006
Styrene	ND	0.36		mg/Kg-dry	50	7/11/2006
1,1,2,2-Tetrachloroethane	ND	0.36		mg/Kg-dry	50	7/11/2006
Tetrachloroethene	ND	0.36		mg/Kg-dry	50	7/11/2006
Toluene	9.3	0.36		mg/Kg-dry	50	7/11/2006
1,1,1-Trichloroethane	ND	0.36		mg/Kg-dry	50	7/11/2006
1,1,2-Trichloroethane	ND	0.36		mg/Kg-dry	50	7/11/2006
Trichloroethene	ND	0.36		mg/Kg-dry	50	7/11/2006
Vinyl chloride	ND	0.36		mg/Kg-dry	50	7/11/2006
Xylenes, Total	7.7	1.1		mg/Kg-dry	50	7/11/2006
TCLP Volatile Organic Compounds by GC/MS						
	SW1311/8260B (SW5030B)				Prep Date: 7/10/2006	Analyst: PS
Benzene	ND	0.05		mg/L	10	7/11/2006
2-Butanone	ND	0.1		mg/L	10	7/11/2006
Carbon tetrachloride	ND	0.05		mg/L	10	7/11/2006
Chlorobenzene	ND	0.05		mg/L	10	7/11/2006
Chloroform	ND	0.05		mg/L	10	7/11/2006
1,2-Dichloroethane	ND	0.05		mg/L	10	7/11/2006
1,1-Dichloroethene	ND	0.05		mg/L	10	7/11/2006
Tetrachloroethene	ND	0.05		mg/L	10	7/11/2006
Trichloroethene	ND	0.05		mg/L	10	7/11/2006
Vinyl chloride	ND	0.05		mg/L	10	7/11/2006
Cyanide, Reactive						
	SW7.3.3.2				Prep Date: 7/11/2006	Analyst: YZ
Reactive Cyanide	ND	1		mg/Kg	1	7/11/2006

Qualifiers:

ND - Not Detected at the Reporting Limit

J - Analyte detected below quantitation limits

B - Analyte detected in the associated Method Blank

HT - Sample received past holding time

* - Non-accredited parameter

RL - Reporting / Quantitation Limit for the analysis

S - Spike Recovery outside accepted recovery limits

R - RPD outside accepted recovery limits

E - Value above quantitation range

H - Holding time exceeded

STAT Analysis Corporation

2255 West Harrison St., Suite B, Chicago, IL 60612-3505

Tel: (312) 733-0551 Fax: (312) 733-2386 STATinfo@STATAnalysis.com

Accreditation Numbers: IEPA ELAP 100445; ORELAP IL300001; AIHA 101160; NVLAP LabCode 101202-0

Date Reported: July 12, 2006

Date Printed: July 12, 2006

Client: US Risk Management

Lab Order: 06070175

Project: 15060104, Universal Form Clamp, Bellwood, Illino

Lab ID: 06070175-001

Client Sample ID: West Room Debris in R/O

Collection Date: 7/10/2006 8:45:00 AM

Matrix: Soil

Analyses	Result	RL	Qualifier	Units	DF	Date Analyzed
Flash Point (Open-Cup)	SW1010					
Flashpoint	No flash up to 212			°F	1	Prep Date: 7/10/2006 Analyst: RW 7/10/2006
pH (25 °C)	SW9045C					
pH	7.2			pH Units	1	Prep Date: 7/10/2006 Analyst: ICD 7/10/2006
Percent Moisture	D2974					
Percent Moisture	25.7	0.01	*	wt%	1	Prep Date: 7/10/2006 Analyst: RW 7/11/2006
Sulfide, Reactive	SW7.3.4.2					
Reactive Sulfide	ND	10		mg/Kg	1	Prep Date: 7/11/2006 Analyst: YZ 7/11/2006

Qualifiers:

ND - Not Detected at the Reporting Limit

J - Analyte detected below quantitation limits

B - Analyte detected in the associated Method Blank

HT - Sample received past holding time

* - Non-accredited parameter

RL - Reporting / Quantitation Limit for the analysis

S - Spike Recovery outside accepted recovery limits

R - RPD outside accepted recovery limits

E - Value above quantitation range

H - Holding time exceeded

CHAIN OF CUSTODY RECORD

[illegible]

Sample Receipt Checklist

Client Name US RISK

Date and Time Received:

7/10/2006

Work Order Number 06070175

Received by: CC

Checklist completed by:

Jesus Cota
Signature Date 7/10/06

Reviewed by:

JCB 7/11/06
Initials Date

Matrix

Carrier name Client Delivered

Shipping container/cooler in good condition?	Yes <input checked="" type="checkbox"/>	No <input type="checkbox"/>	Not Present <input type="checkbox"/>
Custody seals intact on shipping container/cooler?	Yes <input type="checkbox"/>	No <input type="checkbox"/>	Not Present <input checked="" type="checkbox"/>
Custody seals intact on sample bottles?	Yes <input type="checkbox"/>	No <input type="checkbox"/>	Not Present <input checked="" type="checkbox"/>
Chain of custody present?	Yes <input checked="" type="checkbox"/>	No <input type="checkbox"/>	
Chain of custody signed when relinquished and received?	Yes <input checked="" type="checkbox"/>	No <input type="checkbox"/>	
Chain of custody agrees with sample labels/containers?	Yes <input checked="" type="checkbox"/>	No <input type="checkbox"/>	
Samples in proper container/bottle?	Yes <input checked="" type="checkbox"/>	No <input type="checkbox"/>	
Sample containers intact?	Yes <input checked="" type="checkbox"/>	No <input type="checkbox"/>	
Sufficient sample volume for indicated test?	Yes <input checked="" type="checkbox"/>	No <input type="checkbox"/>	
All samples received within holding time?	Yes <input checked="" type="checkbox"/>	No <input type="checkbox"/>	
Container or Temp Blank temperature in compliance?	Yes <input checked="" type="checkbox"/>	No <input type="checkbox"/>	Temperature On Ice °C
Water - VOA vials have zero headspace?	No VOA vials submitted <input type="checkbox"/>	Yes <input type="checkbox"/>	No <input type="checkbox"/>
Water - Samples pH checked?	Yes <input type="checkbox"/>	No <input type="checkbox"/>	Checked by:
Water - Samples properly preserved?	Yes <input type="checkbox"/>	No <input type="checkbox"/>	pH Adjusted?

Any No response must be detailed in the comments section below.

Comments:

Client / Person
contacted:

Date contacted:

Contacted by:

Response:

STAT Analysis Corporation

2255 West Harrison St., Suite B, Chicago, IL 60612-3505

Tel: (312) 733-0551 Fax: (312) 733-2386 STATinfo@STATAnalysis.com

Accreditation Numbers: IEPA ELAP 100445; ORELAP IL300001; AIHA 101160; NVLAP LabCode 101202-0

July 13, 2006

US Risk Management
365 Canal St. Suite 2760
New Orleans, LA 70130
Telephone: (504) 561-6563
Fax:

RE: 15060106, Universal Form Clamp, Bellwood, IL

STAT Project No: 06070241

Dear Tracey Dodd:


STAT Analysis received 1 sample for the referenced project on 7/11/2006. The analytical results are presented in the following report.

All analyses were performed in accordance with the requirements of 35 IAC Part 186 / NELAC standards. Analyses were performed in accordance with methods as referenced on the analytical report. Those analytical results expressed on a dry weight basis are also noted on the analytical report.

All analyses were performed within established holding time criteria, and all Quality Control criteria met EPA or laboratory specifications except when noted in the Case Narrative or Analytical Report. If required, an estimate of uncertainty for the analyses can be provided. A listing of accredited methods/parameters can also be provided.

Thank you for the opportunity to serve you and I look forward to working with you in the future. If you have any questions regarding the enclosed materials, please contact me at (312) 563-0371.

Sincerely,



Craig Chawla
Project Manager

The information contained in this report and any attachments is confidential information intended only for the use of the individual or entities named above. The results of this report relate only to the samples tested. If you have received this report in error, please notify us immediately by phone. This report shall not be reproduced, except in its entirety, unless written approval has been obtained from the laboratory.

CC:
James Laws

Client: US Risk Management
Project: 15060106, Universal Form Clamp, Bellwood, IL
Lab Order: 06070241

Work Order Sample Summary

Lab Sample ID	Client Sample ID	Tag Number	Collection Date	Date Received
06070241-001A	Tank Farm (T-F)		7/11/2006 5:00:00 PM	7/11/2006

STAT Analysis Corporation

2255 West Harrison St., Suite B, Chicago, IL 60612-3505

Tel: (312) 733-0551 Fax: (312) 733-2386 STATinfo@STATAnalysis.com

Accreditation Numbers: IEPA ELAP 100445; ORELAP IL300001; AIHA 101160; NVLAP LabCode 101202-0

Date Reported: July 13, 2006

Date Printed: July 13, 2006

Client: US Risk Management

Lab Order: 06070241

Project: 15060106, Universal Form Clamp, Bellwood, IL

Lab ID: 06070241-001

Client Sample ID: Tank Farm (T-F)

Collection Date: 7/11/2006 5:00:00 PM

Matrix: Water

Analyses	Result	RL	Qualifier	Units	DF	Date Analyzed
TCLP Metals by ICP/MS						
	SW1311/6020 (SW3005A)		Prep Date: 7/12/2006		Analyst: JG	
Arsenic	ND	0.01		mg/L	5	7/12/2006
Barium	0.17	0.02		mg/L	5	7/12/2006
Cadmium	ND	0.005		mg/L	5	7/12/2006
Chromium	ND	0.01		mg/L	5	7/12/2006
Lead	ND	0.005		mg/L	5	7/12/2006
Selenium	ND	0.01		mg/L	5	7/12/2006
Silver	ND	0.01		mg/L	5	7/12/2006
Metals by ICP/MS						
	SW6020 (SW3005A)		Prep Date: 7/12/2006		Analyst: JG	
Arsenic	ND	0.004		mg/L	2	7/12/2006
Barium	0.057	0.004		mg/L	2	7/12/2006
Cadmium	ND	0.002		mg/L	2	7/12/2006
Chromium	ND	0.004		mg/L	2	7/12/2006
Lead	0.004	0.002		mg/L	2	7/12/2006
Selenium	ND	0.004		mg/L	2	7/12/2006
Silver	ND	0.004		mg/L	2	7/12/2006
Polynuclear Aromatic Hydrocarbons						
	SW8270C-SIM (SW3510C)		Prep Date: 7/13/2006		Analyst: DCW	
Acenaphthene	ND	0.0002		mg/L	1	7/13/2006
Acenaphthylene	ND	0.0002		mg/L	1	7/13/2006
Anthracene	ND	0.0002		mg/L	1	7/13/2006
Benzo(a)anthracene	ND	0.00013		mg/L	1	7/13/2006
Benzo(a)pyrene	ND	0.0002		mg/L	1	7/13/2006
Benzo(b)fluoranthene	ND	0.00018		mg/L	1	7/13/2006
Benzo(g,h,i)perylene	ND	0.0001		mg/L	1	7/13/2006
Benzo(k)fluoranthene	ND	0.00017		mg/L	1	7/13/2006
Chrysene	ND	0.0001		mg/L	1	7/13/2006
Dibenz(a,h)anthracene	0.00014	0.0001		mg/L	1	7/13/2006
Fluoranthene	ND	0.0002		mg/L	1	7/13/2006
Fluorene	ND	0.0002		mg/L	1	7/13/2006
Indeno(1,2,3-cd)pyrene	0.00012	0.0001		mg/L	1	7/13/2006
Naphthalene	ND	0.0002		mg/L	1	7/13/2006
Phenanthrene	ND	0.0002		mg/L	1	7/13/2006
Pyrene	ND	0.0002		mg/L	1	7/13/2006
TCLP Semivolatile Organic Compounds						
	SW1311/8270C (SW3510C)		Prep Date: 7/13/2006		Analyst: JT	
1,4-Dichlorobenzene	ND	0.005		mg/L	1	7/13/2006
2,4-Dinitrotoluene	ND	0.005		mg/L	1	7/13/2006
Hexachlorobenzene	ND	0.005		mg/L	1	7/13/2006
Hexachlorobutadiene	ND	0.005		mg/L	1	7/13/2006

Qualifiers:

ND - Not Detected at the Reporting Limit

J - Analyte detected below quantitation limits

B - Analyte detected in the associated Method Blank

HT - Sample received past holding time

* - Non-accredited parameter

RL - Reporting / Quantitation Limit for the analysis

S - Spike Recovery outside accepted recovery limits

R - RPD outside accepted recovery limits

E - Value above quantitation range

H - Holding time exceeded

STAT Analysis Corporation

2255 West Harrison St., Suite B, Chicago, IL 60612-3505

Tel: (312) 733-0551 Fax: (312) 733-2386 STATinfo@STATAnalysis.com

Accreditation Numbers: IEPA ELAP 100445; ORELAP IL300001; AIHA 101160; NVLAP LabCode 101202-0

Date Reported: July 13, 2006

Date Printed: July 13, 2006

Client: US Risk Management

Lab Order: 06070241

Project: 15060106, Universal Form Clamp, Bellwood, IL

Lab ID: 06070241-001

Client Sample ID: Tank Farm (T-F)

Collection Date: 7/11/2006 5:00:00 PM

Matrix: Water

Analyses	Result	RL	Qualifier	Units	DF	Date Analyzed
TCLP Semivolatile Organic Compounds						
	SW1311/8270C (SW3510C)		Prep Date: 7/13/2006		Analyst: JT	
Hexachloroethane	ND	0.005		mg/L	1	7/13/2006
Nitrobenzene	ND	0.005		mg/L	1	7/13/2006
2-methylphenol	ND	0.005		mg/L	1	7/13/2006
3- & 4-Methylphenol	ND	0.005		mg/L	1	7/13/2006
Pentachlorophenol	ND	0.025		mg/L	1	7/13/2006
Pyridine	ND	0.005		mg/L	1	7/13/2006
2,4,5-Trichlorophenol	ND	0.005		mg/L	1	7/13/2006
2,4,6-Trichlorophenol	ND	0.005		mg/L	1	7/13/2006
Semivolatile Organic Compounds by GC/MS						
	SW8270C (SW3510C)		Prep Date: 7/13/2006		Analyst: JT	
Aniline	ND	0.025		mg/L	1	7/13/2006
Benzidine	ND	0.025		mg/L	1	7/13/2006
Benzoic acid	ND	0.025		mg/L	1	7/13/2006
Benzyl alcohol	ND	0.01		mg/L	1	7/13/2006
Bis(2-chloroethoxy)methane	ND	0.01		mg/L	1	7/13/2006
Bis(2-chloroethyl)ether	ND	0.01		mg/L	1	7/13/2006
Bis(2-ethylhexyl)phthalate	ND	0.01		mg/L	1	7/13/2006
4-Bromophenyl phenyl ether	ND	0.01		mg/L	1	7/13/2006
Butyl benzyl phthalate	ND	0.01		mg/L	1	7/13/2006
Carbazole	ND	0.025		mg/L	1	7/13/2006
4-Chloroaniline	ND	0.01		mg/L	1	7/13/2006
4-Chloro-3-methylphenol	ND	0.01		mg/L	1	7/13/2006
2-Chloronaphthalene	ND	0.01		mg/L	1	7/13/2006
2-Chlorophenol	ND	0.01		mg/L	1	7/13/2006
4-Chlorophenyl phenyl ether	ND	0.01		mg/L	1	7/13/2006
Dibenzofuran	ND	0.01		mg/L	1	7/13/2006
1,2-Dichlorobenzene	ND	0.01		mg/L	1	7/13/2006
1,3-Dichlorobenzene	ND	0.01		mg/L	1	7/13/2006
1,4-Dichlorobenzene	ND	0.01		mg/L	1	7/13/2006
3,3'-Dichlorobenzidine	ND	0.02		mg/L	1	7/13/2006
2,4-Dichlorophenol	ND	0.01		mg/L	1	7/13/2006
Diethyl phthalate	ND	0.01		mg/L	1	7/13/2006
2,4-Dimethylphenol	ND	0.01		mg/L	1	7/13/2006
Dimethyl phthalate	ND	0.01		mg/L	1	7/13/2006
4,6-Dinitro-2-methylphenol	ND	0.025		mg/L	1	7/13/2006
2,4-Dinitrophenol	ND	0.025		mg/L	1	7/13/2006
2,4-Dinitrotoluene	ND	0.01		mg/L	1	7/13/2006
2,6-Dinitrotoluene	ND	0.01		mg/L	1	7/13/2006
Di-n-butyl phthalate	ND	0.01		mg/L	1	7/13/2006

Qualifiers:

ND - Not Detected at the Reporting Limit

J - Analyte detected below quantitation limits

B - Analyte detected in the associated Method Blank

HT - Sample received past holding time

* - Non-accredited parameter

RL - Reporting / Quantitation Limit for the analysis

S - Spike Recovery outside accepted recovery limits

R - RPD outside accepted recovery limits

E - Value above quantitation range

H - Holding time exceeded

STAT Analysis Corporation

2255 West Harrison St., Suite B, Chicago, IL 60612-3505

Tel: (312) 733-0551 Fax: (312) 733-2386 STATinfo@STATAnalysis.com

Accreditation Numbers: IEPA ELAP 100445; ORELAP IL300001; AIHA 101160; NVLAP LabCode 101202-0

Date Reported: July 13, 2006

Date Printed: July 13, 2006

Client: US Risk Management

Lab Order: 06070241

Project: 15060106, Universal Form Clamp, Bellwood, IL

Lab ID: 06070241-001

Client Sample ID: Tank Farm (T-F)

Collection Date: 7/11/2006 5:00:00 PM

Matrix: Water

Analyses	Result	RL	Qualifier	Units	DF	Date Analyzed
Semivolatile Organic Compounds by GC/MS						
	SW8270C (SW3510C)		Prep Date: 7/13/2006		Analyst: JT	
Di-n-octyl phthalate	ND	0.01		mg/L	1	7/13/2006
Hexachlorobenzene	ND	0.01		mg/L	1	7/13/2006
Hexachlorobutadiene	ND	0.01		mg/L	1	7/13/2006
Hexachlorocyclopentadiene	ND	0.01		mg/L	1	7/13/2006
Hexachloroethane	ND	0.01		mg/L	1	7/13/2006
Isophorone	ND	0.01		mg/L	1	7/13/2006
2-Methylnaphthalene	ND	0.01		mg/L	1	7/13/2006
2-Methylphenol	ND	0.01		mg/L	1	7/13/2006
4-Methylphenol	ND	0.01		mg/L	1	7/13/2006
2-Nitroaniline	ND	0.025		mg/L	1	7/13/2006
3-Nitroaniline	ND	0.025		mg/L	1	7/13/2006
4-Nitroaniline	ND	0.025		mg/L	1	7/13/2006
2-Nitrophenol	ND	0.01		mg/L	1	7/13/2006
4-Nitrophenol	ND	0.025		mg/L	1	7/13/2006
Nitrobenzene	ND	0.01		mg/L	1	7/13/2006
N-Nitrosodi-n-propylamine	ND	0.01		mg/L	1	7/13/2006
N-Nitrosodimethylamine	ND	0.01		mg/L	1	7/13/2006
N-Nitrosodiphenylamine	ND	0.01		mg/L	1	7/13/2006
2, 2'-oxybis(1-Chloropropane)	ND	0.01		mg/L	1	7/13/2006
Pentachlorophenol	ND	0.01		mg/L	1	7/13/2006
Phenol	ND	0.01		mg/L	1	7/13/2006
Pyridine	ND	0.025		mg/L	1	7/13/2006
1,2,4-Trichlorobenzene	ND	0.01		mg/L	1	7/13/2006
2,4,5-Trichlorophenol	ND	0.01		mg/L	1	7/13/2006
2,4,6-Trichlorophenol	ND	0.01		mg/L	1	7/13/2006
TCLP Volatile Organic Compounds by GC/MS						
	SW1311/8260B (SW5030B)		Prep Date:		Analyst: PS	
Benzene	ND	0.05		mg/L	1	7/12/2006
2-Butanone	ND	0.1		mg/L	1	7/12/2006
Carbon tetrachloride	ND	0.05		mg/L	1	7/12/2006
Chlorobenzene	ND	0.05		mg/L	1	7/12/2006
Chloroform	ND	0.05		mg/L	1	7/12/2006
1,2-Dichloroethane	ND	0.05		mg/L	1	7/12/2006
1,1-Dichloroethene	ND	0.05		mg/L	1	7/12/2006
Tetrachloroethene	ND	0.05		mg/L	1	7/12/2006
Trichloroethene	ND	0.05		mg/L	1	7/12/2006
Vinyl chloride	ND	0.05		mg/L	1	7/12/2006
Volatile Organic Compounds by GC/MS						
	SW8260B (SW5030B)		Prep Date:		Analyst: PS	

Qualifiers:

ND - Not Detected at the Reporting Limit

J - Analyte detected below quantitation limits

B - Analyte detected in the associated Method Blank

HT - Sample received past holding time

* - Non-accredited parameter

RL - Reporting / Quantitation Limit for the analysis

S - Spike Recovery outside accepted recovery limits

R - RPD outside accepted recovery limits

E - Value above quantitation range

H - Holding time exceeded

STAT Analysis Corporation

2255 West Harrison St., Suite B, Chicago, IL 60612-3505

Tel: (312) 733-0551 Fax: (312) 733-2386 STATinfo@STATAnalysis.com

Accreditation Numbers: IEPA ELAP 100445; ORELAP IL300001; AIHA 101160; NVLAP LabCode 101202-0

Date Reported: July 13, 2006

Date Printed: July 13, 2006

Client: US Risk Management

Lab Order: 06070241

Project: 15060106, Universal Form Clamp, Bellwood, IL

Lab ID: 06070241-001

Client Sample ID: Tank Farm (T-F)

Collection Date: 7/11/2006 5:00:00 PM

Matrix: Water

Analyses	Result	RL	Qualifier	Units	DF	Date Analyzed
Volatile Organic Compounds by GC/MS						
	SW8260B (SW5030B)		Prep Date:		Analyst: PS	
Acetone	ND	0.01		mg/L	1	7/12/2006
Benzene	ND	0.005		mg/L	1	7/12/2006
Bromodichloromethane	ND	0.005		mg/L	1	7/12/2006
Bromoform	ND	0.005		mg/L	1	7/12/2006
Bromomethane	ND	0.01		mg/L	1	7/12/2006
2-Butanone	ND	0.01		mg/L	1	7/12/2006
Carbon disulfide	ND	0.005		mg/L	1	7/12/2006
Carbon tetrachloride	ND	0.005		mg/L	1	7/12/2006
Chlorobenzene	ND	0.005		mg/L	1	7/12/2006
Dibromochloromethane	ND	0.005		mg/L	1	7/12/2006
Chloroethane	ND	0.01		mg/L	1	7/12/2006
Chloroform	ND	0.005		mg/L	1	7/12/2006
Chloromethane	ND	0.01		mg/L	1	7/12/2006
1,1-Dichloroethane	ND	0.005		mg/L	1	7/12/2006
1,2-Dichloroethane	ND	0.005		mg/L	1	7/12/2006
1,1-Dichloroethene	ND	0.005		mg/L	1	7/12/2006
cis-1,2-Dichloroethene	ND	0.005		mg/L	1	7/12/2006
trans-1,2-Dichloroethene	ND	0.005		mg/L	1	7/12/2006
1,2-Dichloropropane	ND	0.005		mg/L	1	7/12/2006
cis-1,3-Dichloropropene	ND	0.001		mg/L	1	7/12/2006
trans-1,3-Dichloropropene	ND	0.001		mg/L	1	7/12/2006
Ethylbenzene	ND	0.005		mg/L	1	7/12/2006
2-Hexanone	ND	0.01		mg/L	1	7/12/2006
4-Methyl-2-pentanone	ND	0.01		mg/L	1	7/12/2006
Methylene chloride	ND	0.005		mg/L	1	7/12/2006
Methyl tert-butyl ether	ND	0.005		mg/L	1	7/12/2006
Styrene	ND	0.005		mg/L	1	7/12/2006
1,1,2,2-Tetrachloroethane	ND	0.005		mg/L	1	7/12/2006
Tetrachloroethene	ND	0.005		mg/L	1	7/12/2006
Toluene	ND	0.005		mg/L	1	7/12/2006
1,1,1-Trichloroethane	ND	0.005		mg/L	1	7/12/2006
1,1,2-Trichloroethane	ND	0.005		mg/L	1	7/12/2006
Trichloroethene	ND	0.005		mg/L	1	7/12/2006
Vinyl chloride	ND	0.002		mg/L	1	7/12/2006
Xylenes, Total	ND	0.015		mg/L	1	7/12/2006
Cyanide, Reactive						
	SW7.3.3.2		Prep Date: 7/12/2006		Analyst: YZ	
Reactive Cyanide	ND	0.05		mg/L	1	7/12/2006

Qualifiers:

ND - Not Detected at the Reporting Limit

J - Analyte detected below quantitation limits

B - Analyte detected in the associated Method Blank

HT - Sample received past holding time

* - Non-accredited parameter

RL - Reporting / Quantitation Limit for the analysis

S - Spike Recovery outside accepted recovery limits

R - RPD outside accepted recovery limits

E - Value above quantitation range

H - Holding time exceeded

STAT Analysis Corporation

2255 West Harrison St., Suite B, Chicago, IL 60612-3505

Tel: (312) 733-0551 Fax: (312) 733-2386 STATinfo@STATAnalysis.com

Accreditation Numbers: IEPA ELAP 100445; ORELAP IL300001; AIHA 101160; NVLAP LabCode 101202-0

Date Reported: July 13, 2006

Date Printed: July 13, 2006

Client: US Risk Management

Lab Order: 06070241

Project: 15060106, Universal Form Clamp, Bellwood, IL

Lab ID: 06070241-001

Client Sample ID: Tank Farm (T-F)

Collection Date: 7/11/2006 5:00:00 PM

Matrix: Water

Analyses	Result	RL	Qualifier	Units	DF	Date Analyzed
Flash Point (Open-Cup)	SW1010				Prep Date: 7/11/2006	Analyst: RW
Flashpoint	No flash up to 205			°F	1	7/11/2006
pH	E150.1				Prep Date: 7/11/2006	Analyst: RW
pH	7.8		*	pH units	1	7/11/2006
Sulfide, Reactive	SW7.3.4.2				Prep Date: 7/12/2006	Analyst: YZ
Reactive Sulfide	ND	1		mg/L	1	7/12/2006

Qualifiers:

ND - Not Detected at the Reporting Limit
J - Analyte detected below quantitation limits
B - Analyte detected in the associated Method Blank
HT - Sample received past holding time
* - Non-accredited parameter

RL - Reporting / Quantitation Limit for the analysis
S - Spike Recovery outside accepted recovery limits
R - RPD outside accepted recovery limits
E - Value above quantitation range
H - Holding time exceeded

Company: United States Risk Management									
Project Number: 15060106									
Project Name: Universal Farm Clamp									
Project Location: Bellywood Illinois									
Sampler(s): AT Newman									
Report To: James Laws									
Phone: 504-561-6563									
Fax: 504-561-6563									
e-mail: James.Laws@us-risk.com									
QC Level: 1 2 3 4									
Client Sample Number/Description:									
Tank Farm (T-F)									
Date Taken: 7/11									
Time Taken: 1700									
Matrix: H2O									
Comp: X									
Grab: A									
Preserv: 3									
No. of Containers: 3									
Date: 7/11									
Time: 1700									
Matrix: H2O									
Comp: X									
Grab: A									
Preserv: 3									
No. of Containers: 3									
Date: 7/11									
Time: 1700									
Matrix: H2O									
Comp: X									
Grab: A									
Preserv: 3									
No. of Containers: 3									
Date: 7/11									
Time: 1700									
Matrix: H2O									
Comp: X									
Grab: A									
Preserv: 3									
No. of Containers: 3									
Date: 7/11									
Time: 1700									
Matrix: H2O									
Comp: X									
Grab: A									
Preserv: 3									
No. of Containers: 3									
Date: 7/11									
Time: 1700									
Matrix: H2O									
Comp: X									
Grab: A									
Preserv: 3									
No. of Containers: 3									
Date: 7/11									
Time: 1700									
Matrix: H2O									
Comp: X									
Grab: A									
Preserv: 3									
No. of Containers: 3									
Date: 7/11									
Time: 1700									
Matrix: H2O									
Comp: X									
Grab: A									
Preserv: 3									
No. of Containers: 3									
Date: 7/11									
Time: 1700									
Matrix: H2O									
Comp: X									
Grab: A									
Preserv: 3									
No. of Containers: 3									
Date: 7/11									
Time: 1700									
Matrix: H2O									
Comp: X									
Grab: A									
Preserv: 3									
No. of Containers: 3									
Date: 7/11									
Time: 1700									
Matrix: H2O									
Comp: X									
Grab: A									
Preserv: 3									
No. of Containers: 3									
Date: 7/11									
Time: 1700									
Matrix: H2O									
Comp: X									
Grab: A									
Preserv: 3									
No. of Containers: 3									
Date: 7/11									
Time: 1700									
Matrix: H2O									
Comp: X									
Grab: A									
Preserv: 3									
No. of Containers: 3									
Date: 7/11									
Time: 1700									
Matrix: H2O									
Comp: X									
Grab: A									
Preserv: 3									
No. of Containers: 3									
Date: 7/11									
Time: 1700									
Matrix: H2O									
Comp: X									
Grab: A									
Preserv: 3									
No. of Containers: 3									
Date: 7/11									
Time: 1700									
Matrix: H2O									
Comp: X									
Grab: A									
Preserv: 3									
No. of Containers: 3									
Date: 7/11									
Time: 1700									
Matrix: H2O									
Comp: X									
Grab: A									
Preserv: 3									
No. of Containers: 3									
Date: 7/11									
Time: 1700									
Matrix: H2O									
Comp: X									
Grab: A									
Preserv: 3									
No. of Containers: 3									
Date: 7/11									
Time: 1700									
Matrix: H2O									
Comp: X									
Grab: A									
Preserv: 3									
No. of Containers: 3									
Date: 7/11									
Time: 1700									
Matrix: H2O									
Comp: X									
Grab: A									
Preserv: 3									
No. of Containers: 3									
Date: 7/11									
Time: 1700									
Matrix: H2O									
Comp: X									
Grab: A									
Preserv: 3									
No. of Containers: 3									
Date: 7/11									
Time: 1700									
Matrix: H2O									
Comp: X									
Grab: A									
Preserv: 3									
No. of Containers: 3									
Date: 7/11									
Time: 1700									
Matrix: H2O									
Comp: X									
Grab: A									
Preserv: 3									
No. of Containers: 3									
Date: 7/11									
Time: 1700									
Matrix: H2O									
Comp: X									
Grab: A									
Preserv: 3									
No.									

Sample Receipt Checklist

Client Name US RISK

Date and Time Received:

7/11/2006

Work Order Number 06070241

Received by: RW

Checklist completed by:

Jesus Cat
Signature

7/11/06
Date

Reviewed by:

JCM
Initials

7/12/06
Date

Matrix

Carrier name Client Delivered

Shipping container/cooler in good condition?	Yes <input checked="" type="checkbox"/>	No <input type="checkbox"/>	Not Present <input type="checkbox"/>
Custody seals intact on shipping container/cooler?	Yes <input type="checkbox"/>	No <input type="checkbox"/>	Not Present <input checked="" type="checkbox"/>
Custody seals intact on sample bottles?	Yes <input type="checkbox"/>	No <input type="checkbox"/>	Not Present <input checked="" type="checkbox"/>
Chain of custody present?	Yes <input checked="" type="checkbox"/>	No <input type="checkbox"/>	
Chain of custody signed when relinquished and received?	Yes <input checked="" type="checkbox"/>	No <input type="checkbox"/>	
Chain of custody agrees with sample labels/containers?	Yes <input checked="" type="checkbox"/>	No <input type="checkbox"/>	
Samples in proper container/bottle?	Yes <input checked="" type="checkbox"/>	No <input type="checkbox"/>	
Sample containers intact?	Yes <input checked="" type="checkbox"/>	No <input type="checkbox"/>	
Sufficient sample volume for indicated test?	Yes <input checked="" type="checkbox"/>	No <input type="checkbox"/>	
All samples received within holding time?	Yes <input checked="" type="checkbox"/>	No <input type="checkbox"/>	
Container or Temp Blank temperature in compliance?	Yes <input checked="" type="checkbox"/>	No <input type="checkbox"/>	Temperature On Ice °C
Water - VOA vials have zero headspace?	No VOA vials submitted <input type="checkbox"/>	Yes <input type="checkbox"/>	No <input type="checkbox"/>
Water - Samples pH checked?	Yes <input type="checkbox"/>	No <input type="checkbox"/>	Checked by:
Water - Samples properly preserved?	Yes <input type="checkbox"/>	No <input type="checkbox"/>	pH Adjusted?

Any No response must be detailed in the comments section below.

Comments:

Client / Person
contacted:

Date contacted:

Contacted by:

Response:

STAT Analysis Corporation

2255 West Harrison St., Suite B, Chicago, IL 60612-3505

Tel: (312) 733-0551 Fax: (312) 733-2386 STATinfo@STATAnalysis.com

Accreditation Numbers: IEPA ELAP 100445; ORELAP IL300001; AIHA 101160; NVLAP LabCode 101202-0

July 17, 2006

US Risk Management
365 Canal St. Suite 2760
New Orleans, LA 70130
Telephone: (504) 561-6563
Fax:

RE: 15060106, Universal Form Clamp, Bellwood, Illinois

STAT Project No: 06070339

Dear Tracey Dodd:


STAT Analysis received 1 sample for the referenced project on 7/14/2006. The analytical results are presented in the following report.

All analyses were performed in accordance with the requirements of 35 IAC Part 186 / NELAC standards. Analyses were performed in accordance with methods as referenced on the analytical report. Those analytical results expressed on a dry weight basis are also noted on the analytical report.

All analyses were performed within established holding time criteria, and all Quality Control criteria met EPA or laboratory specifications except when noted in the Case Narrative or Analytical Report. If required, an estimate of uncertainty for the analyses can be provided. A listing of accredited methods/parameters can also be provided.

Thank you for the opportunity to serve you and I look forward to working with you in the future. If you have any questions regarding the enclosed materials, please contact me at (312) 563-0371.

Sincerely,



Craig Chawla
Project Manager

The information contained in this report and any attachments is confidential information intended only for the use of the individual or entities named above. The results of this report relate only to the samples tested. If you have received this report in error, please notify us immediately by phone. This report shall not be reproduced, except in its entirety, unless written approval has been obtained from the laboratory.

Client: US Risk Management
Project: 15060106, Universal Form Clamp, Bellwood, Illinois
Lab Order: 06070339

Work Order Sample Summary

Lab Sample ID	Client Sample ID	Tag Number	Collection Date	Date Received
06070339-001A	South Frac Tank		7/14/2006 9:00:00 AM	7/14/2006
06070339-001B	South Frac Tank		7/14/2006 9:00:00 AM	7/14/2006
06070339-001C	South Frac Tank		7/14/2006 9:00:00 AM	7/14/2006
06070339-001D	South Frac Tank		7/14/2006 9:00:00 AM	7/14/2006

CLIENT: US Risk Management
Project: 15060106, Universal Form Clamp, Bellwood, Illino
Lab Order: 06070339

CASE NARRATIVE

Due to matrix interference, VOC water sample South Frac Tank (06070339-001) was analyzed at 1:10 dilution only.

STAT Analysis Corporation

2255 West Harrison St., Suite B, Chicago, IL 60612-3505

Tel: (312) 733-0551 Fax: (312) 733-2386 STATinfo@STATAnalysis.com

Accreditation Numbers: IEPA ELAP 100445; ORELAP IL300001; AIHA 101160; NVLAP LabCode 101202-0

Date Reported: July 17, 2006

Date Printed: July 17, 2006

Client: US Risk Management

Lab Order: 06070339

Project: 15060106, Universal Form Clamp, Bellwood, Illino

Lab ID: 06070339-001

Client Sample ID: South Frac Tank

Collection Date: 7/14/2006 9:00:00 AM

Matrix: Water

Analyses	Result	RL	Qualifier	Units	DF	Date Analyzed
TCLP Metals by ICP/MS						
	SW1311/6020 (SW3005A)		Prep Date: 7/17/2006		Analyst: JG	
Arsenic	ND	0.01		mg/L	5	7/17/2006
Barium	0.16	0.02		mg/L	5	7/17/2006
Cadmium	ND	0.005		mg/L	5	7/17/2006
Chromium	ND	0.02		mg/L	5	7/17/2006
Lead	ND	0.0075		mg/L	5	7/17/2006
Selenium	ND	0.01		mg/L	5	7/17/2006
Silver	ND	0.01		mg/L	5	7/17/2006
Metals by ICP/MS						
	SW6020 (SW3005A)		Prep Date: 7/14/2006		Analyst: JG	
Arsenic	0.0051	0.004		mg/L	2	7/14/2006
Barium	0.1	0.004		mg/L	2	7/14/2006
Cadmium	0.006	0.002		mg/L	2	7/14/2006
Chromium	0.021	0.004		mg/L	2	7/14/2006
Lead	0.05	0.002		mg/L	2	7/14/2006
Selenium	ND	0.004		mg/L	2	7/14/2006
Silver	ND	0.004		mg/L	2	7/14/2006
Polynuclear Aromatic Hydrocarbons						
	SW8270C-SIM (SW3510C)		Prep Date: 7/14/2006		Analyst: VS	
Acenaphthene	ND	0.0006		mg/L	1	7/15/2006
Acenaphthylene	ND	0.0006		mg/L	1	7/15/2006
Anthracene	0.017	0.0006		mg/L	1	7/15/2006
Benz(a)anthracene	0.004	0.00039		mg/L	1	7/15/2006
Benzo(a)pyrene	0.011	0.0006		mg/L	1	7/15/2006
Benzo(b)fluoranthene	0.017	0.00054		mg/L	1	7/15/2006
Benzo(g,h,i)perylene	0.0016	0.0003		mg/L	1	7/15/2006
Benzo(k)fluoranthene	0.0068	0.00051		mg/L	1	7/15/2006
Chrysene	0.016	0.0003		mg/L	1	7/15/2006
Dibenz(a,h)anthracene	0.00033	0.0003		mg/L	1	7/15/2006
Fluoranthene	ND	0.0006		mg/L	1	7/15/2006
Fluorene	0.024	0.006		mg/L	10	7/17/2006
Indeno(1,2,3-cd)pyrene	0.00051	0.0003		mg/L	1	7/15/2006
Naphthalene	0.063	0.006		mg/L	10	7/17/2006
Phenanthrene	0.081	0.006		mg/L	10	7/17/2006
Pyrene	0.024	0.006		mg/L	10	7/17/2006
TCLP Semivolatile Organic Compounds						
	SW1311/8270C (SW3510C)		Prep Date: 7/14/2006		Analyst: JT	
1,4-Dichlorobenzene	ND	0.015		mg/L	1	7/14/2006
2,4-Dinitrotoluene	ND	0.015		mg/L	1	7/14/2006
Hexachlorobenzene	ND	0.015		mg/L	1	7/14/2006
Hexachlorobutadiene	ND	0.015		mg/L	1	7/14/2006

Qualifiers:

ND - Not Detected at the Reporting Limit

J - Analyte detected below quantitation limits

B - Analyte detected in the associated Method Blank

HT - Sample received past holding time

* - Non-accredited parameter

RL - Reporting / Quantitation Limit for the analysis

S - Spike Recovery outside accepted recovery limits

R - RPD outside accepted recovery limits

E - Value above quantitation range

H - Holding time exceeded

STAT Analysis Corporation

2255 West Harrison St., Suite B, Chicago, IL 60612-3505

Tel: (312) 733-0551 Fax: (312) 733-2386 STATinfo@STATAnalysis.com

Accreditation Numbers: IEPA ELAP 100445; ORELAP IL300001; AIHA 101160; NVLAP LabCode 101202-0

Date Reported: July 17, 2006

Date Printed: July 17, 2006

Client: US Risk Management

Lab Order: 06070339

Project: 15060106, Universal Form Clamp, Bellwood, Illino

Lab ID: 06070339-001

Client Sample ID: South Frac Tank

Collection Date: 7/14/2006 9:00:00 AM

Matrix: Water

Analyses	Result	RL	Qualifier	Units	DF	Date Analyzed
TCLP Semivolatile Organic Compounds						
		SW1311/8270C (SW3510C)		Prep Date: 7/14/2006		Analyst: JT
Hexachloroethane	ND	0.015		mg/L	1	7/14/2006
Nitrobenzene	ND	0.015		mg/L	1	7/14/2006
2-methylphenol	ND	0.015		mg/L	1	7/14/2006
3- & 4-Methylphenol	ND	0.015		mg/L	1	7/14/2006
Pentachlorophenol	ND	0.075		mg/L	1	7/14/2006
Pyridine	ND	0.015		mg/L	1	7/14/2006
2,4,5-Trichlorophenol	ND	0.015		mg/L	1	7/14/2006
2,4,6-Trichlorophenol	ND	0.015		mg/L	1	7/14/2006
Semivolatile Organic Compounds by GC/MS						
		SW8270C (SW3510C)		Prep Date: 7/14/2006		Analyst: JT
Aniline	ND	0.075		mg/L	1	7/14/2006
Benzidine	ND	0.075		mg/L	1	7/14/2006
Benzoic acid	ND	0.075		mg/L	1	7/14/2006
Benzyl alcohol	3.2	0.3		mg/L	10	7/17/2006
Bis(2-chloroethoxy)methane	ND	0.03		mg/L	1	7/14/2006
Bis(2-chloroethyl)ether	ND	0.03		mg/L	1	7/14/2006
Bis(2-ethylhexyl)phthalate	ND	0.03		mg/L	1	7/14/2006
4-Bromophenyl phenyl ether	ND	0.03		mg/L	1	7/14/2006
Butyl benzyl phthalate	ND	0.03		mg/L	1	7/14/2006
Carbazole	ND	0.075		mg/L	1	7/14/2006
4-Chloroaniline	ND	0.03		mg/L	1	7/14/2006
4-Chloro-3-methylphenol	ND	0.03		mg/L	1	7/14/2006
2-Chloronaphthalene	ND	0.03		mg/L	1	7/14/2006
2-Chlorophenol	ND	0.03		mg/L	1	7/14/2006
4-Chlorophenyl phenyl ether	ND	0.03		mg/L	1	7/14/2006
Dibenzofuran	ND	0.03		mg/L	1	7/14/2006
1,2-Dichlorobenzene	ND	0.03		mg/L	1	7/14/2006
1,3-Dichlorobenzene	ND	0.03		mg/L	1	7/14/2006
1,4-Dichlorobenzene	ND	0.03		mg/L	1	7/14/2006
3,3'-Dichlorobenzidine	ND	0.06		mg/L	1	7/14/2006
2,4-Dichlorophenol	ND	0.03		mg/L	1	7/14/2006
Diethyl phthalate	ND	0.03		mg/L	1	7/14/2006
2,4-Dimethylphenol	ND	0.03		mg/L	1	7/14/2006
Dimethyl phthalate	ND	0.03		mg/L	1	7/14/2006
4,6-Dinitro-2-methylphenol	ND	0.075		mg/L	1	7/14/2006
2,4-Dinitrophenol	ND	0.075		mg/L	1	7/14/2006
2,4-Dinitrotoluene	ND	0.03		mg/L	1	7/14/2006
2,6-Dinitrotoluene	ND	0.03		mg/L	1	7/14/2006
Di-n-butyl phthalate	ND	0.03		mg/L	1	7/14/2006

Qualifiers:
ND - Not Detected at the Reporting Limit
J - Analyte detected below quantitation limits
B - Analyte detected in the associated Method Blank
HT - Sample received past holding time
* - Non-accredited parameter

RL - Reporting / Quantitation Limit for the analysis
S - Spike Recovery outside accepted recovery limits
R - RPD outside accepted recovery limits
E - Value above quantitation range
H - Holding time exceeded

STAT Analysis Corporation

2255 West Harrison St., Suite B, Chicago, IL 60612-3505

Tel: (312) 733-0551 Fax: (312) 733-2386 STATinfo@STATAnalysis.com

Accreditation Numbers: IEPA ELAP 100445; ORELAP IL300001; AIHA 101160; NVLAP LabCode 101202-0

Date Reported: July 17, 2006

Date Printed: July 17, 2006

Client: US Risk Management

Lab Order: 06070339

Project: 15060106, Universal Form Clamp, Bellwood, Illino

Lab ID: 06070339-001

Client Sample ID: South Frac Tank

Collection Date: 7/14/2006 9:00:00 AM

Matrix: Water

Analyses	Result	RL	Qualifier	Units	DF	Date Analyzed
Semivolatile Organic Compounds by GC/MS						
	SW8270C (SW3510C)		Prep Date: 7/14/2006		Analyst: JT	
Di-n-octyl phthalate	ND	0.03		mg/L	1	7/14/2006
Hexachlorobenzene	ND	0.03		mg/L	1	7/14/2006
Hexachlorobutadiene	ND	0.03		mg/L	1	7/14/2006
Hexachlorocyclopentadiene	ND	0.03		mg/L	1	7/14/2006
Hexachloroethane	ND	0.03		mg/L	1	7/14/2006
Isophorone	ND	0.03		mg/L	1	7/14/2006
2-Methylnaphthalene	0.11	0.03		mg/L	1	7/14/2006
2-Methylphenol	ND	0.03		mg/L	1	7/14/2006
4-Methylphenol	ND	0.03		mg/L	1	7/14/2006
2-Nitroaniline	ND	0.075		mg/L	1	7/14/2006
3-Nitroaniline	ND	0.075		mg/L	1	7/14/2006
4-Nitroaniline	ND	0.075		mg/L	1	7/14/2006
2-Nitrophenol	ND	0.03		mg/L	1	7/14/2006
4-Nitrophenol	ND	0.075		mg/L	1	7/14/2006
Nitrobenzene	ND	0.03		mg/L	1	7/14/2006
N-Nitrosodi-n-propylamine	ND	0.03		mg/L	1	7/14/2006
N-Nitrosodimethylamine	ND	0.03		mg/L	1	7/14/2006
N-Nitrosodiphenylamine	ND	0.03		mg/L	1	7/14/2006
2, 2'-oxybis(1-Chloropropane)	ND	0.03		mg/L	1	7/14/2006
Pentachlorophenol	ND	0.03		mg/L	1	7/14/2006
Phenol	ND	0.03		mg/L	1	7/14/2006
Pyridine	ND	0.075		mg/L	1	7/14/2006
1,2,4-Trichlorobenzene	ND	0.03		mg/L	1	7/14/2006
2,4,5-Trichlorophenol	ND	0.03		mg/L	1	7/14/2006
2,4,6-Trichlorophenol	ND	0.03		mg/L	1	7/14/2006
TCLP Volatile Organic Compounds by GC/MS						
	SW1311/8260B (SW5030B)		Prep Date:		Analyst: PS	
Benzene	ND	0.05		mg/L	10	7/15/2006
2-Butanone	ND	0.1		mg/L	10	7/15/2006
Carbon tetrachloride	ND	0.05		mg/L	10	7/15/2006
Chlorobenzene	ND	0.05		mg/L	10	7/15/2006
Chloroform	ND	0.05		mg/L	10	7/15/2006
1,2-Dichloroethane	ND	0.05		mg/L	10	7/15/2006
1,1-Dichloroethene	ND	0.05		mg/L	10	7/15/2006
Tetrachloroethene	ND	0.05		mg/L	10	7/15/2006
Trichloroethene	ND	0.05		mg/L	10	7/15/2006
Vinyl chloride	ND	0.05		mg/L	10	7/15/2006
Volatile Organic Compounds by GC/MS						
	SW8260B (SW5030B)		Prep Date:		Analyst: PS	

Qualifiers:

ND - Not Detected at the Reporting Limit

J - Analyte detected below quantitation limits

B - Analyte detected in the associated Method Blank

HT - Sample received past holding time

* - Non-accredited parameter

RL - Reporting / Quantitation Limit for the analysis

S - Spike Recovery outside accepted recovery limits

R - RPD outside accepted recovery limits

E - Value above quantitation range

H - Holding time exceeded

STAT Analysis Corporation

2255 West Harrison St., Suite B, Chicago, IL 60612-3505

Tel: (312) 733-0551 Fax: (312) 733-2386 STATinfo@STATAnalysis.com

Accreditation Numbers: IEPA ELAP 100445; ORELAP IL300001; AIHA 101160; NVLAP LabCode 101202-0

Date Reported: July 17, 2006

Date Printed: July 17, 2006

Client: US Risk Management

Lab Order: 06070339

Project: 15060106, Universal Form Clamp, Bellwood, Illino

Lab ID: 06070339-001

Client Sample ID: South Frac Tank

Collection Date: 7/14/2006 9:00:00 AM

Matrix: Water

Analyses	Result	RL	Qualifier	Units	DF	Date Analyzed
Volatile Organic Compounds by GC/MS						
	SW8260B (SW5030B)		Prep Date:		Analyst: PS	
Acetone	0.43	0.1		mg/L	10	7/15/2006
Benzene	ND	0.05		mg/L	10	7/15/2006
Bromodichloromethane	ND	0.05		mg/L	10	7/15/2006
Bromoform	ND	0.05		mg/L	10	7/15/2006
Bromomethane	ND	0.1		mg/L	10	7/15/2006
2-Butanone	ND	0.1		mg/L	10	7/15/2006
Carbon disulfide	ND	0.05		mg/L	10	7/15/2006
Carbon tetrachloride	ND	0.05		mg/L	10	7/15/2006
Chlorobenzene	ND	0.05		mg/L	10	7/15/2006
Dibromochloromethane	ND	0.05		mg/L	10	7/15/2006
Chloroethane	ND	0.1		mg/L	10	7/15/2006
Chloroform	ND	0.05		mg/L	10	7/15/2006
Chloromethane	ND	0.1		mg/L	10	7/15/2006
1,1-Dichloroethane	ND	0.05		mg/L	10	7/15/2006
1,2-Dichloroethane	ND	0.05		mg/L	10	7/15/2006
1,1-Dichloroethene	ND	0.05		mg/L	10	7/15/2006
cis-1,2-Dichloroethene	ND	0.05		mg/L	10	7/15/2006
trans-1,2-Dichloroethene	ND	0.05		mg/L	10	7/15/2006
1,2-Dichloropropane	ND	0.05		mg/L	10	7/15/2006
cis-1,3-Dichloropropene	ND	0.01		mg/L	10	7/15/2006
trans-1,3-Dichloropropene	ND	0.01		mg/L	10	7/15/2006
Ethylbenzene	ND	0.05		mg/L	10	7/15/2006
2-Hexanone	ND	0.1		mg/L	10	7/15/2006
4-Methyl-2-pentanone	ND	0.1		mg/L	10	7/15/2006
Methylene chloride	ND	0.05		mg/L	10	7/15/2006
Methyl tert-butyl ether	ND	0.05		mg/L	10	7/15/2006
Styrene	ND	0.05		mg/L	10	7/15/2006
1,1,2,2-Tetrachloroethane	ND	0.05		mg/L	10	7/15/2006
Tetrachloroethene	ND	0.05		mg/L	10	7/15/2006
Toluene	0.17	0.05		mg/L	10	7/15/2006
1,1,1-Trichloroethane	ND	0.05		mg/L	10	7/15/2006
1,1,2-Trichloroethane	ND	0.05		mg/L	10	7/15/2006
Trichloroethene	ND	0.05		mg/L	10	7/15/2006
Vinyl chloride	ND	0.02		mg/L	10	7/15/2006
Xylenes, Total	0.33	0.15		mg/L	10	7/15/2006
Cyanide, Reactive						
	SW7.3.3.2		Prep Date: 7/17/2006		Analyst: YZ	
Reactive Cyanide	ND	0.5		mg/L	1	7/17/2006

Qualifiers:

ND - Not Detected at the Reporting Limit

J - Analyte detected below quantitation limits

B - Analyte detected in the associated Method Blank

HT - Sample received past holding time

* - Non-accredited parameter

RL - Reporting / Quantitation Limit for the analysis

S - Spike Recovery outside accepted recovery limits

R - RPD outside accepted recovery limits

E - Value above quantitation range

H - Holding time exceeded

STAT Analysis Corporation

2255 West Harrison St., Suite B, Chicago, IL 60612-3505

Tel: (312) 733-0551 Fax: (312) 733-2386 STATinfo@STATAnalysis.com

Accreditation Numbers: IEPA ELAP 100445; ORELAP IL300001; AIHA 101160; NVLAP LabCode 101202-0

Date Reported: July 17, 2006

Date Printed: July 17, 2006

Client: US Risk Management

Lab Order: 06070339

Project: 15060106, Universal Form Clamp, Bellwood, Illinois

Lab ID: 06070339-001

Client Sample ID: South Frac Tank

Collection Date: 7/14/2006 9:00:00 AM

Matrix: Water

Analyses	Result	RL	Qualifier	Units	DF	Date Analyzed
Flash Point (Open-Cup)	SW1010					
Flashpoint	No flash up to 208			°F	1	Prep Date: 7/14/2006 Analyst: RW 7/14/2006
pH	E150.1					
pH	7.5		*	pH units	1	Prep Date: 7/14/2006 Analyst: RW 7/14/2006
Sulfide, Reactive	SW7.3.4.2					
Reactive Sulfide	ND	10		mg/L	1	Prep Date: 7/17/2006 Analyst: YZ 7/17/2006

Qualifiers:

ND - Not Detected at the Reporting Limit
J - Analyte detected below quantitation limits
B - Analyte detected in the associated Method Blank
HT - Sample received past holding time
* - Non-accredited parameter

RL - Reporting / Quantitation Limit for the analysis
S - Spike Recovery outside accepted recovery limits
R - RPD outside accepted recovery limits
E - Value above quantitation range
H - Holding time exceeded

CHAIN OF CUSTODY RECORD

[illegible]

Sample Receipt Checklist

Client Name US RISK

Date and Time Received:

07/14/2006

Work Order Number 06070339

Received by: CDF

Checklist completed by:

Signature

Date

7/14/06

Reviewed by:

Initials

Date

7/17/06

Matrix

Carrier name Client Delivered

Shipping container/cooler in good condition?

Yes ☒

No ☐

Not Present ☐

Custody seals intact on shipping container/cooler?

Yes ☐

No ☐

Not Present ☒

Custody seals intact on sample bottles?

Yes ☐

No ☐

Not Present ☒

Chain of custody present?

Yes ☒

No ☐

Chain of custody signed when relinquished and received?

Yes ☒

No ☐

Chain of custody agrees with sample labels/containers?

Yes ☒

No ☐

Samples in proper container/bottle?

Yes ☒

No ☐

Sample containers intact?

Yes ☒

No ☐

Sufficient sample volume for indicated test?

Yes ☒

No ☐

All samples received within holding time?

Yes ☒

No ☐

Container or Temp Blank temperature in compliance?

Yes ☒

No ☐

Temperature

5 °C

Water - VOA vials have zero headspace?

No VOA vials submitted ☐

Yes ☒

No ☐

Water - Samples pH checked?

Yes ☒

No ☐

Checked by:

CY

Water - Samples properly preserved?

Yes ☒

No ☐

pH Adjusted?

NO

Any No response must be detailed in the comments section below.

Comments:

Client / Person
contacted:

Date contacted:

Contacted by:

Response:

13 July 2006

Lab ID: B607047

Alan Shapiro
HazChem Environmental Corp.
1115 W. National Avenue
Addison, IL 60101


RE: Universal Clamp

Enclosed are the results of analyses for samples received by the laboratory on 07/07/06. The sample results relate only to the tested analytes of interest and to the sample as received by the laboratory. At the time of analysis, the laboratory was in compliance with current NELAP standards and held accreditation for all analyses performed unless noted by a qualifier. The laboratory's Illinois NELAP accreditation number is 100261.

This report can not be reproduced, except in full, without written approval from the laboratory. If you have any questions concerning this report, please feel free to contact Jim Knapp or Margaret Kniest.

Sincerely,

TestAmerica Analytical Testing Corporation



Julie Meyer
Laboratory Director



Myra Kunas
Quality Assurance Manager

JazChem Environmental Corp.
1115 W. National Avenue
Addison, IL 60101

Project: Universal Clamp
Project Number: 2424
Project Manager: Alan Shapiro

Lab ID: B607047
Reported: 07/13/06 17:47

ANALYTICAL REPORT FOR SAMPLES

Sample ID	Laboratory ID	Matrix	Date Sampled	Date Received
Universal Box # 4	B607047-01	Waste (L)	07/06/06 13:00	07/07/06 15:25

Sample Receipt Notes

Please note that the chain of custody (COC) included with this report is considered part of the report. The data user should review any comments or notes made on the COC. Any receipt issues found by the laboratory that are not noted on the COC will be stated below.

Margaret Kniest

HazChem Environmental Corp.
1115 W. National Avenue
Addison, IL 60101

Project: Universal Clamp
Project Number: 2424
Project Manager: Alan Shapiro

Lab ID: B607047
Reported: 07/13/06 17:47

TCLP Volatile Organic Compounds by EPA Methods 1311/8260B

TestAmerica Analytical - Buffalo Grove

Analyte	Result	Reporting Limit	Units	Dilution	Batch	Prepared	Analyzed	Method	Notes
Universal Box # 4 (B607047-01) Waste (L) Sampled: 07/06/06 13:00 Received: 07/07/06 15:25									QC
Benzene	ND	1.00	mg/l	50	6070111	07/10/06	07/10/06	EPA 8260B	
Carbon tetrachloride	ND	1.00	"	"	"	"	"	"	
Chlorobenzene	ND	1.00	"	"	"	"	"	"	
Chloroform	ND	1.00	"	"	"	"	"	"	
1,2-Dichloroethane	ND	1.00	"	"	"	"	"	"	
1,1-Dichloroethylene	ND	1.00	"	"	"	"	"	"	
Methyl ethyl ketone	ND	250	"	"	"	"	"	"	
Tetrachloroethene	51.2	10.0	"	500	"	"	07/11/06	"	
Trichloroethylene	ND	1.00	"	50	"	"	07/10/06	"	
Vinyl chloride	ND	0.400	"	"	"	"	"	"	
Surrogate: Dibromofluoromethane	98.6 %			55.9-150	"	"	"	"	
Surrogate: 1,2-Dichloroethane-d4	88.2 %			47.5-150	"	"	"	"	
Surrogate: Toluene-d8	101 %			55.4-145	"	"	"	"	
Surrogate: 4-Bromofluorobenzene	94.2 %			40.4-137	"	"	"	"	

TestAmerica Analytical - Buffalo Grove

The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety.

Reviewed &
Approved by:

Margaret Kniest

Margaret Kniest, Project Manager

HazChem Environmental Corp.
1115 W. National Avenue
Addison, IL 60101

Project: Universal Clamp
Project Number: 2424
Project Manager: Alan Shapiro

Lab ID: B607047
Reported: 07/13/06 17:47

TCLP Metals by EPA 1311/6000/7000 Series Methods - Quality Control
TestAmerica Analytical - Buffalo Grove

Analyte	Result	Reporting Limit	Units	Spike Level	Source Result	%REC	%REC Limits	RPD	RPD Limit	Notes
---------	--------	-----------------	-------	-------------	---------------	------	-------------	-----	-----------	-------

Batch 6070101 - EPA 3010A TCLP/SPLP

Blank (6070101-BLK1)				Prepared: 07/10/06 Analyzed: 07/11/06						
Lead	ND	0.00500	mg/l							
Arsenic	ND	0.0500	"							
Barium	ND	0.100	"							
Cadmium	ND	0.00500	"							
Chromium	ND	0.100	"							
Selenium	ND	0.0500	"							
Silver	ND	0.0500	"							

LCS (6070101-BS1)				Prepared: 07/10/06 Analyzed: 07/11/06						
Lead	0.0297	0.00500	mg/l	0.0300		99.0	58.7-115			
Arsenic	0.202	0.0500	"	0.200		101	87.3-115			
Barium	0.531	0.100	"	0.500		106	89.9-110			
Cadmium	0.205	0.00500	"	0.200		102	90-110			
Chromium	0.215	0.100	"	0.200		108	88.4-110			
Selenium	0.201	0.0500	"	0.200		100	89.9-120			
Silver	0.101	0.0500	"	0.100		101	84.7-112			

Matrix Spike (6070101-MS1)				Source: B607047-01		Prepared & Analyzed: 07/10/06				
Arsenic	0.189	0.0500	mg/l	0.200	ND	94.5	89.6-113			
Lead	0.131	0.0250	"	0.0300	0.101	100	27.5-127			
Barium	1.04	0.100	"	0.500	0.545	99.0	83.2-110			
Cadmium	0.207	0.00500	"	0.200	0.00810	99.4	87.1-111			
Chromium	0.782	0.100	"	0.200	0.569	106	82-110			
Selenium	0.239	0.0500	"	0.200	0.0229	108	90-122			
Silver	0.0142	0.0500	"	0.100	0.00460	9.60	81.8-118			L

Matrix Spike Dup (6070101-MSD1)				Source: B607047-01		Prepared: 07/10/06 Analyzed: 07/11/06				
Lead	0.140	0.0250	mg/l	0.0300	0.101	130	27.5-127	6.64	18.6	H
Arsenic	0.189	0.0500	"	0.200	ND	94.5	89.6-113	0.00	10	
Barium	1.06	0.100	"	0.500	0.545	103	83.2-110	1.90	10	
Cadmium	0.202	0.00500	"	0.200	0.00810	97.0	87.1-111	2.44	10	
Chromium	0.764	0.100	"	0.200	0.569	97.5	82-110	2.33	10	
Selenium	0.243	0.0500	"	0.200	0.0229	110	90-122	1.66	10	
Silver	0.0150	0.0500	"	0.100	0.00460	10.4	81.8-118	5.48	13	L

TestAmerica Analytical - Buffalo Grove

The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety.

Reviewed &
Approved by:

Margaret Kniest

Margaret Kniest, Project Manager

HazChem Environmental Corp.
1115 W. National Avenue
Addison, IL 60101

Project: Universal Clamp
Project Number: 2424
Project Manager: Alan Shapiro

Lab ID: B607047
Reported: 07/13/06 17:47

TCLP Metals by EPA 1311/6000/7000 Series Methods - Quality Control

TestAmerica Analytical - Buffalo Grove

Analyte	Result	Reporting Limit	Units	Spike Level	Source Result	%REC	%REC Limits	RPD	RPD Limit	Notes
Batch 6070132 - EPA 7470A										
Blank (6070132-BLK1)				Prepared: 07/11/06 Analyzed: 07/12/06						
Mercury	ND	0.000200	mg/l							
LCS (6070132-BS1)				Prepared: 07/11/06 Analyzed: 07/12/06						
Mercury	0.00144	0.000200	mg/l	0.00150		96.0	84.2-130			
Matrix Spike (6070132-MS1)				Source: B607047-01		Prepared: 07/11/06 Analyzed: 07/12/06				
Mercury	0.00224	0.000400	mg/l	0.00300	0.000288	65.1	80.3-128			L
Matrix Spike Dup (6070132-MSD1)				Source: B607047-01		Prepared: 07/11/06 Analyzed: 07/12/06				
Mercury	0.00245	0.000400	mg/l	0.00300	0.000288	72.1	80.3-128	8.96	10	L

TestAmerica Analytical - Buffalo Grove

The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety.

Reviewed &
Approved by:

Margaret Knies

Margaret Knies, Project Manager

HazChem Environmental Corp.
1115 W. National Avenue
Addison, IL 60101

Project: Universal Clamp
Project Number: 2424
Project Manager: Alan Shapiro

Lab ID: B607047
Reported: 07/13/06 17:47

TCLP Volatile Organic Compounds by EPA Methods 1311/8260B - Quality Control

TestAmerica Analytical - Buffalo Grove

Analyte	Result	Reporting Limit	Units	Spike Level	Source Result	%REC	%REC Limits	RPD	RPD Limit	Notes
---------	--------	-----------------	-------	-------------	---------------	------	-------------	-----	-----------	-------

Batch 6070111 - EPA 5030B TCLP/SPLP

Blank (6070111-BLK1)

Prepared & Analyzed: 07/10/06

Benzene	ND	0.400	mg/l							
Carbon tetrachloride	ND	0.400	"							
Chlorobenzene	ND	0.400	"							
Chloroform	ND	0.400	"							
1,2-Dichloroethane	ND	0.400	"							
1,1-Dichloroethylene	ND	0.400	"							
Methyl ethyl ketone	ND	100	"							
Tetrachloroethene	ND	0.400	"							
Trichloroethylene	ND	0.400	"							
Vinyl chloride	ND	0.160	"							
Surrogate: Dibromofluoromethane	0.0524		"	0.0500		105	55.9-150			
Surrogate: 1,2-Dichloroethane-d4	0.0493		"	0.0500		98.6	47.5-150			
Surrogate: Toluene-d8	0.0506		"	0.0500		101	55.4-145			
Surrogate: 4-Bromofluorobenzene	0.0465		"	0.0500		93.0	40.4-137			

LCS (6070111-BS1)

Prepared & Analyzed: 07/10/06

Benzene	0.995	0.400	mg/l	1.00		99.5	54.8-130			
Carbon tetrachloride	1.07	0.400	"	1.00		107	43.4-141			
Chlorobenzene	0.996	0.400	"	1.00		99.6	56.2-127			
Chloroform	1.12	0.400	"	1.00		112	53.7-135			
1,2-Dichloroethane	1.04	0.400	"	1.00		104	54.6-140			
1,1-Dichloroethylene	1.05	0.400	"	1.00		105	45.9-129			
Methyl ethyl ketone	2.27	100	"				10-150			
Tetrachloroethene	1.04	0.400	"	1.00		104	46.7-131			
Trichloroethylene	0.988	0.400	"	1.00		98.8	59.2-135			
Vinyl chloride	1.07	0.160	"	1.00		107	28.4-150			
Surrogate: Dibromofluoromethane	0.0512		"	0.0500		102	55.9-150			
Surrogate: 1,2-Dichloroethane-d4	0.0531		"	0.0500		106	47.5-150			
Surrogate: Toluene-d8	0.0520		"	0.0500		104	55.4-145			
Surrogate: 4-Bromofluorobenzene	0.0549		"	0.0500		110	40.4-137			

TestAmerica Analytical - Buffalo Grove

The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety.

Reviewed &
Approved by:

Margaret Knies

Margaret Knies, Project Manager

HazChem Environmental Corp.
1115 W. National Avenue
Addison, IL 60101

Project: Universal Clamp
Project Number: 2424
Project Manager: Alan Shapiro

Lab ID: B607047
Reported: 07/13/06 17:47

TCLP Volatile Organic Compounds by EPA Methods 1311/8260B - Quality Control

TestAmerica Analytical - Buffalo Grove

Analyte	Result	Reporting Limit	Units	Spike Level	Source Result	%REC	%REC Limits	RPD	RPD Limit	Notes
---------	--------	-----------------	-------	-------------	---------------	------	-------------	-----	-----------	-------

Batch 6070111 - EPA 5030B TCLP/SPLP

Matrix Spike (6070111-MS1)		Source: B607047-01			Prepared & Analyzed: 07/10/06					
Benzene	1.01	0.400	mg/l	1.00	0.0535	95.6	50.5-150			
Carbon tetrachloride	1.06	0.400	"	1.00	ND	106	13.8-160			
Chlorobenzene	1.02	0.400	"	1.00	ND	102	66.9-142			
Chloroform	1.11	0.400	"	1.00	ND	111	67.5-144			
1,2-Dichloroethane	1.06	0.400	"	1.00	ND	106	69.6-144			
1,1-Dichloroethylene	1.05	0.400	"	1.00	ND	105	24.4-156			
Methyl ethyl ketone	2.86	100	"		ND		31.3-167			
Tetrachloroethene	67.4	10.0	"	1.00	51.2	NR	13.6-175			H
Trichloroethylene	1.12	0.400	"	1.00	0.310	81.0	26.2-168			
Vinyl chloride	1.08	0.160	"	1.00	ND	108	29-152			
Surrogate: Dibromofluoromethane	0.0508		"	0.0500		102	55.9-150			
Surrogate: 1,2-Dichloroethane-d4	0.0513		"	0.0500		103	47.5-150			
Surrogate: Toluene-d8	0.0515		"	0.0500		103	55.4-145			
Surrogate: 4-Bromofluorobenzene	0.0537		"	0.0500		107	40.4-137			

Matrix Spike Dup (6070111-MSD1)		Source: B607047-01			Prepared & Analyzed: 07/10/06					
Benzene	1.01	0.400	mg/l	1.00	0.0535	95.6	50.5-150	0.00	35.4	
Carbon tetrachloride	1.05	0.400	"	1.00	ND	105	13.8-160	0.948	56.3	
Chlorobenzene	1.04	0.400	"	1.00	ND	104	66.9-142	1.94	25.8	
Chloroform	1.13	0.400	"	1.00	ND	113	67.5-144	1.79	35.8	
1,2-Dichloroethane	1.01	0.400	"	1.00	ND	101	69.6-144	4.83	28.3	
1,1-Dichloroethylene	1.05	0.400	"	1.00	ND	105	24.4-156	0.00	38.4	
Methyl ethyl ketone	2.80	100	"		ND		31.3-167	2.12	46	
Tetrachloroethene	65.4	10.0	"	1.00	51.2	NR	13.6-175	3.01	39.7	H
Trichloroethylene	1.12	0.400	"	1.00	0.310	81.0	26.2-168	0.00	33.7	
Vinyl chloride	1.06	0.160	"	1.00	ND	106	29-152	1.87	44.4	
Surrogate: Dibromofluoromethane	0.0508		"	0.0500		102	55.9-150			
Surrogate: 1,2-Dichloroethane-d4	0.0498		"	0.0500		99.6	47.5-150			
Surrogate: Toluene-d8	0.0509		"	0.0500		102	55.4-145			
Surrogate: 4-Bromofluorobenzene	0.0542		"	0.0500		108	40.4-137			

TestAmerica Analytical - Buffalo Grove

The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety.

Reviewed &
Approved by:

Margaret Kniest

Margaret Kniest, Project Manager

HazChem Environmental Corp.
1115 W. National Avenue
Addison, IL 60101

Project: Universal Clamp
Project Number: 2424
Project Manager: Alan Shapiro

Lab ID: B607047
Reported: 07/13/06 17:47

TCLP Semivolatiles by EPA Methods 1311/8270C - Quality Control

TestAmerica Analytical - Buffalo Grove

Analyte	Result	Reporting Limit	Units	Spike Level	Source Result	%REC	%REC Limits	RPD	RPD Limit	Notes
---------	--------	-----------------	-------	-------------	---------------	------	-------------	-----	-----------	-------

Batch 6070098 - EPA 3510C TCLP/SPLP

Blank (6070098-BLK1)

Prepared: 07/10/06 Analyzed: 07/12/06

o-Cresol	ND	20.0	mg/l							
m,p-Cresols	ND	20.0	"							
Cresol	ND	20.0	"							
1,4-Dichlorobenzene	ND	0.750	"							
2,4-Dinitrotoluene	ND	0.0200	"							
Hexachlorobenzene	ND	0.0200	"							
Hexachlorobutadiene	ND	0.0500	"							
Hexachloroethane	ND	0.300	"							
Nitrobenzene	ND	0.200	"							
Pentachlorophenol	ND	10.0	"							
Pyridine	ND	0.500	"							
2,4,5-Trichlorophenol	ND	40.0	"							
2,4,6-Trichlorophenol	ND	0.200	"							
Surrogate: 2-Fluorophenol	0.127		"	0.500		25.4	10-110			
Surrogate: Phenol-d6	0.0834		"	0.500		16.7	10-110			
Surrogate: Nitrobenzene-d5	0.0804		"	0.250		32.2	10-116			
Surrogate: 2-Fluorobiphenyl	0.103		"	0.250		41.2	10-119			
Surrogate: 2,4,6-Tribromophenol	0.186		"	0.500		37.2	10-114			
Surrogate: p-Terphenyl-d14	0.128		"	0.250		51.2	10-135			

LCS (6070098-BS1)

Prepared: 07/10/06 Analyzed: 07/12/06

o-Cresol	0.265	20.0	mg/l	0.500		53.0	10-110			
m,p-Cresols	0.500	20.0	"				10-110			
Cresol	0.765	20.0	"				10-110			
1,4-Dichlorobenzene	0.260	0.750	"	0.500		52.0	10-110			
2,4-Dinitrotoluene	0.225	0.0200	"	0.500		45.0	10-110			
Hexachlorobenzene	0.313	0.0200	"	0.500		62.6	10-110			
Hexachlorobutadiene	0.253	0.0500	"	0.500		50.6	10-118			
Hexachloroethane	0.244	0.300	"	0.500		48.8	10-110			
Nitrobenzene	0.325	0.200	"	0.500		65.0	10-119			
Pentachlorophenol	0.329	10.0	"	0.500		65.8	10-110			
Pyridine	0.164	0.500	"	0.500		32.8	10-110			
2,4,5-Trichlorophenol	0.329	40.0	"	0.500		65.8	10-110			
2,4,6-Trichlorophenol	0.316	0.200	"	0.500		63.2	10-110			
Surrogate: 2-Fluorophenol	0.179		"	0.500		35.8	10-110			
Surrogate: Phenol-d6	0.113		"	0.500		22.6	10-110			

TestAmerica Analytical - Buffalo Grove

The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety.

Reviewed &
Approved by:

Margaret Kniest

Margaret Kniest, Project Manager

HazChem Environmental Corp.
1115 W. National Avenue
Addison, IL 60101

Project: Universal Clamp
Project Number: 2424
Project Manager: Alan Shapiro

Lab ID: B607047
Reported: 07/13/06 17:47

TCLP Semivolatiles by EPA Methods 1311/8270C - Quality Control

TestAmerica Analytical - Buffalo Grove

Analyte	Result	Reporting Limit	Units	Spike Level	Source Result	%REC	%REC Limits	RPD	RPD Limit	Notes
---------	--------	-----------------	-------	-------------	---------------	------	-------------	-----	-----------	-------

Batch 6070098 - EPA 3510C TCLP/SPLP

LCS (6070098-BS1)										
					Prepared: 07/10/06 Analyzed: 07/12/06					
Surrogate: Nitrobenzene-d5	0.147		mg/l	0.250		58.8	10-116			
Surrogate: 2-Fluorobiphenyl	0.135		"	0.250		54.0	10-119			
Surrogate: 2,4,6-Tribromophenol	0.311		"	0.500		62.2	10-114			
Surrogate: p-Terphenyl-d14	0.154		"	0.250		61.6	10-135			

Matrix Spike (6070098-MS1)

Source: B607047-01

Prepared: 07/10/06 Analyzed: 07/13/06

o-Cresol	0.451	20.0	mg/l	0.500	ND	90.2	10-110			
m,p-Cresols	0.934	20.0	"		ND		10-110			
Cresol	1.38	20.0	"		ND		10-110			
1,4-Dichlorobenzene	0.235	0.750	"	0.500	ND	47.0	10-110			
2,4-Dinitrotoluene	0.472	0.0200	"	0.500	ND	94.4	10-110			
Hexachlorobenzene	0.321	0.0200	"	0.500	ND	64.2	10-110			
Hexachlorobutadiene	0.361	0.0500	"	0.500	ND	72.2	10-111			
Hexachloroethane	0.299	0.300	"	0.500	ND	59.8	10-110			
Nitrobenzene	0.403	0.200	"	0.500	ND	80.6	10-115			
Pentachlorophenol	0.441	10.0	"	0.500	ND	88.2	10-110			
Pyridine	0.166	0.500	"	0.500	0.0243	28.3	10-110			
2,4,5-Trichlorophenol	0.174	40.0	"	0.500	ND	34.8	10-112			
2,4,6-Trichlorophenol	0.364	0.200	"	0.500	ND	72.8	10-111			
Surrogate: 2-Fluorophenol	0.177		"	0.500		35.4	10-110			
Surrogate: Phenol-d6	0.00740		"	0.500		1.48	10-110			L
Surrogate: Nitrobenzene-d5	0.189		"	0.250		75.6	10-116			
Surrogate: 2-Fluorobiphenyl	0.121		"	0.250		48.4	10-119			
Surrogate: 2,4,6-Tribromophenol	0.418		"	0.500		83.6	10-114			
Surrogate: p-Terphenyl-d14	0.162		"	0.250		64.8	10-135			

Matrix Spike Dup (6070098-MSD1)

Source: B607047-01

Prepared: 07/10/06 Analyzed: 07/13/06

o-Cresol	0.415	20.0	mg/l	0.500	ND	83.0	10-110	8.31	40	
m,p-Cresols	0.830	20.0	"		ND		10-110	11.8	40	
Cresol	1.24	20.0	"		ND		10-110	10.7	40	
1,4-Dichlorobenzene	ND	0.750	"	0.500	ND		10-110		40	L
2,4-Dinitrotoluene	0.522	0.0200	"	0.500	ND	104	10-110	10.1	40	
Hexachlorobenzene	0.328	0.0200	"	0.500	ND	65.6	10-110	2.16	40	
Hexachlorobutadiene	0.393	0.0500	"	0.500	ND	78.6	10-111	8.49	40	
Hexachloroethane	0.304	0.300	"	0.500	ND	60.8	10-110	1.66	40	
Nitrobenzene	0.508	0.200	"	0.500	ND	102	10-115	23.1	40	
Pentachlorophenol	0.480	10.0	"	0.500	ND	96.0	10-110	8.47	40	

TestAmerica Analytical - Buffalo Grove

The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety.

Reviewed &
Approved by:

Margaret Knies

Margaret Knies, Project Manager

HazChem Environmental Corp.
1115 W. National Avenue
Addison, IL 60101

Project: Universal Clamp
Project Number: 2424
Project Manager: Alan Shapiro

Lab ID: B607047
Reported: 07/13/06 17:47


TCLP Semivolatiles by EPA Methods 1311/8270C - Quality Control

TestAmerica Analytical - Buffalo Grove

Analyte	Result	Reporting Limit	Units	Spike Level	Source Result	%REC	%REC Limits	RPD	RPD Limit	Notes
Batch 6070098 - EPA 3510C TCLP/SPLP										
Matrix Spike Dup (6070098-MSD1)		Source: B607047-01		Prepared: 07/10/06 Analyzed: 07/13/06						
Pyridine	0.189	0.500	mg/l	0.500	0.0243	32.9	10-110	13.0	40	
2,4,5-Trichlorophenol	0.227	40.0	"	0.500	ND	45.4	10-112	26.4	40	
2,4,6-Trichlorophenol	0.392	0.200	"	0.500	ND	78.4	10-111	7.41	40	
Surrogate: 2-Fluorophenol	0.0781		"	0.500		15.6	10-110			
Surrogate: Phenol-d6	0.000500		"	0.500		0.100	10-110			L
Surrogate: Nitrobenzene-d5	0.244		"	0.250		97.6	10-116			
Surrogate: 2-Fluorobiphenyl	0.135		"	0.250		54.0	10-119			
Surrogate: 2,4,6-Tribromophenol	0.451		"	0.500		90.2	10-114			
Surrogate: p-Terphenyl-d14	0.169		"	0.250		67.6	10-135			

TestAmerica Analytical - Buffalo Grove

The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety.

Reviewed & Approved by: 

Margaret Kniest, Project Manager

HazChem Environmental Corp.
1115 W. National Avenue
Addison, IL 60101

Project: Universal Clamp
Project Number: 2424
Project Manager: Alan Shapiro

Lab ID: B607047
Reported: 07/13/06 17:47

Notes and Definitions

- QC The result for one or more quality control measurements associated with this sample did not meet the laboratory and/or source method acceptance criteria.
- DET Analyte DETECTED
- ND Analyte NOT DETECTED at or above the reporting limit
- NR Not Reported
- dry Sample results reported on a dry weight basis
- RPD Relative Percent Difference
- L This quality control measurement is below the laboratory established limit.
- H This quality control measurement is above the laboratory established limit.
- ^ The laboratory is not NELAP accredited for this analyte by the indicated matrix and method.
- ^^ The State of Illinois Accrediting Authority does not offer NELAP accreditation for this analyte by the indicated matrix and method.

Note: All analytes, by matrix and method, are accredited following current NELAP standards unless specifically noted by way of a qualifier listed above.

Note: All samples are reported on a wet weight basis unless otherwise noted.

TestAmerica--Buffalo Grove, IL Wisconsin DNR Certification Lab ID: 999917160

TestAmerica--Buffalo Grove, IL NELAP Primary Accreditation: Illinois #100261

TestAmerica--Buffalo Grove, IL NELAP Secondary Accreditation: New Jersey #IL001

TestAmerica--Nashville, TN NELAP Secondary Accreditation: Illinois #200010

TestAmerica--Dayton, OH NELAP Secondary Accreditation: Illinois #200008

TestAmerica--Watertown, WI NELAP Primary Accreditation: Illinois #100453

TestAmerica--Watertown, WI Wisconsin DNR Certification Lab ID: 128053530



TestAmerica Analytical - Buffalo Grove

The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety.

Reviewed &
Approved by:

Margaret Kniest

Margaret Kniest, Project Manager

HazChem Environmental Corp.
1115 W. National Avenue
Addison, IL 60101

Project: Universal Clamp
Project Number: 2424
Project Manager: Alan Shapiro

Lab ID: B607047
Reported: 07/13/06 17:47

Toxicity Characteristic Leaching Procedure (TCLP) by EPA Method 1311

TestAmerica Analytical - Buffalo Grove

Analyte	Result	Reporting		Units	Dilution	Batch	Prepared	Analyzed	Method	Notes
		Limit								

Universal Box # 4 (B607047.01) Waste (1) Sampled: 07/06/06 13:00 Received: 07/07/06 15:25



Poracky and Associates, LTD.

Mike Phillips
Universal Form Clamp – Chemical Division
840 South 25th Avenue
Bellwood, Illinois 60104

June 21, 2006

Mike,

Enclosed are the results of analyses for samples received by our laboratory on June 16, 2006.

The sample results relate only to the tested analytes of interest and to the samples as received by the laboratory. At the time of analysis, the laboratory was in compliance with current NELAP standards and held accreditation for all analysis performed unless noted by a qualifier. The laboratory's Illinois NELAP accreditation number is 100261.

This report cannot be reproduced except in full without written approval from the laboratory at Universal Form Clamp – Chemical Division.

If you have any questions concerning this report, please contact Joe Poracky at 815-929-9440.

Sincerely,

Joe Poracky
President



TestAmerica
ANALYTICAL TESTING CORPORATION1380 Busch Parkway
Buffalo Grove, Illinois 60089Phone: (847) 808-7766
Fax: (847) 808-7772HazChem Environmental Corp.
1115 W. National Avenue
Addison, IL 60101Project: Universal Clamp
Project Number: 2424
Project Manager: Alan ShapiroLab ID: B606217
Reported: 06/20/06 18:51

ANALYTICAL REPORT FOR SAMPLES


Sample ID	Laboratory ID	Matrix	Date Sampled	Date Received
Universal box # SFVP4854L	B606217-01	Waste (L)	06/15/06 15:00	06/16/06 13:40
Universal box # CFVP2206L	B606217-02	Waste (L)	06/15/06 15:00	06/16/06 13:40
Universal box # SFVP4861L	B606217-03	Waste (L)	06/15/06 15:00	06/16/06 13:40

Sample Receipt Notes

Please note that the chain of custody (COC) included with this report is considered part of the report. The data user should review any comments or notes made on the COC. Any receipt issues found by the laboratory that are not noted on the COC will be stated below.

TestAmerica Analytical - Buffalo Grove

The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety.

Reviewed &
Approved by:

Margaret Knied, Project Manager

Page 1 of 15



1380 Busch Parkway
Buffalo Grove, Illinois 60089

Phone: (847) 808-7766
Fax: (847) 808-7772

HazChem Environmental Corp.
1115 W. National Avenue
Addison, IL 60101

Project: Universal Clamp
Project Number: 2424
Project Manager: Alan Shapiro

Lab ID: B606217
Reported: 06/20/06 18:51

Toxicity Characteristic Leaching Procedure (TCLP) by EPA Method 1311

TestAmerica Analytical - Buffalo Grove

Analyte	Result	Reporting Limit	Units	Dilution	Batch	Prepared	Analyzed	Method	Notes
---------	--------	-----------------	-------	----------	-------	----------	----------	--------	-------

Universal box # SFVP4854L (B606217-01) Waste (L) Sampled: 06/15/06 15:00 Received: 06/16/06 13:40

Date of Inorganics Rotation	06/19/06				6060394			EPA 1311	
Date of Semivolatile Organics Rotation	06/19/06		"	"	"	"	"	"	
Date of Volatile Organics ZHE Rotation	06/19/06		"	"	"	"	"	"	

Universal box # CFVP2206L (B606217-02) Waste (L) Sampled: 06/15/06 15:00 Received: 06/16/06 13:40

Date of Inorganics Rotation	06/19/06				6060394			EPA 1311	
Date of Semivolatile Organics Rotation	06/19/06		"	"	"	"	"	"	
Date of Volatile Organics ZHE Rotation	06/19/06		"	"	"	"	"	"	

Universal box # SFVP4861L (B606217-03) Waste (L) Sampled: 06/15/06 15:00 Received: 06/16/06 13:40

Date of Inorganics Rotation	06/19/06				6060394			EPA 1311	
Date of Semivolatile Organics Rotation	06/19/06		"	"	"	"	"	"	
Date of Volatile Organics ZHE Rotation	06/19/06		"	"	"	"	"	"	

TestAmerica Analytical - Buffalo Grove

The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety.

Reviewed &
Approved by:

Margaret Knied

Margaret Knied, Project Manager



1380 Busch Parkway
Buffalo Grove, Illinois 60089

Phone: (847) 808-7766
Fax: (847) 808-7772

HazChem Environmental Corp.
1115 W. National Avenue
Addison, IL 60101

Project: Universal Clamp
Project Number: 2424
Project Manager: Alan Shapiro

Lab ID: B606217
Reported: 06/20/06 18:51

TCLP Metals by EPA 1311/6000/7000 Series Methods

TestAmerica Analytical - Buffalo Grove

Analyte	Result	Reporting Limit	Units	Dilution	Batch	Prepared	Analyzed	Method	Notes
Universal box # SFVP4854L (B606217-01) Waste (L) Sampled: 06/15/06 15:00 Received: 06/16/06 13:40									
Mercury	ND	0.000200	mg/l	1	6060403	06/20/06	06/20/06	EPA 7470A	
Arsenic	ND	0.0500	"	"	6060409	06/20/06	06/20/06	EPA 6010B	
Barium	0.351	0.100	"	"	"	"	"	"	QC
Cadmium	ND	0.00500	"	"	"	"	"	"	
Chromium	ND	0.100	"	"	"	"	"	"	
Selenium	ND	0.0500	"	"	"	"	"	"	
Silver	ND	0.0500	"	"	"	"	"	"	
Lead	0.00615	0.00500	"	"	6060405	06/20/06	06/20/06	EPA 7421	

Universal box # CFVP2206L (B606217-02) Waste (L) Sampled: 06/15/06 15:00 Received: 06/16/06 13:40

Mercury	ND	0.000200	mg/l	1	6060403	06/20/06	06/20/06	EPA 7470A	
Arsenic	ND	0.0500	"	"	6060409	06/20/06	06/20/06	EPA 6010B	
Barium	0.340	0.100	"	"	"	"	"	"	QC
Cadmium	ND	0.00500	"	"	"	"	"	"	
Chromium	ND	0.100	"	"	"	"	"	"	
Selenium	ND	0.0500	"	"	"	"	"	"	
Silver	ND	0.0500	"	"	"	"	"	"	
Lead	0.00566	0.00500	"	"	6060405	06/20/06	06/20/06	EPA 7421	

Universal box # SFVP4861L (B606217-03) Waste (L) Sampled: 06/15/06 15:00 Received: 06/16/06 13:40

Mercury	ND	0.000200	mg/l	1	6060403	06/20/06	06/20/06	EPA 7470A	
Arsenic	ND	0.0500	"	"	6060409	06/20/06	06/20/06	EPA 6010B	
Barium	0.269	0.100	"	"	"	"	"	"	QC
Cadmium	0.00830	0.00500	"	"	"	"	"	"	
Chromium	ND	0.100	"	"	"	"	"	"	
Selenium	ND	0.0500	"	"	"	"	"	"	
Silver	ND	0.0500	"	"	"	"	"	"	
Lead	ND	0.00500	"	"	6060405	06/20/06	06/20/06	EPA 7421	

TestAmerica Analytical - Buffalo Grove

The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety.

Reviewed &
Approved by:

Margaret Knied



1380 Busch Parkway
Buffalo Grove, Illinois 60089

Phone: (847) 808-7766
Fax: (847) 808-7772

HazChem Environmental Corp.
1115 W. National Avenue
Addison, IL 60101

Project: Universal Clamp
Project Number: 2424
Project Manager: Alan Shapiro

Lab ID: B606217
Reported: 06/20/06 18:51

TCLP Volatile Organic Compounds by EPA Methods 1311/8260B

TestAmerica Analytical - Buffalo Grove

Analyte	Result	Reporting Limit	Units	Dilution	Batch	Prepared	Analyzed	Method	Notes
Universal box # SFVP4854L (B606217-01) Waste (L) Sampled: 06/15/06 15:00 Received: 06/16/06 13:40									
Benzene	ND	0.400	mg/l	20	6060393	06/19/06	06/19/06	EPA 8260B	
Carbon tetrachloride	ND	0.400	"	"	"	"	"	"	
Chlorobenzene	ND	0.400	"	"	"	"	"	"	
Chloroform	ND	0.400	"	"	"	"	"	"	
1,2-Dichloroethane	ND	0.400	"	"	"	"	"	"	
1,1-Dichloroethylene	ND	0.400	"	"	"	"	"	"	
Methyl ethyl ketone	ND	100	"	"	"	"	"	"	
Tetrachloroethene	ND	0.400	"	"	"	"	"	"	
Trichloroethylene	ND	0.400	"	"	"	"	"	"	
Vinyl chloride	ND	0.160	"	"	"	"	"	"	
Surrogate: Dibromofluoromethane		90.0 %	55.9-150		"	"	"	"	
Surrogate: 1,2-Dichloroethane-d4		99.4 %	47.5-150		"	"	"	"	
Surrogate: Toluene-d8		98.6 %	55.4-145		"	"	"	"	
Surrogate: 4-Bromofluorobenzene		84.8 %	40.4-137		"	"	"	"	

Universal box # CFVP2206L (B606217-02) Waste (L) Sampled: 06/15/06 15:00 Received: 06/16/06 13:40

Benzene	ND	0.400	mg/l	20	6060393	06/19/06	06/20/06	EPA 8260B	
Carbon tetrachloride	ND	0.400	"	"	"	"	"	"	
Chlorobenzene	ND	0.400	"	"	"	"	"	"	
Chloroform	ND	0.400	"	"	"	"	"	"	
1,2-Dichloroethane	ND	0.400	"	"	"	"	"	"	
1,1-Dichloroethylene	ND	0.400	"	"	"	"	"	"	
Methyl ethyl ketone	ND	100	"	"	"	"	"	"	
Tetrachloroethene	ND	0.400	"	"	"	"	"	"	
Trichloroethylene	ND	0.400	"	"	"	"	"	"	
Vinyl chloride	ND	0.160	"	"	"	"	"	"	
Surrogate: Dibromofluoromethane		99.2 %	55.9-150		"	"	"	"	
Surrogate: 1,2-Dichloroethane-d4		99.6 %	47.5-150		"	"	"	"	
Surrogate: Toluene-d8		99.2 %	55.4-145		"	"	"	"	
Surrogate: 4-Bromofluorobenzene		82.8 %	40.4-137		"	"	"	"	

TestAmerica Analytical - Buffalo Grove

The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety.

Reviewed &
Approved by:

Margaret Knier

Margaret Knier, Project Manager

TestAmerica

ANALYTICAL SERVICES CORPORATION

1380 Busch Parkway
Buffalo Grove, Illinois 60089

Phone: (847) 808-7766
Fax: (847) 808-7772

HazChem Environmental Corp.
1115 W. National Avenue
Addison, IL 60101

Project: Universal Clamp
Project Number: 2424
Project Manager: Alan Shapiro

Lab ID: B606217
Reported: 06/20/06 18:51

TCLP Volatile Organic Compounds by EPA Methods 1311/8260B

TestAmerica Analytical - Buffalo Grove

Analyte	Result	Reporting Limit	Units	Dilution	Batch	Prepared	Analyzed	Method	Notes
Universal bot # SFVP4861L (B606217-03) Waste (L) Sampled: 06/15/06 15:00 Received: 06/16/06 13:40									
Benzene	ND	0.400	mg/l	20	6060393	06/19/06	06/20/06	EPA 8260B	
Carbon tetrachloride	ND	0.400	"	"	"	"	"	"	
Chlorobenzene	ND	0.400	"	"	"	"	"	"	
Chloroform	ND	0.400	"	"	"	"	"	"	
1,2-Dichloroethane	ND	0.400	"	"	"	"	"	"	
1,1-Dichloroethylene	ND	0.400	"	"	"	"	"	"	
Methyl ethylketone	ND	100	"	"	"	"	"	"	
Tetrachloroethene	ND	0.400	"	"	"	"	"	"	
Trichloroethylene	ND	0.400	"	"	"	"	"	"	
Vinyl chloride	ND	0.160	"	"	"	"	"	"	
Surrogate: Dibromofluoromethane		100 %	55.9-150		"	"	"	"	
Surrogate: 1,2-Dichloroethane-d4		101 %	47.5-150		"	"	"	"	
Surrogate: Toluene-d8		98.6 %	55.4-145		"	"	"	"	
Surrogate: 4-Bromofluorobenzene		84.8 %	40.4-137		"	"	"	"	

TestAmerica Analytical - Buffalo Grove

The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety.

Reviewed &
Approved by:

Margaret Knier

TestAmerica

ANALYTICAL TESTING CORPORATION

1380 Busch Parkway
Buffalo Grove, Illinois 60089

Phone: (847) 808-7766
Fax: (847) 808-7772

HazChem Environmental Corp.
1115 W. National Avenue
Addison, IL 60101

Project: Universal Clamp
Project Number: 2424
Project Manager: Alan Shapiro

Lab ID: B606217
Reported: 06/20/06 18:51

TCLP Semivolatiles by EPA Methods 1311/8270C

TestAmerica Analytical - Buffalo Grove

Analyte	Result	Reporting Limit	Units	Dilution	Batch	Prepared	Analyzed	Method	Notes
Universal box # SFVP4854L (B606217-01) Waste (L) Sampled: 06/15/06 15:00 Received: 06/16/06 13:40									O15
o-Cresol	ND	20.0	mg/l	1	6060390	06/19/06	06/20/06	EPA 8270C	
m,p-Cresols	ND	20.0	"	"	"	"	"	"	
Cresol	ND	20.0	"	"	"	"	"	"	
1,4-Dichlorobenzene	ND	0.750	"	"	"	"	"	"	
2,4-Dinitrotoluene	ND	0.0200	"	"	"	"	"	"	
Hexachlorobenzene	ND	0.0200	"	"	"	"	"	"	
Hexachlorobutadiene	ND	0.0500	"	"	"	"	"	"	
Hexachloroethane	ND	0.300	"	"	"	"	"	"	
Nitrobenzene	ND	0.200	"	"	"	"	"	"	
Pentachlorophenol	ND	10.0	"	"	"	"	"	"	
Pyridine	ND	0.500	"	"	"	"	"	"	
Phenol	ND	10.0	"	"	"	"	"	"	
2,4,5-Trichlorophenol	ND	40.0	"	"	"	"	"	"	
2,4,6-Trichlorophenol	ND	0.200	"	"	"	"	"	"	
Surrogate: 2-Fluorophenol		80.0 %	10-110	"	"	"	"	"	
Surrogate: Phenol-d6		52.8 %	10-110	"	"	"	"	"	
Surrogate: Nitrobenzene-d5		121 %	10-116	"	"	"	"	"	H
Surrogate: 2-Fluorobiphenyl		108 %	10-119	"	"	"	"	"	
Surrogate: 2,4,6-Tribromophenol		129 %	10-114	"	"	"	"	"	H
Surrogate: p-Terphenyl-d14		114 %	10-135	"	"	"	"	"	

Universal box # CFVP2206L (B606217-02) Waste (L) Sampled: 06/15/06 15:00 Received: 06/16/06 13:40

o-Cresol	ND	20.0	mg/l	1	6060390	06/19/06	06/20/06	EPA 8270C	
m,p-Cresols	ND	20.0	"	"	"	"	"	"	
Cresol	ND	20.0	"	"	"	"	"	"	
1,4-Dichlorobenzene	ND	0.750	"	"	"	"	"	"	
2,4-Dinitrotoluene	ND	0.0200	"	"	"	"	"	"	
Hexachlorobenzene	ND	0.0200	"	"	"	"	"	"	
Hexachlorobutadiene	ND	0.0500	"	"	"	"	"	"	
Hexachloroethane	ND	0.300	"	"	"	"	"	"	
Nitrobenzene	ND	0.200	"	"	"	"	"	"	
Pentachlorophenol	ND	10.0	"	"	"	"	"	"	
Pyridine	ND	0.500	"	"	"	"	"	"	
Phenol	ND	10.0	"	"	"	"	"	"	
2,4,5-Trichlorophenol	ND	40.0	"	"	"	"	"	"	
2,4,6-Trichlorophenol	ND	0.200	"	"	"	"	"	"	
Surrogate: 2-Fluorophenol		37.2 %	10-110	"	"	"	"	"	
Surrogate: Phenol-d6		24.6 %	10-110	"	"	"	"	"	
Surrogate: Nitrobenzene-d5		62.0 %	10-116	"	"	"	"	"	
Surrogate: 2-Fluorobiphenyl		59.6 %	10-119	"	"	"	"	"	
Surrogate: 2,4,6-Tribromophenol		72.2 %	10-114	"	"	"	"	"	
Surrogate: p-Terphenyl-d14		63.2 %	10-135	"	"	"	"	"	

TestAmerica Analytical - Buffalo Grove

The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety.

Reviewed &
Approved by:

Margaret Knier



1380 Busch Parkway
Buffalo Grove, Illinois 60089

Phone: (847) 808-7766
Fax: (847) 808-7772

HazChem Environmental Corp.
1115 W. National Avenue
Addison, IL 60101

Project: Universal Clamp
Project Number: 2424
Project Manager: Alan Shapiro

Lab ID: B606217
Reported: 06/20/06 18:51

TCLP Semivolatiles by EPA Methods 1311/8270C

TestAmerica Analytical - Buffalo Grove

Analyte	Result	Reporting Limit	Units	Dilution	Batch	Prepared	Analyzed	Method	Notes
Universal box # SFVP4861L (B606217-03) Waste (L) Sampled: 06/15/06 15:00 Received: 06/16/06 13:40									
o-Cresol	ND	20.0	mg/l	1	6060390	06/19/06	06/20/06	EPA 8270C	
m,p-Cresols	ND	20.0	"	"	"	"	"	"	
Cresol	ND	20.0	"	"	"	"	"	"	
1,4-Dichlorobenzene	ND	0.750	"	"	"	"	"	"	
2,4-Dinitrotoluene	ND	0.0200	"	"	"	"	"	"	
Hexachlorobenzene	ND	0.0200	"	"	"	"	"	"	
Hexachlorobutadiene	ND	0.0500	"	"	"	"	"	"	
Hexachlorocyclohexane	ND	0.300	"	"	"	"	"	"	
Nitrobenzene	ND	0.200	"	"	"	"	"	"	
Pentachlorophenol	ND	10.0	"	"	"	"	"	"	
Pyridine	ND	0.500	"	"	"	"	"	"	
Phenol	ND	10.0	"	"	"	"	"	"	
2,4,5-Trichlorophenol	ND	40.0	"	"	"	"	"	"	
2,4,6-Trichlorophenol	ND	0.200	"	"	"	"	"	"	
Surrogate: 2-Fluorophenol		27.8 %	10-110		"	"	"	"	
Surrogate: Phenol-d6		17.8 %	10-110		"	"	"	"	
Surrogate: Nitrobenzene-d5		45.6 %	10-116		"	"	"	"	
Surrogate: 2-Fluorobiphenyl		44.0 %	10-119		"	"	"	"	
Surrogate: 2,4,6-Tribromophenol		52.8 %	10-114		"	"	"	"	
Surrogate: p-Terphenyl-d14		50.4 %	10-135		"	"	"	"	

TestAmerica Analytical - Buffalo Grove

The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety.

Reviewed &
Approved by:

Margaret Knies

City of Buffalo Grove, Illinois



1380 Busch Parkway
Buffalo Grove, Illinois 60089

Phone: (847) 808-7766
Fax: (847) 808-7772

HazChem Environmental Corp.
1115 W. National Avenue
Addison, IL 60101

Project: Universal Clamp
Project Number: 2424
Project Manager: Alan Shapiro

Lab ID: B606217
Reported: 06/20/06 18:51

TCLP Metals by EPA 1311/6000/7000 Series Methods - Quality Control

TestAmerica Analytical - Buffalo Grove

Analyte	Result	Reporting Limit	Units	Spike Level	Source Result	%REC	%REC Limits	RPD	RPD Limit	Notes
---------	--------	-----------------	-------	-------------	---------------	------	-------------	-----	-----------	-------

Batch 6060403 - EPA 7470A

Blank (6060403-BLK1)

Mercury ND 0.000200 mg/l

Prepared & Analyzed: 06/20/06

LCS (6060403-BS1)

Mercury 0.00169 0.000200 mg/l

Prepared & Analyzed: 06/20/06

0.00150 113 84.2-130

Matrix Spike (6060403-MS1)

Mercury 0.00169 0.000200 mg/l

Source: B606211-01

Prepared & Analyzed: 06/20/06

0.00150 ND 113 80.3-128

Matrix Spike Dup (6060403-MSD1)

Mercury 0.00172 0.000200 mg/l

Source: B606211-01

Prepared & Analyzed: 06/20/06

0.00150 ND 115 80.3-128 1.76 10

Batch 6060405 - EPA 3010A

Blank (6060405-BLK1)

Lead ND 0.00500 mg/l

Prepared & Analyzed: 06/20/06

LCS (6060405-BS1)

Lead 0.0269 0.00500 mg/l

Prepared & Analyzed: 06/20/06

0.0300 89.7 58.7-115

Matrix Spike (6060405-MS1)

Lead 0.0308 0.00500 mg/l

Source: B606214-01

Prepared & Analyzed: 06/20/06

0.0300 0.00260 94.0 27.5-127

Matrix Spike Dup (6060405-MSD1)

Lead 0.0293 0.00500 mg/l

Source: B606214-01

Prepared & Analyzed: 06/20/06

0.0300 0.00260 89.0 27.5-127 4.99 18.6

Batch 6060409 - EPA 3010A TCLP/SPLP

Blank (6060409-BLK1)

Arsenic ND 0.0500 mg/l

Prepared & Analyzed: 06/20/06

Barium ND 0.100 "

Cadmium ND 0.00500 "

Chromium ND 0.100 "

Selenium ND 0.0500 "

Silver ND 0.0500 "

TestAmerica Analytical - Buffalo Grove

The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety.

Reviewed &
Approved by

Margaret Knies

TestAmerica

ANALYTICAL TESTING CORPORATION

1380 Busch Parkway
Buffalo Grove, Illinois 60089

Phone: (847) 808-7766
Fax: (847) 808-7772

HazChem Environmental Corp.
1115 W. National Avenue
Addison, IL 60101

Project: Universal Clamp
Project Number: 2424
Project Manager: Alan Shapiro

Lab ID: B606217
Reported: 06/20/06 18:51

TCLP Metals by EPA 1311/6000/7000 Series Methods - Quality Control

TestAmerica Analytical - Buffalo Grove

Analyte	Result	Reporting Limit	Units	Spike Level	Source Result	%REC	%REC Limits	RPD	RPD Limit	Notes
---------	--------	-----------------	-------	-------------	---------------	------	-------------	-----	-----------	-------

Batch 606409 - EPA 3010A TCLP/SPLP

LCS (606409-BS1)

Prepared & Analyzed: 06/20/06

Arsenic	0.195	0.0500	mg/l	0.200		97.5	87.3-115			
Barium	0.484	0.100	"	0.500		96.8	89.9-110			
Cadmium	0.203	0.00500	"	0.200		102	90-110			
Chromium	0.192	0.100	"	0.200		96.0	88.4-110			
Selenium	0.194	0.0500	"	0.200		97.0	89.9-120			
Silver	0.0939	0.0500	"	0.100		93.9	84.7-112			

Matrix Spike (6060409-MS1)

Source: B606217-01

Prepared & Analyzed: 06/20/06

Arsenic	0.203	0.0500	mg/l	0.200	ND	102	89.6-113			
Barium	0.775	0.100	"	0.500	0.351	84.8	83.2-110			
Cadmium	0.209	0.00500	"	0.200	ND	104	87.1-111			
Chromium	0.205	0.100	"	0.200	ND	102	82-110			
Selenium	0.197	0.0500	"	0.200	0.00730	94.8	90-122			
Silver	0.0924	0.0500	"	0.100	ND	92.4	81.8-118			

Matrix Spike Dup (6060409-MSD1)

Source: B606217-01

Prepared & Analyzed: 06/20/06

Arsenic	0.210	0.0500	mg/l	0.200	ND	105	89.6-113	3.39	10	
Barium	0.717	0.100	"	0.500	0.351	73.2	83.2-110	7.77	10	L
Cadmium	0.208	0.00500	"	0.200	ND	104	87.1-111	0.480	10	
Chromium	0.205	0.100	"	0.200	ND	102	82-110	0.00	10	
Selenium	0.203	0.0500	"	0.200	0.00730	97.8	90-122	3.00	10	
Silver	0.0933	0.0500	"	0.100	ND	93.3	81.8-118	0.969	13	

TestAmerica Analytical - Buffalo Grove

The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety.

Reviewed &
Approved by:

Margaret Knied



1380 Busch Parkway
Buffalo Grove, Illinois 60089

Phone: (847) 808-7766
Fax: (847) 808-7772

HazChem Environmental Corp.
1115 W. National Avenue
Addison, IL 60101

Project: Universal Clamp
Project Number: 2424
Project Manager: Alan Shapiro

Lab ID: B606217
Reported: 06/20/06 18:51

TCLP Volatile Organic Compounds by EPA Methods 1311/8260B - Quality Control

TestAmerica Analytical - Buffalo Grove

Analyte	Result	Reporting Limit	Units	Spike Level	Source Result	%REC	%REC Limits	RPD	RPD Limit	Notes
---------	--------	-----------------	-------	-------------	---------------	------	-------------	-----	-----------	-------

Batch 600393 - EPA 5030B TCLP/SPLP

Blank (600393-BLK1)

Prepared & Analyzed: 06/19/06

Benzene	ND	0.400	mg/l							
Carbon tetrachloride	ND	0.400	"							
Chlorobenzene	ND	0.400	"							
Chloroform	ND	0.400	"							
1,2-Dichloroethane	ND	0.400	"							
1,1-Dichloroethylene	ND	0.400	"							
Methyl ethyl ketone	ND	100	"							
Tetrachloroethene	ND	0.400	"							
Trichloroethylene	ND	0.400	"							
Vinyl chloride	ND	0.160	"							
Surrogate: Dibromofluoromethane	0.0502		"	0.0500		100	55.9-150			
Surrogate: 1,2-Dichloroethane-d4	0.0521		"	0.0500		104	47.5-150			
Surrogate: Toluene-d8	0.0490		"	0.0500		98.0	55.4-145			
Surrogate: 4-Bromofluorobenzene	0.0424		"	0.0500		84.8	40.4-137			

LCS (600393-BS1)

Prepared & Analyzed: 06/19/06

Benzene	1.07	0.400	mg/l	1.00		107	54.8-130			
Carbon tetrachloride	0.921	0.400	"	1.00		92.1	43.4-141			
Chlorobenzene	0.987	0.400	"	1.00		98.7	56.2-127			
Chloroform	1.02	0.400	"	1.00		102	53.7-135			
1,2-Dichloroethane	0.971	0.400	"	1.00		97.1	54.6-140			
1,1-Dichloroethylene	1.02	0.400	"	1.00		102	45.9-129			
Methyl ethyl ketone	1.86	100	"	2.00		93.0	10-150			
Tetrachloroethene	0.860	0.400	"	1.00		86.0	46.7-131			
Trichloroethylene	0.973	0.400	"	1.00		97.3	59.2-135			
Vinyl chloride	1.20	0.160	"	1.00		120	28.4-150			
Surrogate: Dibromofluoromethane	0.0496		"	0.0500		99.2	55.9-150			
Surrogate: 1,2-Dichloroethane-d4	0.0499		"	0.0500		99.8	47.5-150			
Surrogate: Toluene-d8	0.0489		"	0.0500		97.8	55.4-145			
Surrogate: 4-Bromofluorobenzene	0.0475		"	0.0500		95.0	40.4-137			

TestAmerica Analytical - Buffalo Grove

The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety.

Reviewed &
Approved by:

Margaret Knier

TestAmerica

ANALYTICAL TESTING CORPORATION

1380 Busch Parkway
Buffalo Grove, Illinois 60089

Phone: (847) 808-7766

Fax: (847) 808-7772

HazChem Environmental Corp.
1115 W. National Avenue
Addison, IL 60101

Project: Universal Clamp
Project Number: 2424
Project Manager: Alan Shapiro

Lab ID: B606217
Reported: 06/20/06 18:51

TCLP Volatile Organic Compounds by EPA Methods 1311/8260B - Quality Control

TestAmerica Analytical - Buffalo Grove

Analyte	Result	Reporting Limit	Units	Spike Level	Source Result	%REC	%REC Limits	RPD	RPD Limit	Notes
---------	--------	-----------------	-------	-------------	---------------	------	-------------	-----	-----------	-------

Batch 6060393 - EPA 5030B TCLP/SPLP

Matrix Spike (6060393-MS1)			Source: B606217-01		Prepared & Analyzed: 06/19/06					
Benzene	1.07	0.400	mg/l	1.00	ND	107	50.5-150			
Carbon tetrachloride	0.935	0.400	"	1.00	ND	93.5	13.8-160			
Chlorobenzene	1.00	0.400	"	1.00	ND	100	66.9-142			
Chloroform	1.02	0.400	"	1.00	ND	102	67.5-144			
1,2-Dichloroethane	0.964	0.400	"	1.00	ND	96.4	69.6-144			
1,1-Dichloroethylene	1.00	0.400	"	1.00	ND	100	24.4-156			
Methyl ethyl ketone	2.01	100	"	2.00	ND	100	31.3-167			
Tetrachloroethene	0.869	0.400	"	1.00	ND	86.9	13.6-175			
Trichloroethylene	0.989	0.400	"	1.00	ND	98.9	26.2-168			
Vinyl chloride	1.03	0.160	"	1.00	ND	103	29-152			
Surrogate: Dibromofluoromethane	0.0487		"	0.0500		97.4	55.9-150			
Surrogate: 1,2-Dichloroethane-d4	0.0491		"	0.0500		98.2	47.5-150			
Surrogate: Toluene-d8	0.0492		"	0.0500		98.4	55.4-145			
Surrogate: 4-Bromofluorobenzene	0.0480		"	0.0500		96.0	40.4-137			

Matrix Spike Dup (6060393-MSD1)			Source: B606217-01		Prepared & Analyzed: 06/19/06					
Benzene	1.05	0.400	mg/l	1.00	ND	105	50.5-150	1.89	35.4	
Carbon tetrachloride	0.910	0.400	"	1.00	ND	91.0	13.8-160	2.71	56.3	
Chlorobenzene	1.00	0.400	"	1.00	ND	100	66.9-142	0.00	25.8	
Chloroform	0.972	0.400	"	1.00	ND	97.2	67.5-144	4.82	35.8	
1,2-Dichloroethane	0.966	0.400	"	1.00	ND	96.6	69.6-144	0.207	28.3	
1,1-Dichloroethylene	0.968	0.400	"	1.00	ND	96.8	24.4-156	3.25	38.4	
Methyl ethyl ketone	1.96	100	"	2.00	ND	98.0	31.3-167	2.52	46	
Tetrachloroethene	0.864	0.400	"	1.00	ND	86.4	13.6-175	0.577	39.7	
Trichloroethylene	0.979	0.400	"	1.00	ND	97.9	26.2-168	1.02	33.7	
Vinyl chloride	0.956	0.160	"	1.00	ND	95.6	29-152	7.45	44.4	
Surrogate: Dibromofluoromethane	0.0471		"	0.0500		94.2	55.9-150			
Surrogate: 1,2-Dichloroethane-d4	0.0501		"	0.0500		100	47.5-150			
Surrogate: Toluene-d8	0.0494		"	0.0500		98.8	55.4-145			
Surrogate: 4-Bromofluorobenzene	0.0482		"	0.0500		96.4	40.4-137			

TestAmerica Analytical - Buffalo Grove

The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety.

Reviewed &
Approved by:

Margaret Knier

Alan Shapiro, Project Manager



1380 Busch Parkway
Buffalo Grove, Illinois 60089

Phone: (847) 808-7766
Fax: (847) 808-7772

HazChem Environmental Corp.
1115 W. National Avenue
Addison, IL 60101

Project: Universal Clamp
Project Number: 2424
Project Manager: Alan Shapiro

Lab ID: B606217
Reported: 06/20/06 18:51

TCLP Semivolatiles by EPA Methods 1311/8270C - Quality Control

TestAmerica Analytical - Buffalo Grove

Analyte	Result	Reporting Limit	Units	Spike Level	Source Result	%REC	%REC Limits	RPD	RPD Limit	Notes
---------	--------	-----------------	-------	-------------	---------------	------	-------------	-----	-----------	-------

Batch 6060390 - EPA 3510C TCLP/SPLP

Blank (6060390-BLK1)

Prepared: 06/19/06 Analyzed: 06/20/06

o-Cresol	ND	20.0	mg/l							
m,p-Cresols	ND	20.0	"							
Cresol	ND	20.0	"							
1,4-Dichlorobenzene	ND	0.750	"							
2,4-Dinitrotoluene	ND	0.0200	"							
Hexachlorobenzene	ND	0.0200	"							
Hexachlorobutadiene	ND	0.0500	"							
Hexachloroethane	ND	0.300	"							
Nitrobenzene	ND	0.200	"							
Pentachlorophenol	ND	10.0	"							
Pyridine	ND	0.500	"							
Phenol	ND	10.0	"							
2,4,5-Trichlorophenol	ND	40.0	"							
2,4,6-Trichlorophenol	ND	0.200	"							
Surrogate: 2-Fluorophenol	0.174		"	0.500		34.8	10-110			
Surrogate: Phenol-d6	0.112		"	0.500		22.4	10-110			
Surrogate: Nitrobenzene-d5	0.147		"	0.250		58.8	10-116			
Surrogate: 2-Fluorobiphenyl	0.131		"	0.250		52.4	10-119			
Surrogate: 2,4,6-Tribromophenol	0.296		"	0.500		59.2	10-114			
Surrogate: p-Terphenyl-d14	0.153		"	0.250		61.2	10-135			

LCS (6060390-BS1)

Prepared: 06/19/06 Analyzed: 06/20/06

o-Cresol	0.289	0.200	mg/l	0.500		57.8	10-110			
m,p-Cresols	0.522	0.200	"				10-110			
Cresol	0.811	0.200	"				10-110			
1,4-Dichlorobenzene	0.198	0.0750	"	0.500		39.6	10-110			
2,4-Dinitrotoluene	0.273	0.0200	"	0.500		54.6	10-110			
Hexachlorobenzene	0.252	0.0200	"	0.500		50.4	10-110			
Hexachlorobutadiene	0.153	0.0500	"	0.500		30.6	10-118			
Hexachloroethane	0.163	0.0300	"	0.500		32.6	10-110			
Nitrobenzene	0.270	0.200	"	0.500		54.0	10-119			
Pentachlorophenol	0.266	0.100	"	0.500		53.2	10-110			
Pyridine	0.128	0.0500	"	0.500		25.6	10-110			
Phenol	0.104	0.100	"	0.502		20.7	10-110			
2,4,5-Trichlorophenol	0.273	0.0400	"	0.500		54.6	10-110			
2,4,6-Trichlorophenol	0.267	0.200	"	0.500		53.4	10-110			

TestAmerica Analytical - Buffalo Grove

The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety.

Reviewed &
Approved by:

Margaret Knied



1380 Busch Parkway
Buffalo Grove, Illinois 60089

Phone: (847) 808-7766

Fax: (847) 808-7772

HazChem Environmental Corp.
1115 W. National Avenue
Addison, IL 60101

Project: Universal Clamp
Project Number: 2424
Project Manager: Alan Shapiro

Lab ID: B606217
Reported: 06/20/06 18:51

TCLP Semivolatiles by EPA Methods 1311/8270C - Quality Control

TestAmerica Analytical - Buffalo Grove

Analyte	Result	Reporting Limit	Units	Spike Level	Source Result	%REC	%REC Limits	RPD	RPD Limit	Notes
---------	--------	-----------------	-------	-------------	---------------	------	-------------	-----	-----------	-------

Batch 6060390 - EPA 3510C TCLP/SPLP

LCS (6060390-BS1)

Prepared: 06/19/06 Analyzed: 06/20/06

Surrogate: 2-Fluorophenol	0.179		mg/l	0.500		35.8	10-110			
Surrogate: Phenol-d6	0.115		"	0.500		23.0	10-110			
Surrogate: Nitrobenzene-d5	0.130		"	0.250		52.0	10-116			
Surrogate: 2-Fluorobiphenyl	0.111		"	0.250		44.4	10-119			
Surrogate: 2,4,6-Tribromophenol	0.267		"	0.500		53.4	10-114			
Surrogate: p-Terphenyl-d14	0.135		"	0.250		54.0	10-135			

Matrix Spike (6060390-MS1)

Source: B606217-03

Prepared: 06/19/06 Analyzed: 06/20/06

o-Cresol	0.338	0.200	mg/l	0.500	0.00690	66.2	10-110			
m,p-Cresols	0.609	0.200	"		ND		10-110			
Cresol	0.947	0.200	"		0.00690		10-110			
1,4-Dichlorobenzene	0.224	0.0750	"	0.500	ND	44.8	10-110			
2,4-Dinitrotoluene	0.346	0.0200	"	0.500	ND	69.2	10-110			
Hexachlorobenzene	0.318	0.0200	"	0.500	ND	63.6	10-110			
Hexachlorocyclopentadiene	0.197	0.0500	"	0.500	ND	39.4	10-111			
Hexachlorocyclohexane	0.201	0.0300	"	0.500	ND	40.2	10-110			
Nitrobenzene	0.325	0.200	"	0.500	ND	65.0	10-115			
Pentachlorophenol	0.436	0.100	"	0.500	ND	87.2	10-110			
Pyridine	0.171	0.0500	"	0.500	ND	34.2	10-110			
Phenol	0.126	0.100	"	0.500	ND	25.1	10-110			
2,4,5-Trichlorophenol	0.347	0.0400	"	0.500	ND	69.4	10-112			
2,4,6-Trichlorophenol	0.340	0.200	"	0.500	ND	68.0	10-111			
Surrogate: 2-Fluorophenol	0.195		"	0.500		39.0	10-110			
Surrogate: Phenol-d6	0.130		"	0.500		26.0	10-110			
Surrogate: Nitrobenzene-d5	0.158		"	0.250		63.2	10-116			
Surrogate: 2-Fluorobiphenyl	0.136		"	0.250		54.4	10-119			
Surrogate: 2,4,6-Tribromophenol	0.346		"	0.500		69.2	10-114			
Surrogate: p-Terphenyl-d14	0.164		"	0.250		65.6	10-135			

TestAmerica Analytical - Buffalo Grove

The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety.

Reviewed &
Approved by:

Margaret Knist



1380 Busch Parkway
Buffalo Grove, Illinois 60089

Phone: (847) 808-7766
Fax: (847) 808-7772

HazChem Environmental Corp.
1115 W. National Avenue
Addison, IL 60101

Project: Universal Clamp
Project Number: 2424
Project Manager: Alan Shapiro

Lab ID: B606217
Reported: 06/20/06 18:51

TCLP Semivolatiles by EPA Methods 1311/8270C - Quality Control

TestAmerica Analytical - Buffalo Grove

Analyte	Result	Reporting Limit	Units	Spike Level	Source Result	%REC	%REC Limits	RPD	RPD Limit	Notes
---------	--------	-----------------	-------	-------------	---------------	------	-------------	-----	-----------	-------

Batch 6060390 - EPA 3510C TCLP/SPLP

Matrix Spike Dup (6060390-MSD1)

Source: B606217-03

Prepared: 06/19/06

Analyzed: 06/20/06

o-Cresol	0.290	0.200	mg/l	0.500	0.00690	56.6	10-110	15.3	40	
m,p-Cresols	0.525	0.200	"		ND		10-110	14.8	40	
Cresol	0.816	0.200	"		0.00690		10-110	14.9	40	
1,4-Dichlorobenzene	0.212	0.0750	"	0.500	ND	42.4	10-110	5.50	40	
2,4-Dinitrotoluene	0.282	0.0200	"	0.500	ND	56.4	10-110	20.4	40	
Hexachlorobenzene	0.261	0.0200	"	0.500	ND	52.2	10-110	19.7	40	
Hexachlorobutadiene	0.192	0.0500	"	0.500	ND	38.4	10-111	2.57	40	
Hexachlorocyclopentadiene	0.191	0.0300	"	0.500	ND	38.2	10-110	5.10	40	
Nitrobenzene	0.268	0.200	"	0.500	ND	53.6	10-115	19.2	40	
Pentachlorophenol	0.362	0.100	"	0.500	ND	72.4	10-110	18.5	40	
Pyridine	0.129	0.0500	"	0.500	ND	25.8	10-110	28.0	40	
Phenol	0.112	0.100	"	0.502	ND	22.3	10-110	11.8	40	
2,4,5-Trichlorophenol	0.282	0.0400	"	0.500	ND	56.4	10-112	20.7	40	
2,4,6-Trichlorophenol	0.283	0.200	"	0.500	ND	56.6	10-111	18.3	40	
Surrogate: 2-Fluorophenol	0.173		"	0.500		34.6	10-110			
Surrogate: Phenol-d6	0.117		"	0.500		23.4	10-110			
Surrogate: Nitrobenzene-d5	0.128		"	0.250		51.2	10-116			
Surrogate: 2-Fluorobiphenyl	0.120		"	0.250		48.0	10-119			
Surrogate: 2,4,6-Tribromophenol	0.288		"	0.500		57.6	10-114			
Surrogate: p-Terphenyl-d14	0.134		"	0.250		53.6	10-135			

TestAmerica Analytical - Buffalo Grove

The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety.

Reviewed &
Approved by:

Margaret Knier

TestAmerica

ANALYTICAL TESTING CORPORATION

1380 Busch Parkway
Buffalo Grove, Illinois 60089

Phone: (847) 808-7766
Fax: (847) 808-7772

HazChem Environmental Corp.
1115 W. National Avenue
Addison, IL 60101

Project: Universal Clamp
Project Number: 2424
Project Manager: Alan Shapiro

Lab ID: B606217
Reported: 06/20/06 18:51

Notes and Definitions

- QC The result for one or more quality control measurements associated with this sample did not meet the laboratory and/or source method acceptance criteria.
- Q15 One or more surrogate recoveries were above the laboratory established control limits.
- DET Analyte DETECTED
- ND Analyte NOT DETECTED at or above the reporting limit
- NR Not Reported
- dry Sample results reported on a dry weight basis
- RPD Relative Percent Difference
- L This quality control measurement is below the laboratory established limit.
- H This quality control measurement is above the laboratory established limit.
- ^ The laboratory is not NELAP accredited for this analyte by the indicated matrix and method.
- ^^ The State of Illinois Accrediting Authority does not offer NELAP accreditation for this analyte by the indicated matrix and method.

Note: All analytes, by matrix and method, are accredited following current NELAP standards unless specifically noted by way of a qualifier listed above.

Note: All samples are reported on a wet weight basis unless otherwise noted.

TestAmerica--Buffalo Grove, IL Wisconsin DNR Certification Lab ID: 999917160
TestAmerica--Buffalo Grove, IL NELAP Primary Accreditation: Illinois #100261
TestAmerica--Buffalo Grove, IL NELAP Secondary Accreditation: New Jersey #IL001
TestAmerica--Nashville, TN NELAP Secondary Accreditation: Illinois #200010
TestAmerica--Dayton, OH NELAP Secondary Accreditation: Illinois #200008
TestAmerica--Watertown, WI NELAP Primary Accreditation: Illinois #100453
TestAmerica--Watertown, WI Wisconsin DNR Certification Lab ID: 128053530



TestAmerica Analytical - Buffalo Grove

The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety.

Reviewed &
Approved by:

Margaret Knier

Attachment D

Manifest



WASTE MANAGEMENT DIVISION
MICHIGAN DEPARTMENT OF
ENVIRONMENTAL QUALITY

DO NOT WRITE IN THIS SPACE

ATT. ☐ DIS. ☐ REJ. ☐ PR. ☐

Required under authority of Part 111 and
Part 121 of Act 451, 1994, as amended.

Failure to file may subject you to
criminal and/or civil penalties under
Sections 324.11151 or 324.12116 MCL.

Please print or type.

Form Approved. OMB No. 2050-0039

UNIFORM HAZARDOUS WASTE MANIFEST		1. Generator's US EPA ID No.	Manifest Document No.	2. Page 1 of	Information in the shaded areas is not required by Federal law.	
3. Generator's Name and Mailing Address Universal Form Clamp 840 South 25th Ave Bellwood, IL 60104		IL 0310155006		A. State Manifest Document Number MI 8680901		
4. Generator's Phone (813) 838-5634		5. Transporter 1 Company Name S+CTransport Inc		B. State Generator's ID		
6. Transporter 1 US EPA ID Number MIR000039701		7. Transporter 2 Company Name		C. State Transporter's ID		
8. Transporter 2 US EPA ID Number		9. Designated Facility Name and Site Address EQ Detroit Inc. 1923 Fredrick Detroit, MI 48211		D. Transporter's Phone		
10. US EPA ID Number MID980991566		11. US DOT Description (including Proper Shipping Name, Hazard Class, and ID NUMBER) HM Non Hazardous Non Regulated Liquid Waste		E. State Transporter's ID		
12. Containers No. Type 001 TT		13. Total Quantity 00960		F. Transporter's Phone		
14. Unit G		15. Waste No.		G. State Facility's ID		
J. Additional Descriptions for Materials Listed Above GP 06101/Tank 5		K. Handling Codes a b c d		H. Facility's Phone		
16. Special Handling Instructions and Additional Information Emergency Phone Number: Generator 813-838-5634						
17. GENERATOR'S CERTIFICATION: I hereby declare that the contents of this consignment are fully and accurately described above by proper shipping name and are classified, packed, marked, and labeled, and are in all respects in proper condition for transport by highway according to applicable international and national government regulations. If I am a large quantity generator, I certify that I have a program in place to reduce the volume and toxicity of waste generated to the degree I have determined to be economically practicable and that I have selected the practicable method of treatment, storage, or disposal currently available to me which minimizes the present and future threat to human health and the environment; OR, if I am a small quantity generator, I have made a good faith effort to minimize my waste generation and select the best waste management method that is available to me and that I can afford.				Date Month Day Year 02/19/06		
Printed/Typed Name MURRAY GATO				Signature [Signature]		
18. Transporter 1 Acknowledgement of Receipt of Materials				Date Month Day Year		
Printed/Typed Name				Signature		
19. Transporter 2 Acknowledgement of Receipt of Materials				Date Month Day Year		
Printed/Typed Name				Signature		
20. Facility Owner or Operator: Certification of receipt of hazardous materials covered by this manifest except as noted in Item 19.						
Printed/Typed Name				Signature		
Date Month Day Year				Date Month Day Year		

First Choice
Logistics, Inc.

P.O. Box 450
Hazel Crest, IL 60429-0450
Toll Free 800-544-7781
Phone 708-210-3160
Fax 708-210-3176

FIRST CHOICE PRO NO.

11 0769

DRIVERS:

USE SEPARATE FORM FOR EACH CONSIGNEE

SHIPPER #1 <i>US RISK MGT.</i>		SHIPPER #2		SHIPPER #3		CONSIGNEE <i>MICHIGAN DISPOSAL</i>	
CITY, STATE <i>5+ MADISON</i>		CITY, STATE <i>BELLWOOD IL</i>		CITY, STATE		CITY, STATE <i>ROSELVILLE MI</i>	
SHIPPING DATE <i>-21-06</i>	BOL / MANIFEST NO. <i>MS 8680901</i>	LOADING TRACTOR <i>88</i>	TRAILER #1 <i>1105</i>	TRAILER #2	UNLOADING TRACTOR	CUSTOMER NO.	DELIVERY DATE
COMPT.	REQUESTED GALLONS	ACTUAL GALLONS	REQUESTED WEIGHT	ACTUAL WEIGHT	HM	COMMODITY DESCRIPTION <i>NON HAZ</i>	

HOURLY WORK		CARRIER EQUIPMENT USED	
START TIME	LOCATION	TRACTOR PUMP.	DRUM NOZZLE
END TIME	LOCATION	TRACTOR AIR COMP.	INTRANSIT HEAT
PORTAL TO PORTAL	TOTAL HRS.	LINERS <input type="checkbox"/> Y <input type="checkbox"/> N QTY.	

NOTICE	IN THE INTEREST OF SAFETY, THIS DRIVER CANNOT UNLOAD UNTIL THE RECEIVING AGENT HAS INSPECTED THE SHIPPING DOCUMENTS, AND APPROVED THE HOOK-UP OF EACH PRODUCT FOR UNLOADING. IF THIS PROCEDURE IS NOT ACCEPTABLE TO YOU, THE DRIVER HAS BEEN INSTRUCTED TO CALL HIS OFFICE.	
	THANK YOU, FIRST CHOICE LOGISTICS	SIGNATURE APPROVING COMPARTMENT #1
		SIGNATURE APPROVING COMPARTMENT #2
		SIGNATURE APPROVING COMPARTMENT #3
		SIGNATURE APPROVING COMPARTMENT #4

TIME ZONE (check one)	<input type="checkbox"/> EASTERN <input type="checkbox"/> CENTRAL <input type="checkbox"/> MTN <input type="checkbox"/> PACIFIC	TIME ZONE (check one)	<input type="checkbox"/> EASTERN <input type="checkbox"/> CENTRAL <input type="checkbox"/> MTN <input type="checkbox"/> PACIFIC
-----------------------	---	-----------------------	---

LOADING TIME				EXPLANATION OF DELAY				UNLOADING TIME				EXPLANATION OF DELAY			
	1ST STOP	2ND STOP	3RD STOP	1ST	2ND	3RD	MARK WITH AN 'X' IN CORRESPONDING COLUMN							MARK WITH AN 'X' IN CORRESPONDING COLUMN	
REQUESTED TIME							WAIT FOR LOADING	REQUESTED TIME						WAIT FOR RECEIVER	
ARRIVAL TIME	<i>1:15</i>						WAIT FOR LAB TEST	ARRIVAL TIME						WAIT FOR LAB TEST	
STARTED LOADING	<i>1:20</i>						WAIT FOR BILLS	SAMPLE TAKEN						SLOW UNLOADING	
FINISHED LOADING							STOP FOR LUNCH	SAMPLE APPROVED						DRUM OFF	
SAMPLE TAKEN							CARRIER EQUIPMENT FAILURE	STARTED UNLOADING						CARRIER EQUIPMENT FAILURE	
SAMPLE APPROVED							WAIT FOR SCALE	FINISHED UNLOADING						WAIT FOR SCALE	
DEPART TIME							WAIT FOR INSTRUCTIONS	DEPART TIME						WAIT FOR ROOM	
TOTAL							WAIT FOR OTHER CARRIERS	TOTAL						WAIT FOR OTHER CARRIERS	
							MATERIAL OUT OF SPEC.							MATERIAL OUT OF SPEC.	
							CUSTOMER EQUIPMENT FAILURE							CUSTOMER EQUIPMENT FAILURE	

OTHER (explain in detail)

PLEASE SIGN THAT TANK IS LOADED AND READY FOR SHIPMENT AND YOU AGREE WITH LOADING TIMES.

SHIPPER'S SIGNATURE *[Signature]*

HAVE INSPECTED THE TANK AND ALL COMPARTMENTS ARE SECURE AND READY FOR TRANSPORT.

DRIVER'S SIGNATURE *[Signature]*

PLEASE SIGN THAT YOU HAVE INSPECTED TANK AND CONTENTS HAVE BEEN REMOVED AND RECEIVED IN GOOD ORDER AND AGREE WITH UNLOADING TIMES.

CONSIGNEE'S SIGNATURE

I HAVE INSPECTED THE TANK AND ALL COMPARTMENTS ARE EMPTY. (IF NOT EMPTY, NOTIFY DISPATCHER IMMEDIATELY)

DRIVER'S SIGNATURE



WASTE MANAGEMENT DIVISION
MICHIGAN DEPARTMENT OF
ENVIRONMENTAL QUALITY

DO NOT WRITE IN THIS SPACE
ATT. ☐ DIS. ☐ REJ. ☐ PR. ☐

Required under authority of Part 111 and
Part 121 of Act 451, 1994, as amended.

Failure to file may subject you to
criminal and/or civil penalties under
Sections 324.11151 or 324.12116 MCL

Please print or type.

Form Approved. OMB No. 2050-0039

UNIFORM HAZARDOUS WASTE MANIFEST		1. Generator's US EPA ID No. ILD 064 363 727	Manifest Document No. 75644	2. Page 1 of 1	Information in the shaded areas is not required by Federal law.	
3. Generator's Name and Mailing Address UNIVERSAL FORM CLAMP CO 840 S 25TH AVENUE BELLWOOD, IL 60104		6. US EPA ID Number MID 000 263 871		A. State Manifest Document Number MI 10275644		
4. Generator's Phone ()				B. State Generator's ID		
5. Transporter 1 Company Name EQ INDUSTRIAL SERVICES				C. State Transporter's ID (734) 547-2525		
7. Transporter 2 Company Name		8. US EPA ID Number		D. Transporter's Phone		
				E. State Transporter's ID		
9. Designated Facility Name and Site Address EQ DETROIT, INC. 1923 FREDERICK STREET DETROIT, MI 48211		10. US EPA ID Number MID 980 991 566		F. Transporter's Phone		
				G. State Facility's ID		
				H. Facility's Phone (313) 923-0080		
11. US DOT Description (including Proper Shipping Name, Hazard Class, and ID NUMBER). HM Non Hazardous Non Regulated Liquid Waste		12. Containers No. Type 1 TT		13. Total Quantity 2700	14. Unit Wt/Vol G	1. Waste No. 029L
J. Additional Descriptions for Materials Listed Above 11a. GP06161 / TANK S		840 S 25TH AVENUE BELLWOOD, IL 60104		K. Handling Codes a. b. c. d.		
15. Special Handling Instructions and Additional Information		EMERGENCY CONTACT#: (800) 495-8069				
16. GENERATOR'S CERTIFICATION: I hereby declare that the contents of this consignment are fully and accurately described above by proper shipping name and are classified, packed, marked, and labeled, and are in all respects in proper condition for transport by highway according to applicable international and national government regulations. If I am a large quantity generator, I certify that I have a program in place to reduce the volume and toxicity of waste generated to the degree I have determined to be economically practicable and that I have selected the practicable method of treatment storage, or disposal currently available to me which minimizes the present and future threat to human health and the environment; OR, if I am a small quantity generator, I have made a good faith effort to minimize my waste generation and select the best waste management method that is available to me and that I can afford.						
Printed/Typed Name MARK STANCO		Signature 		Date Month Day Year 07/21/06		
17. Transporter 1 Acknowledgment of Receipt of Materials		Signature Ben Reynolds		Date Month Day Year 07/21/06		
18. Transporter 2 Acknowledgment of Receipt of Materials		Signature		Date		
19. Discrepancy Indication Space						
20. Facility Owner or Operator: Certification of receipt of hazardous materials covered by this manifest except as noted in Item 19.						
Printed/Typed Name		Signature		Date Month Day Year		



WASTE MANAGEMENT DIVISION
MICHIGAN DEPARTMENT OF
ENVIRONMENTAL QUALITY

DO NOT WRITE IN THIS SPACE
ATT. ☐ DIS. ☐ REJ. ☐ PR. ☐

Required under authority of Part 111 and
Part 121 of Act 451, 1994, as amended.

Failure to file may subject you to
criminal and/or civil penalties under
Sections 324.11151 or 324.12116 MCL.

Form Approved. OMB No. 2050-0039

Please print or type.

UNIFORM HAZARDOUS WASTE MANIFEST		1. Generator's US EPA ID No.	Manifest Document No.	2. Page 1 of	Information in the shaded areas is not required by Federal law.
3. Generator's Name and Mailing Address		UNIVERSAL FORM CLAMP CO 840 S 25TH AVENUE BELLWOOD, IL 60104		A. State Manifest Document Number MI 10280534	
4. Generator's Phone ()		6. US EPA ID Number		C. State Transporter's ID	
5. Transporter 1 Company Name		8. US EPA ID Number		D. Transporter's Phone	
7. Transporter 2 Company Name		10. US EPA ID Number		E. State Transporter's ID	
9. Designated Facility Name and Site Address		11. US DOT Description (including Proper Shipping Name, Hazard Class, and ID NUMBER)		F. Transporter's Phone	
EQ DETROIT, INC. 1923 FREDERICK DETROIT, MI 48211		MID 980 991 565		G. State Facility's ID	
H. Facility's Phone		12. Containers		13. Total Quantity	
(313) 923-0080		No. Type		14. Unit Wt/Vol	
a. NON HAZARDOUS NON REGULATED MATERIAL, UN		009 008 DF		00450 00400 G	
b. NON HAZARDOUS NON REGULATED MATERIAL, UN		005 DM		001300 G	
c. NON HAZARDOUS NON REGULATED MATERIAL, UN		012 CW		00800 P	
d.					
J. Additional Descriptions for Materials Listed Above		840 S 25TH AVENUE BELLWOOD, IL 60104		K. Handling Codes	
11a. GF06821 / NON HAZ SOLIDS & LIQUIDS				a	
11b. GF06821 / NON HAZ SOLIDS & LIQUIDS				b	
11c. GF06821 / NON HAZ SOLIDS & LIQUIDS				c	
15. Special Handling Instructions and Additional Information		EMERGENCY CONTACT#: (800) 495-6059		d	
16. GENERATOR'S CERTIFICATION: I hereby declare that the contents of this consignment are fully and accurately described above by proper shipping name and are classified, packed, marked, and labeled, and are in all respects in proper condition for transport by highway according to applicable international and national government regulations. If I am a large quantity generator, I certify that I have a program in place to reduce the volume and toxicity of waste generated to the degree I have determined to be economically practicable and that I have selected the practicable method of treatment storage, or disposal currently available to me which minimizes the present and future threat to human health and the environment; OR, if I am a small quantity generator, I have made a good faith effort to minimize my waste generation and select the best waste management method that is available to me and that I can afford.		Printed/Typed Name		Signature	
ZABIEGA LESZEK		Date		Month Day Year	
17. Transporter 1 Acknowledgment of Receipt of Materials		Printed/Typed Name		Signature	
RAB COALMAN		Date		Month Day Year	
18. Transporter 2 Acknowledgment of Receipt of Materials		Printed/Typed Name		Signature	
		Date		Month Day Year	
19. Discrepancy Indication Space					
20. Facility Owner or Operator: Certification of receipt of hazardous materials covered by this manifest except as noted in Item 19.		Printed/Typed Name		Signature	
		Date		Month Day Year	



WASTE MANAGEMENT DIVISION
MICHIGAN DEPARTMENT OF
ENVIRONMENTAL QUALITY

DO NOT WRITE IN THIS SPACE
ATT. ☐ DIS. ☐ REJ. ☐ PR. ☐

required under authority of Part 111 and
Part 121 of Act 451, 1994, as amended.

Failure to file may subject you to
criminal and/or civil penalties under
Sections 324.11151 or 324.12116 MCL.

Please print or type.

Form Approved. OMB No. 2050-0039

**UNIFORM HAZARDOUS
WASTE MANIFEST**

1. Generator's US EPA ID No.

IL D 054 353 727

Manifest
Document No.

2. Page 1

of 1

Information in the shaded areas
is not required by Federal law.

3. Generator's Name and Mailing Address

UNIVERSAL FORM CLAMP CO
840 S 25TH AVENUE
BELLWOOD, IL 60104

A. State Manifest Document Number

MI 10280535

B. State Generator's ID

4. Generator's Phone ()

5. Transporter 1 Company Name

AAA Environmental Transport

6. US EPA ID Number

WJ 6000 122358

C. State Transporter's ID

D. Transporter's Phone ()

7. Transporter 2 Company Name

8. US EPA ID Number

E. State Transporter's ID

F. Transporter's Phone

9. Designated Facility Name and Site Address

EQ DETROIT, INC.
1923 FREDERICK
DETROIT, MI 48211

10. US EPA ID Number

MID 980 991 566

H. Facility's Phone

(313) 923-0080

11. US DOT Description (including Proper Shipping Name, Hazard Class, and
ID NUMBER).

HM

12. Containers
No. Type

13. Total
Quantity

14. Unit
Wt/Vol

15. Waste
No.

- a. ☒ Corrosive liquid, acidic, organic, n.o.s., 8, UN3265, PGIII
- b. ☒ RQ, WASTE FLAMMABLE LIQUID, N.O.S., 3, UN1993, PGIII
- c. ☒ RQ, WASTE FLAMMABLE LIQUID, N.O.S., 3, UN1993, PGIII
- d. ☒ RQ, WASTE FLAMMABLE LIQUID, N.O.S., 3, UN1993, PGIII

3 DF

25

G

D002

3 CW

700

P

D001

11 DM

605

G

D001

3 DF

165

G

D001

J. Additional Descriptions for Materials Listed Above

840 S 25TH AVENUE BELLWOOD, IL 60104

K. Handling Codes

- 1a. GF06837 / ERG#153 / ACID LAB PACKS
- 1b. GM06843 / D018 / ERG#128 / FLAMMALBE SOLVENTS & RESINS
- 1c. GM06843 / D018 / ERG#128 / FLAMMALBE SOLVENTS & RESINS
- 1d. GM06843 / D018 / ERG#128 / FLAMMALBE SOLVENTS & RESINS

- a
- b
- c
- d

15. Special Handling Instructions and Additional Information

EMERGENCY CONTACT#: (800) 495-6059

16. GENERATOR'S CERTIFICATION: I hereby declare that the contents of this consignment are fully and accurately described above by proper shipping name and are classified, packed, marked, and labeled, and are in all respects in proper condition for transport by highway according to applicable international and national government regulations. If I am a large quantity generator, I certify that I have a program in place to reduce the volume and toxicity of waste generated to the degree I have determined to be economically practicable and that I have selected the practicable method of treatment storage, or disposal currently available to me which minimizes the present and future threat to human health and the environment; OR, if I am a small quantity generator, I have made a good faith effort to minimize my waste generation and select the best waste management method that is available to me and that I can afford.

Printed/Typed Name

HAROLD ANNO

Signature

[Signature]

Date

Month Day Year
08 03 06

17. Transporter 1 Acknowledgment of Receipt of Materials

Printed/Typed Name

[Signature]

Signature

[Signature]

Date

Month Day Year
08 03 06

18. Transporter 2 Acknowledgment of Receipt of Materials

Printed/Typed Name

Signature

Date

Month Day Year

19. Discrepancy Indication Space

20. Facility Owner or Operator: Certification of receipt of hazardous materials covered by this manifest except as noted in Item 19.

Printed/Typed Name

Signature

Date

Month Day Year



WASTE MANAGEMENT DIVISION
MICHIGAN DEPARTMENT OF
ENVIRONMENTAL QUALITY

DO NOT WRITE IN THIS SPACE
ATT. ☐ DIS. ☐ REJ. ☐ PR. ☐

Part 121 of Act 451, 1994, as amended.

Failure to file may subject you to
criminal and/or civil penalties under
Sections 324.11151 or 324.12116 MCL.

Please print or type.

Form Approved. OMB No. 2050-0039

UNIFORM HAZARDOUS WASTE MANIFEST		1. Generator's US EPA ID No. ILD 034 353 727	Manifest Document No.	2. Page 1 of	Information in the shaded areas is not required by Federal law.	
3. Generator's Name and Mailing Address UNIVERSAL FORM CLAMP CO 840 S 25TH AVENUE BELLWOOD, IL 60104			A. State Manifest Document Number MI 10280536			
4. Generator's Phone ()			B. State Generator's ID			
5. Transporter 1 Company Name AAA Environmental Transport			6. US EPA ID Number 0000 122358			
7. Transporter 2 Company Name			8. US EPA ID Number			
9. Designated Facility Name and Site Address EQ DETROIT, INC. 1923 FREDERICK DETROIT, MI 48211			10. US EPA ID Number MID 980 991 566			
11. US DOT Description (including Proper Shipping Name, Hazard Class, and ID NUMBER). HM			12. Containers No. Type	13. Total Quantity	14. Unit Wt/Vol	15. Waste No.
a.	X	Corrosive liquids, n.o.s., 8, UN1760, PGIII	22 DF	120	G	D002
b.	X	Corrosive liquids, n.o.s., 8, UN1760, PGIII	2 DM	110	G	D002
c.						
d.						
J. Additional Descriptions for Materials Listed Above 1a. GF06846 / BASE PROFILE 1b. GF06846 / BASE PROFILE			K. Handling Codes a. b. c. d.			
15. Special Handling Instructions and Additional Information EMERGENCY CONTACT#: (800) 496-6059						
16. GENERATOR'S CERTIFICATION: I hereby declare that the contents of this consignment are fully and accurately described above by proper shipping name and are classified, packed, marked, and labeled, and are in all respects in proper condition for transport by highway according to applicable international and national government regulations. If I am a large quantity generator, I certify that I have a program in place to reduce the volume and toxicity of waste generated to the degree I have determined to be economically practicable and that I have selected the practicable method of treatment storage, or disposal currently available to me which minimizes the present and future threat to human health and the environment; OR, if I am a small quantity generator, I have made a good faith effort to minimize my waste generation and select the best waste management method that is available to me and that I can afford.						
Printed/Typed Name NARBK			Signature 		Date Month Day Year 08 09 06	
17. Transporter 1 Acknowledgment of Receipt of Materials			Signature 		Date Month Day Year 08 09 06	
18. Transporter 2 Acknowledgment of Receipt of Materials			Signature		Date Month Day Year	
19. Discrepancy Indication Space						
20. Facility Owner or Operator: Certification of receipt of hazardous materials covered by this manifest except as noted in Item 19.						
Printed/Typed Name			Signature		Date Month Day Year	



WASTE MANAGEMENT DIVISION
MICHIGAN DEPARTMENT OF
ENVIRONMENTAL QUALITY

DO NOT WRITE IN THIS SPACE
ATT. ☐ DIS. ☐ REJ. ☐ PR. ☐

Part 121 of Act 451, 1994, as amended.

Failure to file may subject you to
criminal and/or civil penalties under
Sections 324.11151 or 324.12116 MCL.

Please print or type.

Form Approved. OMB No. 2050-0039

UNIFORM HAZARDOUS WASTE MANIFEST		1. Generator's US EPA ID No. ILD 054 353 727	Manifest Document No.	2. Page 1 of 1	Information in the shaded areas is not required by Federal law.			
3. Generator's Name and Mailing Address UNIVERSAL FORM CLAMP CO 840 S 25TH AVENUE BELLWOOD, IL 60104			A. State Manifest Document Number MI 10280537		B. State Generator's ID			
4. Generator's Phone ()			C. State Transporter's ID		D. Transporter's Phone ()			
5. Transporter 1 Company Name AAA Environmental Transport			6. US EPA ID Number WI 0000122358		E. State Transporter's ID			
7. Transporter 2 Company Name			8. US EPA ID Number		F. Transporter's Phone			
9. Designated Facility Name and Site Address EQ DETROIT, INC. 1923 FREDERICK DETROIT, MI 48211			10. US EPA ID Number MID 980 991 566		G. State Facility's ID			
H. Facility's Phone (313) 923-0080								
11. US DOT Description (including Proper Shipping Name, Hazard Class, and ID NUMBER). HM			12. Containers No.	Type	13. Total Quantity	14. Unit Wt/Vol	I. Waste No.	
a. Non Hazardous Non Regulated Liquid Waste - Used oil and Antifreeze				TP			029L	
b. Non Hazardous Non Regulated Liquid Waste - Used oil and Antifreeze			3	DF	165	G	029L	
c. Non Hazardous Non Regulated Liquid Waste - Used oil and Antifreeze			20	DM	1100	G	029L	
d.								
J. Additional Descriptions for Materials Listed Above 1a. GM06821 / WASTE OIL & ANTIFREEZE 1b. GM06821 / WASTE OIL & ANTIFREEZE 1c. GM06821 / WASTE OIL & ANTIFREEZE			840 S 25TH AVENUE BELLWOOD, IL 60104			K. Handling Codes a. b. c. d.		
15. Special Handling Instructions and Additional Information EMERGENCY CONTACT#: (800) 495-6059								
16. GENERATOR'S CERTIFICATION: I hereby declare that the contents of this consignment are fully and accurately described above by proper shipping name and are classified, packed, marked, and labeled, and are in all respects in proper condition for transport by highway according to applicable international and national government regulations. If I am a large quantity generator, I certify that I have a program in place to reduce the volume and toxicity of waste generated to the degree I have determined to be economically practicable and that I have selected the practicable method of treatment storage, or disposal currently available to me which minimizes the present and future threat to human health and the environment; OR, if I am a small quantity generator, I have made a good faith effort to minimize my waste generation and select the best waste management method that is available to me and that I can afford.								
Printed/Typed Name MADON JAWO			Signature 			Date Month Day Year 08 03 06		
17. Transporter 1 Acknowledgment of Receipt of Materials			Printed/Typed Name E. Smith			Signature E. Smith		Date Month Day Year 08 03 06
18. Transporter 2 Acknowledgment of Receipt of Materials			Printed/Typed Name			Signature		Date Month Day Year
19. Discrepancy Indication Space								
20. Facility Owner or Operator: Certification of receipt of hazardous materials covered by this manifest except as noted in Item 19.								
Printed/Typed Name			Signature			Date Month Day Year		

is an acknowledgement that a bill of lading has been issued and is not the Original Bill of Lading, nor a copy or duplicate, covering the property named herein, and is intended solely for filing or record.

Carrier's No. _____

Date 7-12-2006

FROM: Shipper *Universal Form Clamp*

Street 840 South 25th Ave

Origin Bellwood, IL Zip 60109

Vehicle Number 812	U.S. DOT Hazmat Reg. No.
-----------------------	--------------------------

EMERGENCY RESPONSE
TELEPHONE NUMBER: (225) 603-5191 James Laws

First Choice
Logistics, Inc.

P.O. Box 450
Hazel Crest, IL 60429-0450
Toll Free 800-544-7781
Phone 708-210-3160
Fax 708-210-3176

FIRST CHOICE PRO NO.

DRIVERS:
USE SEPARATE FORM FOR EACH CONSIGNEE

SHIPPER #1 <i>USA Risk Mgmt.</i>		SHIPPER #2		SHIPPER #3		CONSIGNEE <i>Zion Landfill</i>	
CITY, STATE <i>Bellwood IL</i>		CITY, STATE		CITY, STATE		CITY, STATE <i>Zion IL</i>	
SHIPPING DATE <i>22-12-26</i>		BOL / MANIFEST NO. <i>1</i>		LOADING TRACTOR <i>812</i>		TRAILER #1 <i>20-953</i>	
				TRAILER #2		UNLOADING TRACTOR <i>812</i>	
						CUSTOMER NO.	
						DELIVERY DATE <i>07-12-26</i>	

COMPT.	REQUESTED GALLONS	ACTUAL GALLONS	REQUESTED WEIGHT	ACTUAL WEIGHT	HM	COMMODITY DESCRIPTION
						<i>1 LD NON HAZ Solid</i>

HOURLY WORK		CARRIER EQUIPMENT USED	
START TIME	LOCATION	TRACTOR PUMP.	DRUM NOZZLE
END TIME	LOCATION	TRACTOR AIR COMP.	INTRANSIT HEAT
PORTAL TO PORTAL	TOTAL HRS.	LINERS <input type="checkbox"/> Y <input type="checkbox"/> N QTY. _____	

N
O
T
I
C
E

IN THE INTEREST OF SAFETY, THIS DRIVER CANNOT UNLOAD UNTIL THE RECEIVING AGENT HAS INSPECTED THE SHIPPING DOCUMENTS, AND APPROVED THE HOOK-UP OF EACH PRODUCT FOR UNLOADING. IF THIS PROCEDURE IS NOT ACCEPTABLE TO YOU, THE DRIVER HAS BEEN INSTRUCTED TO CALL HIS OFFICE.

THANK YOU, FIRST CHOICE LOGISTICS

SIGNATURE APPROVING COMPARTMENT #1 _____

SIGNATURE APPROVING COMPARTMENT #2 _____

SIGNATURE APPROVING COMPARTMENT #3 _____

SIGNATURE APPROVING COMPARTMENT #4 _____

CUSTOMER UNLOAD

RE-LOAD NO WASH

PRODUCT STEAMING

PUBLIC SCALE

MILES TO SCALE

AMT. PAID \$

TIME ZONE (check one) <input type="checkbox"/> EASTERN <input type="checkbox"/> CENTRAL <input type="checkbox"/> MTN <input type="checkbox"/> PACIFIC										TIME ZONE (check one) <input type="checkbox"/> EASTERN <input type="checkbox"/> CENTRAL <input type="checkbox"/> MTN <input type="checkbox"/> PACIFIC									
---	--	--	--	--	--	--	--	--	--	---	--	--	--	--	--	--	--	--	--

LOADING TIME				EXPLANATION OF DELAY				UNLOADING TIME				EXPLANATION OF DELAY			
1ST STOP	2ND STOP	3RD STOP		1ST	2ND	3RD	MARK WITH AN 'X' IN CORRESPONDING COLUMN					1ST	2ND	3RD	MARK WITH AN 'X' IN CORRESPONDING COLUMN
REQUESTED TIME							WAIT FOR LOADING	REQUESTED TIME							WAIT FOR RECEIVER
ARRIVAL TIME	<i>1215</i>						WAIT FOR LAB TEST	ARRIVAL TIME							WAIT FOR LAB TEST
STARTED LOADING							WAIT FOR BILLS	SAMPLE TAKEN							SLOW UNLOADING
FINISHED LOADING							STOP FOR LUNCH	SAMPLE APPROVED							DRUM OFF
SAMPLE TAKEN							CARRIER EQUIPMENT FAILURE	STARTED UNLOADING							CARRIER EQUIPMENT FAILURE
SAMPLE APPROVED							WAIT FOR SCALE	FINISHED UNLOADING							WAIT FOR SCALE
DEPART TIME	<i>1230</i>						WAIT FOR INSTRUCTIONS	DEPART TIME							WAIT FOR ROOM
TOTAL							WAIT FOR OTHER CARRIERS								WAIT FOR OTHER CARRIERS
							MATERIAL OUT OF SPEC.								MATERIAL OUT OF SPEC.
							CUSTOMER EQUIPMENT FAILURE								CUSTOMER EQUIPMENT FAILURE

OTHER (explain in detail) _____

OTHER (explain in detail) _____

PLEASE SIGN THAT TANK IS LOADED AND READY FOR SHIPMENT AND YOU AGREE WITH LOADING TIMES.

SHIPPER'S SIGNATURE *[Signature]*

PLEASE SIGN THAT YOU HAVE INSPECTED TANK AND CONTENTS HAVE BEEN REMOVED AND RECEIVED IN GOOD ORDER AND AGREE WITH UNLOADING TIMES.

CONSIGNEE'S SIGNATURE _____

I HAVE INSPECTED THE TANK AND ALL COMPARTMENTS ARE SECURE AND READY FOR TRANSPORT

I HAVE INSPECTED THE TANK AND ALL COMPARTMENTS ARE EMPTY. (IF NOT FULLY LOADED, CONTAINER MUST BE EMPTY)

is an acknowledgment that a bill of lading has been issued and is not the Original Bill of Lading, nor a copy or duplicate, covering the property named herein, and is intended solely for filing or record.

Carrier's No. _____

SCAC

FROM: Universal form clamp
Shipper

Street 840 South 25th Ave

Origin Bellwood IL Zip 60104

Vehicle Number	U.S. DOT Hazmat Reg. No.
----------------	--------------------------

[illegible]

\$

FREIGHT PREPAID
Except when
box at right
is checked ☐ **CHECK BOX**
if charges are
to be collect

(Signature of Consignor)

This is to certify that the above-named materials are properly classified, described, packaged, marked and labeled and are in proper condition for transportation according to the applicable regulations of the Department of Transportation. PER:

DATE: 07-11-20

MONITORED AT ALL TIMES THE HAZARDOUS MATERIALS IS IN TRANSPORTATION,
INCLUDING STORAGE INCIDENTAL TO TRANSPORTATION (172.604).

First Choice
Logistics, Inc.

P.O. Box 450
Hazel Crest, IL 60429-0450
Toll Free 800-544-7781
Phone 708-210-3160
Fax 708-210-3176

FIRST CHOICE PRO NO.

DRIVERS:
USE SEPARATE FORM FOR EACH CONSIGNEE

SHIPPER #1 <i>US Risk</i>		SHIPPER #2		SHIPPER #3		CONSIGNEE <i>ZION LANDFILL</i>	
CITY, STATE <i>Bellwood IL</i>		CITY, STATE		CITY, STATE		CITY, STATE <i>ZION IL</i>	
SHIPPING DATE <i>27-11-06</i>		BOL / MANIFEST NO.		LOADING TRACTOR <i>812</i>		TRAILER #1	
				TRAILER #2		UNLOADING TRACTOR <i>812</i>	
						CUSTOMER NO.	
						DELIVERY DATE <i>07-11-06</i>	
COMPT.	REQUESTED GALLONS	ACTUAL GALLONS	REQUESTED WEIGHT	ACTUAL WEIGHT	HM	COMMODITY DESCRIPTION	

HOURLY WORK		CARRIER EQUIPMENT USED	
START TIME	LOCATION	TRACTOR PUMP.	DRUM NOZZLE
END TIME	LOCATION	TRACTOR AIR COMP.	INTRANSIT HEAT
PORTAL TO PORTAL	TOTAL HRS.	LINERS <input type="checkbox"/> Y <input type="checkbox"/> N QTY. _____	

NOTICE

IN THE INTEREST OF SAFETY, THIS DRIVER CANNOT UNLOAD UNTIL THE RECEIVING AGENT HAS INSPECTED THE SHIPPING DOCUMENTS, AND APPROVED THE HOOK-UP OF EACH PRODUCT FOR UNLOADING. IF THIS PROCEDURE IS NOT ACCEPTABLE TO YOU, THE DRIVER HAS BEEN INSTRUCTED TO CALL HIS OFFICE.

THANK YOU, FIRST CHOICE LOGISTICS

SIGNATURE APPROVING COMPARTMENT #1 _____

SIGNATURE APPROVING COMPARTMENT #2 _____

SIGNATURE APPROVING COMPARTMENT #3 _____

SIGNATURE APPROVING COMPARTMENT #4 _____

HOSE USED

SUCTION	DISCHARGE
Feet 2"	Feet 2"
Feet 3"	Feet 3"

CUSTOMER UNLOAD	PUBLIC SCALE
RE-LOAD NO WASH	MILES TO SCALE
PRODUCT STEAMING	AMT. PAID \$

TIME ZONE (check one) <input type="checkbox"/> EASTERN <input type="checkbox"/> CENTRAL <input type="checkbox"/> MTN <input type="checkbox"/> PACIFIC										TIME ZONE (check one) <input type="checkbox"/> EASTERN <input type="checkbox"/> CENTRAL <input type="checkbox"/> MTN <input type="checkbox"/> PACIFIC									
LOADING TIME					EXPLANATION OF DELAY					UNLOADING TIME					EXPLANATION OF DELAY				
	1ST STOP	2ND STOP	3RD STOP		1ST	2ND	3RD	MARK WITH AN 'X' IN CORRESPONDING COLUMN								MARK WITH AN 'X' IN CORRESPONDING COLUMN			
REQUESTED ME								WAIT FOR LOADING	REQUESTED TIME							WAIT FOR RECEIVER			
ARRIVAL ME	<i>07:30</i>							WAIT FOR LAB TEST	ARRIVAL TIME							WAIT FOR LAB TEST			
ARTED LADING								WAIT FOR BILLS	SAMPLE TAKEN							SLOW UNLOADING			
WISHED LADING								STOP FOR LUNCH	SAMPLE APPROVED							DRUM OFF			
MPLE KEN								CARRIER EQUIPMENT FAILURE	STARTED UNLOADING							CARRIER EQUIPMENT FAILURE			
MPLE PROVED								WAIT FOR SCALE	FINISHED UNLOADING							WAIT FOR SCALE			
PART AE	<i>08:30</i>							WAIT FOR INSTRUCTIONS	DEPART TIME							WAIT FOR ROOM			
TAL								WAIT FOR OTHER CARRIERS	TOTAL							WAIT FOR OTHER CARRIERS			
								MATERIAL OUT OF SPEC.								MATERIAL OUT OF SPEC.			
								CUSTOMER EQUIPMENT FAILURE								CUSTOMER EQUIPMENT FAILURE			
OTHER (explain in detail)										OTHER (explain in detail)									

<p>EASE SIGN THAT TANK IS LOADED AND READY FOR SHIPMENT AND YOU AGREE WITH LOADING TIMES.</p> <p>SHIPPER'S SIGNATURE <i>[Signature]</i></p> <p>I HAVE INSPECTED THE TANK AND ALL COMPARTMENTS ARE SECURE AND READY FOR TRANSPORT.</p> <p>DRIVER'S SIGNATURE <i>[Signature]</i></p>	<p>PLEASE SIGN THAT YOU HAVE INSPECTED TANK AND CONTENTS HAVE BEEN REMOVED AND RECEIVED IN GOOD ORDER AND AGREE WITH UNLOADING TIMES.</p> <p>CONSIGNEE'S SIGNATURE <i>[Signature]</i></p> <p>I HAVE INSPECTED THE TANK AND ALL COMPARTMENTS ARE EMPTY. (IF NOT EMPTY, NOTIFY DISPATCHER IMMEDIATELY)</p> <p>DRIVER'S SIGNATURE <i>[Signature]</i></p>
--	---

is an acknowledgement that a bill of lading has been issued and is not the Original Bill of Lading, nor a copy or duplicate, covering the property named herein, and is intended solely for filing or record.

Carrier's No.

SCAC

Date 7/13/2006

FROM: Shipper *Universal Form Clamp*

Street

Street 840 South 25th Avenue

Destination Zion, IL

Zip

Origin *Bellwood IL*

Zip 60104

Route:

Vehicle Number

812

U.S. DOT Hazmat Reg. No.

Number of Shipping Units	HM	Description of articles, special marks, and exceptions	* WEIGHT (subject to correction)	CLASS OR RATE	CHARGES (For Carrier use only)	Check column
--------------------------	----	--	-------------------------------------	---------------	-----------------------------------	--------------

Construction Debris (Buckets + Lids)

30 yd

Baker Box # R25332

Remit C.O.D. to: US Risk Management
Address: 365 Canal Street, Suite 2760
City: New Orleans State: LA Zip: 70130

COD

AMT: \$

C. O. D. FEE:Prepaid ☐
Collect ☐ \$**TOTAL CHARGES:**

\$

Note. - where the rate is dependent on value, shippers are required to state specifically in writing the agreed or declared value of the property.

The agreed or declared value of the property is hereby specifically stated by the shipper to be not exceeding _____ per _____

Subject to Section 7 of conditions if this shipment is to be delivered to the consignee without recourse on the consignor, the consignor shall sign the following statement:
The carrier shall not make delivery of this shipment without payment of freight and all other lawful charges.

(Signature of Consignor)

FREIGHT CHARGES

FREIGHT PREPAID
Except when
box at right
is checked ☐

CHECK BOX
if charges are
to be collect

NOTE: Liability Limitation for loss or damage in this shipment may be applicable. See 49 U.S.C. 14706(c)(1)(A) and (B).

NOTE: Liability limitation for loss or damage in this shipment may be applicable. See 49 U.S.C. 14706(c)(1)(A) and (B).
 RECEIVED, subject to individually determined rates or contracts that have been agreed upon in writing between the carrier and shipper, if applicable, otherwise to the rates, classifications and rules that have been established by the carrier and are available to the shipper, on request; and all applicable state and federal regulations; the Property described below, in apparent good order, except as noted (contents and condition of contents of packages unknown), marked, consigned, and destined as indicated below which said company (the word "company" being understood throughout this contract as meaning any person or corporation in possession of the property under the contract) agrees to carry to delivery at said destination, if on its route, or otherwise to deliver to another carrier on the route to said destination. It is mutually agreed as to each carrier of all or any of said Property over all or any portion of said route to destination and as to each party at any time interested in all or any of said Property that every service to be performed hereunder shall be subject to all the conditions not prohibited by law, whether printed or written, herein contained, including the conditions on the back hereof, which are hereby agreed to by the shipper and accepted for himself and his assigns.

This is to certify that the above-named materials are properly classified, described, packaged, marked and labeled and are in proper condition for transportation according to the applicable regulations of the Department of Transportation. PER:

SHIPPER: Mike Phillips

PER: Universal Form Clamp DATE: 7/12/2006

CARRIER: FIRST CLASS

PER: [Signature]

DATE: 07-13-06

EMERGENCY RESPONSE
TELEPHONE NUMBER:

(225) 603-5191 James Laws

MONITORED AT ALL TIMES THE HAZARDOUS MATERIALS IS IN TRANSPORTATION, INCLUDING STORAGE INCIDENTAL TO TRANSPORTATION (172.604).

30-BLS-C3 993
(REV. 11/04)

First Choice

Logistics, Inc.

P.O. Box 450
Hazel Crest, IL 60429-0450
Toll Free 800-544-7781
Phone 708-210-3160
Fax 708-210-3176

FIRST CHOICE PRO NO.

110470

DRIVERS:

USE SEPARATE FORM FOR EACH CONSIGNEE

SHIPPER #1 <i>US RISK MANAGEMENT</i>		SHIPPER #2		SHIPPER #3		CONSIGNEE <i>ZION LADDER</i>	
CITY, STATE <i>Bellwood IL</i>		CITY, STATE		CITY, STATE		CITY, STATE <i>ZION IL</i>	
SHIPPING DATE <i>07-13-06</i>	BOL / MANIFEST NO.	LOADING TRACTOR <i>812</i>	TRAILER #1 <i>P001</i>	TRAILER #2	UNLOADING TRACTOR <i>812</i>	CUSTOMER NO.	DELIVERY DATE <i>07-13-06</i>
COMPT.	REQUESTED GALLONS	ACTUAL GALLONS	REQUESTED WEIGHT	ACTUAL WEIGHT	HM	COMMODITY DESCRIPTION <i>1- LD - NEW HAZ MAT</i>	

HOURLY WORK		CARRIER EQUIPMENT USED	
START TIME	LOCATION	TRACTOR PUMP.	DRUM NOZZLE
END TIME	LOCATION	TRACTOR AIR COMP.	INTRANSIT HEAT
PORTAL TO PORTAL	TOTAL HRS.	LINERS <input type="checkbox"/> Y <input type="checkbox"/> N QTY. _____	
NOTICE IN THE INTEREST OF SAFETY, THIS DRIVER CANNOT UNLOAD UNTIL THE RECEIVING AGENT HAS INSPECTED THE SHIPPING DOCUMENTS, AND APPROVED THE HOOK-UP OF EACH PRODUCT FOR UNLOADING. IF THIS PROCEDURE IS NOT ACCEPTABLE TO YOU, THE DRIVER HAS BEEN INSTRUCTED TO CALL HIS OFFICE. THANK YOU, FIRST CHOICE LOGISTICS SIGNATURE APPROVING COMPARTMENT #1 _____ SIGNATURE APPROVING COMPARTMENT #2 _____ SIGNATURE APPROVING COMPARTMENT #3 _____ SIGNATURE APPROVING COMPARTMENT #4 _____		HOSE USED	
		SUCTION DISCHARGE	
		Feet 2" Feet 2"	
		Feet 3" Feet 3":	
		CUSTOMER UNLOAD	PUBLIC SCALE
		RE-LOAD NO WASH	MILES TO SCALE
		PRODUCT STEAMING	AMT. PAID \$

TIME ZONE (check one) <input type="checkbox"/> EASTERN <input type="checkbox"/> CENTRAL <input type="checkbox"/> MTN <input type="checkbox"/> PACIFIC				TIME ZONE (check one) <input type="checkbox"/> EASTERN <input type="checkbox"/> CENTRAL <input type="checkbox"/> MTN <input type="checkbox"/> PACIFIC											
LOADING TIME				EXPLANATION OF DELAY				UNLOADING TIME				EXPLANATION OF DELAY			
	1ST STOP	2ND STOP	3RD STOP	1ST	2ND	3RD	MARK WITH AN 'X' IN CORRESPONDING COLUMN								MARK WITH AN 'X' IN CORRESPONDING COLUMN
REQUESTED TIME	<i>0700</i>						WAIT FOR LOADING	REQUESTED TIME							WAIT FOR RECEIVER
ARRIVAL TIME	<i>0630</i>						WAIT FOR LAB TEST	ARRIVAL TIME							WAIT FOR LAB TEST
STARTED LOADING							WAIT FOR BILLS	SAMPLE TAKEN							SLOW UNLOADING
FINISHED LOADING							STOP FOR LUNCH	SAMPLE APPROVED							DRUM OFF
SAMPLE TAKEN							CARRIER EQUIPMENT FAILURE	STARTED UNLOADING							CARRIER EQUIPMENT FAILURE
SAMPLE APPROVED							WAIT FOR SCALE	FINISHED UNLOADING							WAIT FOR SCALE
DEPART TIME	<i>0715</i>						WAIT FOR INSTRUCTIONS	DEPART TIME							WAIT FOR ROOM
TOTAL							WAIT FOR OTHER CARRIERS	TOTAL							WAIT FOR OTHER CARRIERS
							MATERIAL OUT OF SPEC.								MATERIAL OUT OF SPEC.
							CUSTOMER EQUIPMENT FAILURE								CUSTOMER EQUIPMENT FAILURE

OTHER (explain in detail)	OTHER (explain in detail)
PLEASE SIGN THAT TANK IS LOADED AND READY FOR SHIPMENT AND YOU AGREE WITH LOADING TIMES. SHIPPER'S SIGNATURE <i>[Signature]</i> I HAVE INSPECTED THE TANK AND ALL COMPARTMENTS ARE SECURE AND READY FOR TRANSPORT. DRIVER'S SIGNATURE <i>[Signature]</i>	PLEASE SIGN THAT YOU HAVE INSPECTED TANK AND CONTENTS HAVE BEEN REMOVED AND RECEIVED IN GOOD ORDER AND AGREE WITH UNLOADING TIMES. CONSIGNEE'S SIGNATURE _____ I HAVE INSPECTED THE TANK AND ALL COMPARTMENTS ARE EMPTY. (IF NOT EMPTY, NOTIFY DISPATCHER IMMEDIATELY) DRIVER'S SIGNATURE _____

is an acknowledgement that a bill of lading has been issued and is not the Original Bill of Lading, nor a copy or duplicate, covering the property named herein, and is intended solely for filing or record.

Carrier's No.

SCAC

Date 7-13-2006

FROM: Shipper *Universal Film Clamp*

Street 840 South 25th Ave

Origin Bellwood, IL Zip 60104

Vehicle Number

U.S. DOT Hazmat Reg. No.

812

1	Construction Debris (Buckets + lids) Baker Box # R2924RT	30yd
---	---	------

COD

AMT: \$

Prepaid ☐
Collect ☐ \$

TOTAL CHARGES:

\$

Subject to Section 7 of conditions if this shipment is to be delivered to the consignee without recourse on the consignor, the consignor shall sign the following statement:

The carrier shall not make delivery of this shipment without payment of freight and all other lawful charges.

(Signature of Consignor)

FREIGHT PREPAID
Except when
box at right
is checked ☐ **CHECK BOX**
if charges are
to be collect

RECEIVED, subject to individually determined rates or contracts that have been agreed upon in writing between the carrier and shipper, if applicable, otherwise to the rates, classifications and rules that have been established by the carrier and are available to the shipper, on request, and all applicable state and federal regulations; the Property described below, in apparent good order, except as noted (contents and condition of contents of packages unknown), marked, consigned, and destined as indicated below which said company (the word company being understood throughout this contract as meaning any person or corporation in possession of the property under the contract) agrees to carry to delivery at said destination, if on its route, or otherwise to deliver to another carrier on the route to said destination. It is mutually agreed as to each carrier of all or any of said Property over all or any portion of said route to destination and as to each party at any time interested in all or any of said Property that every service to be performed hereunder shall be subject to all the conditions not prohibited by law, whether printed or written, herein contained, including the conditions on the back hereof, which are hereby agreed to by the shipper and accepted for himself and his assigns.

SHIPPER: *[Signature]*

PER: Nike Phum DATE: 7-13-06

UNIVERSAL FORM CLAIMS
EMERGENCY RESPONSE
TELEPHONE NUMBER: (735) 603-5191 James Laws

CARRIER First class

PER: First Choice DATE: 07-13-06
Am F mo

MONITORED AT ALL TIMES THE HAZARDOUS MATERIALS IS IN TRANSPORTATION, INCLUDING STORAGE INCIDENTAL TO TRANSPORTATION (172.604).

**FIRST CHOICE PRO NO.**

1	1	0	4	7	1
---	---	---	---	---	---

DRIVERS:
USE SEPARATE FORM FOR EACH CONSIGNEE

SHIPPER #1 US RISK MANG.		SHIPPER #2		SHIPPER #3		CONSIGNEE ZION LANDFILL	
CITY, STATE Bellingham I1		CITY, STATE		CITY, STATE		CITY, STATE ZION	
SHIPPING DATE 7-13-21	BOL / MANIFEST NO.	LOADING TRACTOR 812	TRAILER #1 DOD1	TRAILER #2	UNLOADING TRACTOR 812	CUSTOMER NO.	DELIVERY DATE 7-13-26
COMPT.	REQUESTED GALLONS	ACTUAL GALLONS	REQUESTED WEIGHT	ACTUAL WEIGHT	HM	COMMODITY DESCRIPTION 1-1d-ADD HAZ MAT	

HOURLY WORK		CARRIER EQUIPMENT USED			
START TIME	LOCATION	TRACTOR PUMP.		DRUM NOZZLE	
END TIME	LOCATION	TRACTOR AIR COMP.		INTRANSIT HEAT	
PORTAL TO PORTAL	TOTAL HRS.	LINERS <input type="checkbox"/> Y <input type="checkbox"/> N QTY. _____			

N O T I C E	IN THE INTEREST OF SAFETY, THIS DRIVER CANNOT UNLOAD UNTIL THE RECEIVING AGENT HAS INSPECTED THE SHIPPING DOCUMENTS, AND APPROVED THE HOOK-UP OF EACH PRODUCT FOR UNLOADING. IF THIS PROCEDURE IS NOT ACCEPTABLE TO YOU, THE DRIVER HAS BEEN INSTRUCTED TO CALL HIS OFFICE.		
	THANK YOU,		
	FIRST CHOICE		
	LOGISTICS		
	SIGNATURE APPROVING COMPARTMENT #1 _____		
	SIGNATURE APPROVING COMPARTMENT #2 _____		
	SIGNATURE APPROVING COMPARTMENT #3 _____		
	SIGNATURE APPROVING COMPARTMENT #4 _____		
HOSE USED			
SUCTION _____ Feet 2" _____ Feet 3"		DISCHARGE _____ Feet 2" _____ Feet 3:	
CUSTOMER UNLOAD _____		PUBLIC SCALE _____	
RE-LOAD NO WASH _____		MILES TO SCALE _____	
PRODUCT STEAMING _____		AMT. PAID \$ _____	

TIME ZONE (check one) ☐ EASTERN ☐ CENTRAL ☐ MTN ☐ PACIFIC

LOADING TIME				EXPLANATION OF DELAY				UNLOADING TIME		EXPLANATION OF DELAY	
	1ST STOP	2ND STOP	3RD STOP	1ST	2ND	3RD	MARK WITH AN 'X' IN CORRESPONDING COLUMN				MARK WITH AN 'X' IN CORRESPONDING COLUMN
REQUESTED TIME							WAIT FOR LOADING	REQUESTED TIME			WAIT FOR RECEIVER
ARRIVAL TIME	1045						WAIT FOR LAB TEST	ARRIVAL TIME			WAIT FOR LAB TEST
STARTED LOADING							WAIT FOR BILLS	SAMPLE TAKEN			SLOW UNLOADING
FINISHED LOADING							STOP FOR LUNCH	SAMPLE APPROVED			DRUM OFF
SAMPLE TAKEN							CARRIER EQUIPMENT FAILURE	STARTED UNLOADING			CARRIER EQUIPMENT FAILURE
SAMPLE APPROVED							WAIT FOR SCALE	FINISHED UNLOADING			WAIT FOR SCALE
DEPART TIME	1130						WAIT FOR INSTRUCTIONS	DEPART TIME			WAIT FOR ROOM
TOTAL							WAIT FOR OTHER CARRIERS				WAIT FOR OTHER CARRIERS
							MATERIAL OUT OF SPEC.				MATERIAL OUT OF SPEC.
							CUSTOMER EQUIPMENT FAILURE	TOTAL			CUSTOMER EQUIPMENT FAILURE

OTHER (explain in detail)	OTHER (explain in detail)

PLEASE SIGN THAT TANK IS LOADED AND READY FOR SHIPMENT AND YOU AGREE WITH LOADING TIMES.	PLEASE SIGN THAT YOU HAVE INSPECTED TANK AND CONTENTS HAVE BEEN REMOVED AND RECEIVED IN GOOD ORDER AND AGREE WITH UNLOADING TIMES.

SHIPPER'S SIGNATURE _____

<p>I HAVE INSPECTED THE TANK AND ALL COMPARTMENTS ARE SECURE AND READY FOR TRANSPORT.</p>	<p>I HAVE INSPECTED THE TANK AND ALL COMPARTMENTS ARE EMPTY. (IF NO EMPTY, NOTIFY DISPATCHER IMMEDIATELY)</p>
---	---

DRIVER'S SIGNATURE _____ DRIVER'S SIGNATURE _____



P.O. Box 450
Hazel Crest, IL 60429-0450
Toll Free 800-544-7781
Phone 708-210-3160
Fax 708-210-3176

FIRST CHOICE PRO NO. **110445**

DRIVERS:
USE SEPARATE FORM FOR EACH CONSIGNEE

SHIPPER #1 <i>Universal Firm</i>		SHIPPER #2		SHIPPER #3		CONSIGNEE <i>Only</i>									
CITY, STATE <i>Bellwood</i>		CITY, STATE		CITY, STATE		CITY, STATE <i>Zion IL</i>									
SHIPPING DATE <i>7-13-06</i>		BOL / MANIFEST NO.		LOADING TRACTOR <i>712</i>		TRAILER #1 <i>20-958</i>		TRAILER #2		UNLOADING TRACTOR		CUSTOMER NO.		DELIVERY DATE	
COMPT.	REQUESTED GALLONS	ACTUAL GALLONS	REQUESTED WEIGHT	ACTUAL WEIGHT	HM	COMMODITY DESCRIPTION <i>Construction Debris</i>									

HOURLY WORK		CARRIER EQUIPMENT USED	
START TIME	LOCATION	TRACTOR PUMP.	DRUM NOZZLE
END TIME	LOCATION	TRACTOR AIR COMP.	INTRANSIT HEAT
PORTAL TO PORTAL	TOTAL HRS.	LINERS <input type="checkbox"/> Y <input type="checkbox"/> N QTY.	

NOTICE

IN THE INTEREST OF SAFETY, THIS DRIVER CANNOT UNLOAD UNTIL THE RECEIVING AGENT HAS INSPECTED THE SHIPPING DOCUMENTS, AND APPROVED THE HOOK-UP OF EACH PRODUCT FOR UNLOADING. IF THIS PROCEDURE IS NOT ACCEPTABLE TO YOU, THE DRIVER HAS BEEN INSTRUCTED TO CALL HIS OFFICE.

THANK YOU,
FIRST CHOICE LOGISTICS

SIGNATURE APPROVING COMPARTMENT #1 _____
SIGNATURE APPROVING COMPARTMENT #2 _____
SIGNATURE APPROVING COMPARTMENT #3 _____
SIGNATURE APPROVING COMPARTMENT #4 _____

HOSE USED	
SUCTION	DISCHARGE
Feet 2"	Feet 2"
Feet 3"	Feet 3"
CUSTOMER UNLOAD	PUBLIC SCALE
RE-LOAD NO WASH	MILES TO SCALE
PRODUCT STEAMING	AMT. PAID \$

TIME ZONE (check one) ☐ EASTERN ☐ CENTRAL ☐ MTN ☐ PACIFIC

LOADING TIME				EXPLANATION OF DELAY				UNLOADING TIME				EXPLANATION OF DELAY			
	1ST STOP	2ND STOP	3RD STOP	1ST	2ND	3RD	MARK WITH AN 'X' IN CORRESPONDING COLUMN								MARK WITH AN 'X' IN CORRESPONDING COLUMN
REQUESTED TIME							WAIT FOR LOADING	REQUESTED TIME							WAIT FOR RECEIVER
ARRIVAL TIME	<i>1245</i>						WAIT FOR LAB TEST	ARRIVAL TIME							WAIT FOR LAB TEST
STARTED LOADING							WAIT FOR BILLS	SAMPLE TAKEN							SLOW UNLOADING
FINISHED LOADING							STOP FOR LUNCH	SAMPLE APPROVED							DRUM OFF
SAMPLE TAKEN							CARRIER EQUIPMENT FAILURE	STARTED UNLOADING							CARRIER EQUIPMENT FAILURE
SAMPLE APPROVED							WAIT FOR SCALE	FINISHED UNLOADING							WAIT FOR SCALE
DEPART TIME	<i>1300</i>						WAIT FOR INSTRUCTIONS	DEPART TIME							WAIT FOR ROOM
TOTAL							WAIT FOR OTHER CARRIERS	TOTAL							WAIT FOR OTHER CARRIERS
							MATERIAL OUT OF SPEC.								MATERIAL OUT OF SPEC.
							CUSTOMER EQUIPMENT FAILURE								CUSTOMER EQUIPMENT FAILURE

OTHER (explain in detail) _____

PLEASE SIGN THAT TANK IS LOADED AND READY FOR SHIPMENT AND YOU AGREE WITH LOADING TIMES.

SHIPPER'S SIGNATURE _____ CONSIGNEE'S SIGNATURE _____

I HAVE INSPECTED THE TANK AND ALL COMPARTMENTS ARE SECURE AND READY FOR TRANSPORT.

DRIVER'S SIGNATURE _____ I HAVE INSPECTED THE TANK AND ALL COMPARTMENTS ARE EMPTY. (IF NOT EMPTY, NOTIFY DISPATCHER IMMEDIATELY)
DRIVER'S SIGNATURE _____

is an acknowledgement that a bill of lading has been issued and is not the Original Bill of Lading, nor a copy or duplicate, covering the property named herein, and is intended solely for filing or record.

Carrier's No.

SCAC

Date _____

7/14/06

FROM: Shipper *Universal Form Clamp*

Street 840 South 25th Ave

Origin Bellwood, IL Zip 60104

Route: _____

Vehicle Number

U.S. DOT Hazmat Reg. No.

72

Number of Shipping Units	HM	Description of articles, special marks, and exceptions	* WEIGHT (subject to correction)	CLASS OR RATE	CHARGES (For Carrier use only)	Check column
1		Resin/Urea Product ROB # 20-129	20 yd			
252						

COD
AMT: \$

C. O. D. FEE:Prepaid ☐ \$
Collect ☐ \$

TOTAL CHARGES:	
1000	1000

\$

Note. - where the rate is dependent on value, shippers are required to state specifically in writing the agreed or declared value of the property.

The agreed or declared value of the property is hereby specifically stated by the shipper to be not exceeding _____ per _____

Subject to Section 7 of conditions if this shipment is to be delivered to the consignee without recourse on the consignor, the consignor shall sign the following statement:
The carrier shall not make delivery of this shipment without payment of freight and all other lawful charges.

(Signature of Consignor)

FREIGHT CHARGES

FREIGHT PREPAID
 Except when ☐ CHECK BOX
 box at right if charges are
 is checked to be collect

NOTE: Liability limitation for loss or damage in this shipment may be applicable. See 49 U.S.C. 14706(c)(1)(A) and (B).

NOTE: Liability Limitation for loss or damage in this shipment may be applicable. See 49 U.S.C. 14706(c)(1)(A) and (B).
 RECEIVED, subject to individually determined rates or contracts that have been agreed upon in writing between the carrier and shipper, if applicable, otherwise to the rates, classifications and rules that have been established by the carrier and are available to the shipper, on request, and all applicable state and federal regulations; the Property described below, in apparent good order, except as noted (contents and condition of contents of packages unknown), marked, consigned, and destined as indicated below which said company (the word "company" being understood throughout this contract as meaning any person or corporation in possession of the property under the contract) agrees to carry to delivery at said destination, if on its route, or otherwise to deliver to another carrier on the route to said destination. It is mutually agreed as to each carrier of all or any of said Property over all or any portion of said route to destination and as to each party at any time interested in all or any of said Property that every service to be performed hereunder shall be subject to all the conditions not prohibited by law, whether printed or written, herein contained, including the conditions on the back hereof, which are hereby agreed to by the shipper and accepted for himself and his assigns.

This is to certify that the above-named materials are properly classified, described, packaged, marked and labeled and are in proper condition for transportation according to the applicable regulations of the Department of Transportation. PER:

SHIPPER: WFO WAC

CARRIER: First Choice

PER: MIKE MILLER DATE: 7-13-06

PER: K. B. [Signature] DATE: 7-16-06

EMERGENCY RESPONSE
TELEPHONE NUMBER: (225) 603-5191 James Laws

MONITORED AT ALL TIMES THE HAZARDOUS MATERIALS IS IN TRANSPORTATION, INCLUDING STORAGE INCIDENTAL TO TRANSPORTATION (172.604).

First Choice
Logistics, Inc.

P.O. Box 450
Hazel Crest, IL 60429-0450
Toll Free 800-544-7781
Phone 708-210-3160
Fax 708-210-3176

FIRST CHOICE PRO NO.

110378

DRIVERS:

USE SEPARATE FORM FOR EACH CONSIGNEE

SHIPPER #1 <i>US Risk manager</i>		SHIPPER #2		SHIPPER #3		CONSIGNEE <i>Zion Hill</i>	
CITY, STATE <i>Bellwood IL</i>		CITY, STATE		CITY, STATE		CITY, STATE <i>Zion Hill</i>	
SHIPPING DATE <i>7-14-06</i>	BOL / MANIFEST NO. <i>119272</i>	LOADING TRACTOR <i>721</i>	TRAILER #1 <i>20-129</i>	TRAILER #2	UNLOADING TRACTOR <i>721</i>	CUSTOMER NO.	DELIVERY DATE <i>7-14-06</i>
COMPT.	REQUESTED GALLONS	ACTUAL GALLONS	REQUESTED WEIGHT	ACTUAL WEIGHT	HM	COMMODITY DESCRIPTION <i>NOS HAZ WST</i>	

HOURLY WORK		CARRIER EQUIPMENT USED	
START TIME	LOCATION	TRACTOR PUMP.	DRUM NOZZLE
END TIME	LOCATION	TRACTOR AIR COMP.	INTRANSIT HEAT
PORTAL TO PORTAL	TOTAL HRS.	LINERS <input type="checkbox"/> Y <input type="checkbox"/> N QTY. _____	

NOTICE

IN THE INTEREST OF SAFETY, THIS DRIVER CANNOT UNLOAD UNTIL THE RECEIVING AGENT HAS INSPECTED THE SHIPPING DOCUMENTS, AND APPROVED THE HOOK-UP OF EACH PRODUCT FOR UNLOADING. IF THIS PROCEDURE IS NOT ACCEPTABLE TO YOU, THE DRIVER HAS BEEN INSTRUCTED TO CALL HIS OFFICE.

THANK YOU,
FIRST CHOICE LOGISTICS

SIGNATURE APPROVING
COMPARTMENT #1 _____

SIGNATURE APPROVING
COMPARTMENT #2 _____

SIGNATURE APPROVING
COMPARTMENT #3 _____

SIGNATURE APPROVING
COMPARTMENT #4 _____

HOSE USED	
SUCTION	DISCHARGE
Feet 2"	Feet 2"
Feet 3"	Feet 3"
CUSTOMER UNLOAD	PUBLIC SCALE
RE-LOAD NO WASH	MILES TO SCALE
PRODUCT STEAMING	AMT. PAID \$

TIME ZONE (check one) ☐ EASTERN ☒ CENTRAL ☐ MTN ☐ PACIFIC

LOADING TIME				EXPLANATION OF DELAY				UNLOADING TIME				EXPLANATION OF DELAY			
	1ST STOP	2ND STOP	3RD STOP	1ST	2ND	3RD	MARK WITH AN 'X' IN CORRESPONDING COLUMN								MARK WITH AN 'X' IN CORRESPONDING COLUMN
REQUESTED TIME							WAIT FOR LOADING	REQUESTED TIME							WAIT FOR RECEIVER
ARRIVAL TIME	<i>7:15</i>						WAIT FOR LAB TEST	ARRIVAL TIME							WAIT FOR LAB TEST
STARTED LOADING							WAIT FOR BILLS	SAMPLE TAKEN							SLOW UNLOADING
FINISHED LOADING							STOP FOR LUNCH	SAMPLE APPROVED							DRUM OFF
SAMPLE TAKEN							CARRIER EQUIPMENT FAILURE	STARTED UNLOADING							CARRIER EQUIPMENT FAILURE
SAMPLE APPROVED							WAIT FOR SCALE	FINISHED UNLOADING							WAIT FOR SCALE
DEPART TIME	<i>8:15</i>						WAIT FOR INSTRUCTIONS	DEPART TIME							WAIT FOR ROOM
TOTAL							WAIT FOR OTHER CARRIERS	TOTAL							WAIT FOR OTHER CARRIERS
							MATERIAL OUT OF SPEC.								MATERIAL OUT OF SPEC.
							CUSTOMER EQUIPMENT FAILURE								CUSTOMER EQUIPMENT FAILURE

OTHER (explain in detail)

OTHER (explain in detail)

PLEASE SIGN THAT TANK IS LOADED AND READY FOR SHIPMENT AND YOU AGREE WITH LOADING TIMES.

SHIPPER'S SIGNATURE

I HAVE INSPECTED THE TANK AND ALL COMPARTMENTS ARE SECURE AND READY FOR TRANSPORT.

DRIVER'S SIGNATURE

PLEASE SIGN THAT YOU HAVE INSPECTED TANK AND CONTENTS HAVE BEEN REMOVED AND RECEIVED IN GOOD ORDER AND AGREE WITH UNLOADING TIMES.

CONSIGNEE'S SIGNATURE

I HAVE INSPECTED THE TANK AND ALL COMPARTMENTS ARE EMPTY. (IF NOT EMPTY, NOTIFY DISPATCHER IMMEDIATELY)

DRIVER'S SIGNATURE

CUSTOMER COPY

No. 118272

Section I

GENERATOR (Generator completes all of Section I)

a. Generator Name: Universal Farm Corp

b. Generating Location: Same

c. Address: 740 Green Bay Ave
Bellwood IL 60104

d. Address: _____

e. Phone No.: 815-838-5734

f. Phone No.: _____

g. Owner's Name: M. J. P. H. 24

h. Owner's Phone No.: _____

i. Waste Profile No.: 002323

j. Description of Waste: Resin/Water Product

Quantity

Units

TYPE

k. Quantity — Ld 1

20

☒

7

Quantity — Ld 2

☐

Quantity — Ld 3

☐

Quantity — Ld 4

☐

TYPE

D - DRUM

T - TRUCK

O - OTHER

UNITS

Y - YARDS

O - OTHER

*GENERATOR'S CERTIFICATION: I hereby certify that the above named material is not a hazardous waste as defined by 40 CFR Part 261 or any applicable state law, has been properly described, classified and packaged, and is in proper condition for transportation according to applicable regulations; **AND, if the waste is a treatment residue of a previously restricted hazardous waste** subject to the Land Disposal Restrictions, I certify and warrant that the waste has been treated in accordance with the requirements of 40 CFR Part 268 and is no longer a hazardous waste as defined by 40 CFR Part 261.

Generator Authorized Agent Name

Signature

Shipment Date 071406

TOTAL VOLUME

Section II

TRANSPORTER (Generator completes a-d; Transporter I complete c-g; Transporter II complete h-n)

TRANSPORTER I

a. Name: F. J. Schuler

b. Address: 2320 W 107th Street
Markham IL 60428

c. Driver Name/Title: Mike Schuler

d. Phone No.: 815-471-1111

e. Truck No.: 241

f. Vehicle License No./State: _____

g. [Signature]

Driver Signature

Shipment Date 071406

TRANSPORTER II

h. Name: _____

i. Address: _____

j. Driver Name/Title: _____

k. Phone No.: _____

l. Truck No.: _____

m. Vehicle License No./State: _____

n. [Signature]

Driver Signature

Shipment Date 071406

Acknowledgement of Receipt of Materials.

Acknowledgement of Receipt of Materials.

Section III

DESTINATION (Generator completes a-d; destination site completes e-f)

a. Site Name: Veolia ES Zion Landfill

c. Phone No.: 847-623-3870

b. Physical Address: 701 Green Bay Rd.
Zion, IL 60099

d. Mailing Address: SAME

e. Discrepancy Indication Space: _____

I hereby certify that the above named material has been accepted and to the best of my knowledge the foregoing is true and accurate.

f. _____

Signature

Receipt Date 071406

Name of Authorized Agent

Signature

Receipt Date

THIS MEMORANDUM

Is an acknowledgement that a bill of lading has been issued and is not the Original Bill of Lading, nor a copy or duplicate, covering the property named herein, and is intended solely for filing or record.

Shipper's No. _____

Carrier's No. _____

CARRIER:

SCAC

Date 7/14/06

TO: Consignee Onyx / Veolia Landfill

FROM: Shipper Universal Form clamp

Street

Street 840 South 25th Ave

Destination Zion IL Zip 60099

Origin Bellwood, IL Zip 60104

Route:

Vehicle Number

715

U.S. DOT Hazmat Reg. No.

Number of Shipping Units	HM	Description of articles, special marks, and exceptions	* WEIGHT (subject to correction)	CLASS OR RATE	CHARGES (For Carrier use only)	Check column
1		<u>Resin / Urea Product</u> <u>ROBA20-934</u>	<u>20yd</u>			

Remit C.O.D. to: US Risk Management
Address: 365 Canal Street Suite 2700
City: New Orleans State: LA Zip: 70130

COD

C. O. D. FEE:

Prepaid ☐

Collect ☐ \$

TOTAL CHARGES:

\$

Note. - where the rate is dependent on value, shippers are required to state specifically in writing the agreed or declared value of the property.

The agreed or declared value of the property is hereby specifically stated by the shipper to be not exceeding _____ per _____

Subject to Section 7 of conditions if this shipment is to be delivered to the consignee without recourse on the consignor, the consignor shall sign the following statement:
The carrier shall not make delivery of this shipment without payment of freight and all other lawful charges.

(Signature of Consignor)

FREIGHT CHARGES

FREIGHT PREPAID

Except when box at right is checked

CHECK BOX ☐ if charges are to be collect

NOTE: Liability Limitation for loss or damage in this shipment may be applicable. See 49 U.S.C. 14706(c)(1)(A) and (B). RECEIVED, subject to individually determined rates or contracts that have been agreed upon in writing between the carrier and shipper, if applicable, otherwise to the rates, classifications and rules that have been established by the carrier and are available to the shipper, on request; and all applicable state and federal regulations; the Property described below, in apparent good order, except as noted (contents and condition of contents of packages unknown), marked, consigned, and destined as indicated below which said company (the world company being understood throughout this contract as meaning any person or corporation in possession of the property under the contract) agrees to carry to delivery at said destination, if on its route, or otherwise to deliver to another carrier on the route to said destination. It is mutually agreed as to each carrier of all or any of said Property over all or any portion of said route to destination and as to each party at any time interested in all or any of said Property that every service to be performed hereunder shall be subject to all the conditions not prohibited by law, whether printed or written, herein contained, including the conditions on the back hereof, which are hereby agreed to by the shipper and accepted for himself and his assigns.

This is to certify that the above-named materials are properly classified, described, packaged, marked and labeled and are in proper condition for transportation according to the applicable regulations of the Department of Transportation. PER:

SHIPPER: UFC, INC

CARRIER: FCL

PER: Mike Phillips DATE: 7-13-06

PER: Mise Stewart DATE: 7/14/06

EMERGENCY RESPONSE
TELEPHONE NUMBER:

(225) 603-5191 James Laws

MONITORED AT ALL TIMES THE HAZARDOUS MATERIALS IS IN TRANSPORTATION, INCLUDING STORAGE INCIDENTAL TO TRANSPORTATION (172.604).

First Choice
Logistics, Inc.

P.O. Box 450
Hazel Crest, IL 60429-0450
Toll Free 800-544-7781
Phone 708-210-3160
Fax 708-210-3176

FIRST CHOICE PRO NO. **110386**

DRIVERS:
USE SEPARATE FORM FOR EACH CONSIGNEE

SHIPPER #1 <i>US Risk</i>		SHIPPER #2		SHIPPER #3		CONSIGNEE <i>Zion Landfill</i>	
CITY, STATE <i>Bellwood, IL</i>		CITY, STATE		CITY, STATE		CITY, STATE <i>Zion, IL</i>	
SHIPPING DATE <i>7/14</i>	BOL / MANIFEST NO.	LOADING TRACTOR <i>715</i>	TRAILER #1 <i>20934</i>	TRAILER #2	UNLOADING TRACTOR	CUSTOMER NO.	DELIVERY DATE
COMPT.	REQUESTED GALLONS	ACTUAL GALLONS	REQUESTED WEIGHT	ACTUAL WEIGHT <i>20y</i>	HM	COMMODITY DESCRIPTION <i>Non Haz. spec. waste</i>	

HOURLY WORK		CARRIER EQUIPMENT USED	
START TIME	LOCATION	TRACTOR PUMP.	DRUM NOZZLE
END TIME	LOCATION	TRACTOR AIR COMP.	INTRANSIT HEAT
PORTAL TO PORTAL	TOTAL HRS.	LINERS <input type="checkbox"/> Y <input type="checkbox"/> N QTY. _____	

NOTICE	IN THE INTEREST OF SAFETY, THIS DRIVER CANNOT UNLOAD UNTIL THE RECEIVING AGENT HAS INSPECTED THE SHIPPING DOCUMENTS, AND APPROVED THE HOOK-UP OF EACH PRODUCT FOR UNLOADING. IF THIS PROCEDURE IS NOT ACCEPTABLE TO YOU, THE DRIVER HAS BEEN INSTRUCTED TO CALL HIS OFFICE.	
	THANK YOU,	SIGNATURE APPROVING COMPARTMENT #1
	FIRST CHOICE	SIGNATURE APPROVING COMPARTMENT #2
	LOGISTICS	SIGNATURE APPROVING COMPARTMENT #3
		SIGNATURE APPROVING COMPARTMENT #4
HOSE USED		
SUCTION DISCHARGE		
Feet 2" Feet 2"		
Feet 3" Feet 3"		
CUSTOMER UNLOAD	PUBLIC SCALE	
RE-LOAD NO WASH	MILES TO SCALE	
PRODUCT STEAMING	AMT. PAID \$	

TIME ZONE (check one) <input type="checkbox"/> EASTERN <input checked="" type="checkbox"/> CENTRAL <input type="checkbox"/> MTN <input type="checkbox"/> PACIFIC				TIME ZONE (check one) <input type="checkbox"/> EASTERN <input checked="" type="checkbox"/> CENTRAL <input type="checkbox"/> MTN <input type="checkbox"/> PACIFIC											
LOADING TIME				EXPLANATION OF DELAY				UNLOADING TIME				EXPLANATION OF DELAY			
	1ST STOP	2ND STOP	3RD STOP	1ST	2ND	3RD	MARK WITH AN 'X' IN CORRESPONDING COLUMN								MARK WITH AN 'X' IN CORRESPONDING COLUMN
REQUESTED TIME							WAIT FOR LOADING	REQUESTED TIME							WAIT FOR RECEIVER
ARRIVAL TIME	<i>830</i>						WAIT FOR LAB TEST	ARRIVAL TIME							WAIT FOR LAB TEST
STARTED LOADING							WAIT FOR BILLS	SAMPLE TAKEN							SLOW UNLOADING
FINISHED LOADING							STOP FOR LUNCH	SAMPLE APPROVED							DRUM OFF
SAMPLE TAKEN							CARRIER EQUIPMENT FAILURE	STARTED UNLOADING							CARRIER EQUIPMENT FAILURE
SAMPLE APPROVED							WAIT FOR SCALE	FINISHED UNLOADING							WAIT FOR SCALE
DEPART TIME	<i>0930</i>						WAIT FOR INSTRUCTIONS	DEPART TIME							WAIT FOR ROOM
TOTAL	<i>1</i>						WAIT FOR OTHER CARRIERS								WAIT FOR OTHER CARRIERS
							MATERIAL OUT OF SPEC.								MATERIAL OUT OF SPEC.
							CUSTOMER EQUIPMENT FAILURE								CUSTOMER EQUIPMENT FAILURE

OTHER (explain in detail)		OTHER (explain in detail)	
PLEASE SIGN THAT TANK IS LOADED AND READY FOR SHIPMENT AND YOU AGREE WITH LOADING TIMES.		PLEASE SIGN THAT YOU HAVE INSPECTED TANK AND CONTENTS HAVE BEEN REMOVED AND RECEIVED IN GOOD ORDER AND AGREE WITH UNLOADING TIMES.	
SHIPPER'S SIGNATURE <i>[Signature]</i>	CONSIGNEE'S SIGNATURE	I HAVE INSPECTED THE TANK AND ALL COMPARTMENTS ARE SECURE AND READY FOR TRANSPORT.	
DRIVER'S SIGNATURE <i>[Signature]</i>	DRIVER'S SIGNATURE	I HAVE INSPECTED THE TANK AND ALL COMPARTMENTS ARE EMPTY. (IF NOT EMPTY, NOTIFY DISPATCHER IMMEDIATELY)	

CUSTOMER COPY



ENVIRONMENTAL SERVICES

CERTIFIED NON-SPECIAL WASTE MANIFEST

No. 119276

Section I

GENERATOR (Generator completes all of Section I)

a. Generator Name: Universal Foam Corp

b. Generating Location: Same

c. Address: 9400 S. 1st St. Ave

d. Address: _____

Rollwood IL 60104

e. Phone No.: 815-238-5634

f. Phone No.: _____

If owner of the generating facility differs from the generator, provide:

g. Owner's Name: Mike Phillips

k. Quantity — Ld 1

h. Owner's Phone No.: Same

Quantity — Ld 2

i. Waste Profile No.: 003323

Quantity — Ld 3

j. Description of Waste: foam / urea product

Quantity — Ld 4

Quantity Units TYPE

Quantity — Ld 1 20 Y T

Quantity — Ld 2

Quantity — Ld 3

Quantity — Ld 4

TYPE
D - DRUM
T - TRUCK
O - OTHER
UNITS
Y - YARDS
O - OTHER

*GENERATOR'S CERTIFICATION: I hereby certify that the above named material is not a hazardous waste as defined by 40 CFR Part 261 or any applicable state law, has been properly described, classified and packaged, and is in proper condition for transportation according to applicable regulations; **AND, if the waste is a treatment residue of a previously restricted hazardous waste** subject to the Land Disposal Restrictions, I certify and warrant that the waste has been treated in accordance with the requirements of 40 CFR Part 268 and is no longer a hazardous waste as defined by 40 CFR Part 261.

TOTAL VOLUME

Generator Authorized Agent Name

Signature

071406

Shipment Date

Section II

TRANSPORTER

(Generator completes a-d; Transporter I complete c-g; Transporter II complete h-n)

TRANSPORTER I

a. Name: First Choice Transport

h. Name: _____

b. Address: 3322 W. 147th Street

i. Address: _____

Northbrook IL 60062

c. Driver Name/Title: Mike Stewart / Driver

j. Driver Name/Title: _____

d. Phone No.: 708-254-7061

k. Phone No.: _____

e. Truck No.: 715

l. Truck No.: _____

f. Vehicle License No./State: P4441240

m. Vehicle License No./State: _____

Acknowledgement of Receipt of Materials.

Acknowledgement of Receipt of Materials.

g. Driver Signature

671406
Shipment Date

n. Driver Signature

Shipment Date

Section III

DESTINATION

(Generator completes a-d; destination site completes e-f)

a. Site Name: Veolia ES Zion Landfill

c. Phone No.: 847-623-3870

b. Physical Address: 701 Green Bay Rd.

d. Mailing Address: SAME

Zion, IL 60099

e. Discrepancy Indication Space: _____

I hereby certify that the above named material has been accepted and to the best of my knowledge the foregoing is true and accurate.

f. Name of Authorized Agent

Signature

Receipt Date

* Shipper refers to the company which owns, leases, operates, controls, or supervises the facility being demolished or renovated, or the demolition or renovation operation, or both.

Carrier's No.

Date _____

Date 7/15/06

840 South 25th Ave

Zip 60104

U.S. DOT Hazmat Reg. No.

730

Check column	
--------------	--

20yd

ROB# 20-938

\$

CHECK BOX
if charges are
to be collect

RECEIVED, subject to individually determined rates or contracts that have been agreed upon in writing between the carrier and shipper, if applicable, otherwise to the rates, classifications and rules that have been established by the carrier and are available to the shipper, on request; and all applicable state and federal regulations; the Property described below, in apparent good order, except as noted (contents and condition of contents of packages unknown), marked, consigned, and destined as indicated below which said company (the word "company" being understood throughout this contract as meaning any person or corporation in possession of the property under the contract) agrees to carry to delivery at said destination, if on its route, or otherwise to deliver to another carrier on the route to said destination. It is mutually agreed as to each carrier of all or any of said Property over all or any portion of said route to destination and as to each party at any time interested in all or any of said Property that every service to be performed hereunder shall be subject to all the conditions not prohibited by law, whether printed or written herein contained, including the conditions on the back hereof, which are hereby agreed to by the shipper and accepted for him by the carrier and his assigns.

DATE: 7-15-06

MONITORED AT ALL TIMES THE HAZARDOUS MATERIALS IS IN TRANSPORTATION, INCLUDING STORAGE INCIDENTAL TO TRANSPORTATION (172.604).



P.O. Box 450
Hazel Crest, IL 60429-0450
Toll Free 800-544-7781
Phone 708-210-3160
Fax 708-210-3176

FIRST CHOICE PRO NO. **110283**

DRIVERS:
USE SEPARATE FORM FOR EACH CONSIGNEE

SHIPPER #1 US RISK JOB SITE		SHIPPER #2		SHIPPER #3		CONSIGNEE ONYX ZION LANDFILL	
CITY, STATE BELLEVOUE MI		CITY, STATE		CITY, STATE		CITY, STATE ZION IL	
SHIPPING DATE 7-15-06		BOL / MANIFEST NO.		LOADING TRACTOR 730		TRAILER #1 20-938	
COMPT.		REQUESTED GALLONS		ACTUAL GALLONS		REQUESTED WEIGHT	
						ACTUAL WEIGHT 20y	
						HM	
						COMMODITY DESCRIPTION CONSTRUCTION DEBRIS	

HOURLY WORK		CARRIER EQUIPMENT USED	
START TIME	LOCATION	TRACTOR PUMP.	DRUM NOZZLE
END TIME	LOCATION	TRACTOR AIR COMP.	INTRANSIT HEAT
PORTAL TO PORTAL	TOTAL HRS.	LINERS <input type="checkbox"/> Y <input type="checkbox"/> N QTY.	

NOTICE	IN THE INTEREST OF SAFETY, THIS DRIVER CANNOT UNLOAD UNTIL THE RECEIVING AGENT HAS INSPECTED THE SHIPPING DOCUMENTS, AND APPROVED THE HOOK-UP OF EACH PRODUCT FOR UNLOADING. IF THIS PROCEDURE IS NOT ACCEPTABLE TO YOU, THE DRIVER HAS BEEN INSTRUCTED TO CALL HIS OFFICE.	
	THANK YOU, FIRST CHOICE LOGISTICS	
	SIGNATURE APPROVING COMPARTMENT #1	
	SIGNATURE APPROVING COMPARTMENT #2	
	SIGNATURE APPROVING COMPARTMENT #3	
SIGNATURE APPROVING COMPARTMENT #4		
HOSE USED		
SUCTION DISCHARGE		
Feet 2" Feet 2"		
Feet 3" Feet 3"		
CUSTOMER UNLOAD PUBLIC SCALE		
RE-LOAD NO WASH MILES TO SCALE		
PRODUCT STEAMING AMT. PAID \$		

TIME ZONE (check one)	<input type="checkbox"/> EASTERN <input checked="" type="checkbox"/> CENTRAL <input type="checkbox"/> MTN <input type="checkbox"/> PACIFIC	TIME ZONE (check one)	<input type="checkbox"/> EASTERN <input type="checkbox"/> CENTRAL <input type="checkbox"/> MTN <input type="checkbox"/> PACIFIC
-----------------------	--	-----------------------	---

LOADING TIME				EXPLANATION OF DELAY				UNLOADING TIME				EXPLANATION OF DELAY			
REQUESTED TIME	1ST STOP	2ND STOP	3RD STOP	1ST	2ND	3RD	MARK WITH AN 'X' IN CORRESPONDING COLUMN	REQUESTED TIME					MARK WITH AN 'X' IN CORRESPONDING COLUMN		
ARRIVAL TIME	0740						WAIT FOR LOADING	ARRIVAL TIME					WAIT FOR RECEIVER		
STARTED LOADING							WAIT FOR LAB TEST	SAMPLE TAKEN					WAIT FOR LAB TEST		
FINISHED LOADING							WAIT FOR BILLS	SAMPLE APPROVED					SLOW UNLOADING		
SAMPLE TAKEN							STOP FOR LUNCH	STARTED UNLOADING					DRUM OFF		
SAMPLE APPROVED							CARRIER EQUIPMENT FAILURE	FINISHED UNLOADING					CARRIER EQUIPMENT FAILURE		
DEPART TIME	0804						WAIT FOR SCALE	DEPART TIME					WAIT FOR SCALE		
TOTAL							WAIT FOR INSTRUCTIONS	TOTAL					WAIT FOR ROOM		
							WAIT FOR OTHER CARRIERS						WAIT FOR OTHER CARRIERS		
							MATERIAL OUT OF SPEC.						MATERIAL OUT OF SPEC.		
							CUSTOMER EQUIPMENT FAILURE						CUSTOMER EQUIPMENT FAILURE		

OTHER (explain in detail)	OTHER (explain in detail)
---------------------------	---------------------------

PLEASE SIGN THAT TANK IS LOADED AND READY FOR SHIPMENT AND YOU AGREE WITH LOADING TIMES.	PLEASE SIGN THAT YOU HAVE INSPECTED TANK AND CONTENTS HAVE BEEN REMOVED AND RECEIVED IN GOOD ORDER AND AGREE WITH UNLOADING TIMES.
SHIPPER'S SIGNATURE	CONSIGNEE'S SIGNATURE
HAVE INSPECTED THE TANK AND ALL COMPARTMENTS ARE SECURE AND READY FOR TRANSPORT.	I HAVE INSPECTED THE TANK AND ALL COMPARTMENTS ARE EMPTY. (IF NOT EMPTY, NOTIFY DISPATCHER IMMEDIATELY)
DRIVER'S SIGNATURE	DRIVER'S SIGNATURE

No. 125274

Section I GENERATOR (Generator completes all of Section I)

a. Generator Name: Universal Form Clamp
c. Address: 840 South 25th Ave
Bellwood, IL 60104
e. Phone No.: 812-239-5634

b. Generating Location: Same
d. Address: _____
f. Phone No.: _____

If owner of the generating facility differs from the generator, provide:

g. Owner's Name: Mike Phillips
h. Owner's Phone No.: Same

i. Waste Profile No.: 003323
j. Description of Waste: Resin/Urea Product

	Quantity	Units	TYPE
k. Quantity — Ld 1	<u>30</u>	<u>Y</u>	<u>T</u>
Quantity — Ld 2			
Quantity — Ld 3			
Quantity — Ld 4			

TYPE
D - DRUM
T - TRUCK
O - OTHER

UNITS
Y - YARDS
O - OTHER

*GENERATOR'S CERTIFICATION: I hereby certify that the above named material is not a hazardous waste as defined by 40 CFR Part 261 or any applicable state law, has been properly described, classified and packaged, and is in proper condition for transportation according to applicable regulations; **AND, if the waste is a treatment residue of a previously restricted hazardous waste** subject to the Land Disposal Restrictions, I certify and warrant that the waste has been treated in accordance with the requirements of 40 CFR Part 268 and is no longer a hazardous waste as defined by 40 CFR Part 261.

TOTAL
VOLUME

Generator Authorized Agent Name _____ Signature _____

071506
Shipment Date

Section II TRANSPORTER (Generator completes a-d; Transporter I complete e-g; Transporter II complete h-n)

TRANSPORTER I

a. Name: First Choice Logistics
b. Address: 2300 W 117th Street
Markham, IL 60428
c. Driver Name/Title: Truck Driver
d. Phone No.: _____ e. Truck No.: 721
f. Vehicle License No./State: _____

Acknowledgement of Receipt of Materials.

g. Driver Signature _____ 071506
Shipment Date

TRANSPORTER II

h. Name: _____
i. Address: _____
j. Driver Name/Title: _____
k. Phone No.: _____ l. Truck No.: _____
m. Vehicle License No./State: _____

Acknowledgement of Receipt of Materials.

n. Driver Signature _____ 071506
Shipment Date

Section III DESTINATION (Generator completes a-d; destination site completes e-f)

a. Site Name: Veolia ES Zion Landfill c. Phone No.: 847-623-3870
b. Physical Address: 701 Green Bay Rd. d. Mailing Address: SAME
Zion, IL 60099
e. Discrepancy Indication Space: _____

I hereby certify that the above named material has been accepted and to the best of my knowledge the foregoing is true and accurate.

f. Name of Authorized Agent _____ Signature _____ 071506
Receipt Date

* Shipper refers to the company which owns, leases, operates, controls, or supervises the facility being demolished or renovated, or the demolition or renovation operation, or both.

First Choice Logistics, Inc.

P.O. Box 450
Hazel Crest, IL 60429-0450
Toll Free 800-544-7781
Phone 708-210-3160
Fax 708-210-3176

FIRST CHOICE PRO NO.

110388

DRIVERS:

USE SEPARATE FORM FOR EACH CONSIGNEE

SHIPPER #1 <i>US Risk management</i>		SHIPPER #2		SHIPPER #3		CONSIGNEE <i>Zion bond fill</i>	
CITY, STATE <i>De Waver IL</i>		CITY, STATE		CITY, STATE		CITY, STATE <i>Zion IL</i>	
SHIPPING DATE <i>7-14-03</i>		BOL / MANIFEST NO. <i>119274</i>		LOADING TRACTOR <i>721</i>		TRAILER #1 <i>20-973</i>	
				TRAILER #2		UNLOADING TRACTOR <i>721</i>	
						CUSTOMER NO.	
						DELIVERY DATE <i>7-14-03</i>	
COMPT.	REQUESTED GALLONS	ACTUAL GALLONS	REQUESTED WEIGHT	ACTUAL WEIGHT	HM	COMMODITY DESCRIPTION	
				<i>225</i>		<i>205 Haz Solid waste</i>	

HOURLY WORK		CARRIER EQUIPMENT USED	
START TIME	LOCATION	TRACTOR PUMP	DRUM NOZZLE
END TIME	LOCATION	TRACTOR AIR COMP.	INTRANSIT HEAT
PORTAL TO PORTAL	TOTAL HRS.	LINERS <input type="checkbox"/> Y <input checked="" type="checkbox"/> N QTY. <i>1</i>	

NOTICE	IN THE INTEREST OF SAFETY, THIS DRIVER CANNOT UNLOAD UNTIL THE RECEIVING AGENT HAS INSPECTED THE SHIPPING DOCUMENTS, AND APPROVED THE HOOK-UP OF EACH PRODUCT FOR UNLOADING. IF THIS PROCEDURE IS NOT ACCEPTABLE TO YOU, THE DRIVER HAS BEEN INSTRUCTED TO CALL HIS OFFICE.															
	THANK YOU, FIRST CHOICE LOGISTICS	SIGNATURE APPROVING COMPARTMENT #1														
		SIGNATURE APPROVING COMPARTMENT #2														
		SIGNATURE APPROVING COMPARTMENT #3														
		SIGNATURE APPROVING COMPARTMENT #4														
	<table border="1"> <tr> <th colspan="2">HOSE USED</th> </tr> <tr> <td>SUCTION</td> <td>DISCHARGE</td> </tr> <tr> <td>Feet 2"</td> <td>Feet 2"</td> </tr> <tr> <td>Feet 3"</td> <td>Feet 3"</td> </tr> <tr> <td>CUSTOMER UNLOAD</td> <td>PUBLIC SCALE</td> </tr> <tr> <td>RE-LOAD NO WASH</td> <td>MILES TO SCALE</td> </tr> <tr> <td>PRODUCT STEAMING</td> <td>AMT. PAID \$</td> </tr> </table>		HOSE USED		SUCTION	DISCHARGE	Feet 2"	Feet 2"	Feet 3"	Feet 3"	CUSTOMER UNLOAD	PUBLIC SCALE	RE-LOAD NO WASH	MILES TO SCALE	PRODUCT STEAMING	AMT. PAID \$
HOSE USED																
SUCTION	DISCHARGE															
Feet 2"	Feet 2"															
Feet 3"	Feet 3"															
CUSTOMER UNLOAD	PUBLIC SCALE															
RE-LOAD NO WASH	MILES TO SCALE															
PRODUCT STEAMING	AMT. PAID \$															

TIME ZONE (check one) ☐ EASTERN ☐ CENTRAL ☐ MTN ☐ PACIFIC

LOADING TIME				EXPLANATION OF DELAY				UNLOADING TIME				EXPLANATION OF DELAY			
1ST STOP	2ND STOP	3RD STOP		1ST	2ND	3RD	MARK WITH AN 'X' IN CORRESPONDING COLUMN								MARK WITH AN 'X' IN CORRESPONDING COLUMN
REQUESTED TIME							WAIT FOR LOADING	REQUESTED TIME							WAIT FOR RECEIVER
ARRIVAL TIME	<i>745</i>						WAIT FOR LAB TEST	ARRIVAL TIME							WAIT FOR LAB TEST
STARTED LOADING							WAIT FOR BILLS	SAMPLE TAKEN							SLOW UNLOADING
FINISHED LOADING							STOP FOR LUNCH	SAMPLE APPROVED							DRUM OFF
SAMPLE TAKEN							CARRIER EQUIPMENT FAILURE	STARTED UNLOADING							CARRIER EQUIPMENT FAILURE
SAMPLE APPROVED							WAIT FOR SCALE	FINISHED UNLOADING							WAIT FOR SCALE
DEPART TIME							WAIT FOR INSTRUCTIONS	DEPART TIME							WAIT FOR ROOM
							WAIT FOR OTHER CARRIERS								WAIT FOR OTHER CARRIERS
							MATERIAL OUT OF SPEC.								MATERIAL OUT OF SPEC.
TOTAL							CUSTOMER EQUIPMENT FAILURE	TOTAL							CUSTOMER EQUIPMENT FAILURE

OTHER (explain in detail)

PLEASE SIGN THAT TANK IS LOADED AND READY FOR SHIPMENT AND YOU AGREE WITH LOADING TIMES.

SHIPPER'S SIGNATURE

HAVE INSPECTED THE TANK AND ALL COMPARTMENTS ARE SECURE AND READY FOR TRANSPORT.

DRIVER'S SIGNATURE

CUSTOMER COPY



ENVIRONMENTAL SERVICES

CERTIFIED NON-SPECIAL WASTE MANIFEST

No. 118200

Section I GENERATOR (Generator completes all of Section I)

a. Generator Name: Universal Form Corp b. Generating Location: Same
c. Address: 940 South 25th Ave d. Address: _____
Bellwood, IL 60104
e. Phone No.: 813-838-5634 f. Phone No.: _____
If owner of the generating facility differs from the generator, provide:
g. Owner's Name: Nike Phillips k. Quantity — Ld 1

Quantity	Units	TYPE																		
<table border="1"><tr><td></td><td></td><td></td><td></td><td></td><td></td></tr></table>							<table border="1"><tr><td></td><td></td><td></td><td></td><td></td><td></td></tr></table>							<table border="1"><tr><td></td><td></td><td></td><td></td><td></td><td></td></tr></table>						
TYPE																				
D - DRUM																				
T - TRUCK																				
O - OTHER																				
UNITS																				
Y - YARDS																				
O - OTHER																				

 Quantity — Ld 2 | | | | | | | | | | | | | | | | | | | | | | |---|-------|------|--|--|--|--|---|--|--|--|--|--|--|---|--|--|--|--|--|--| | Quantity | Units | TYPE | | | | | | | | | | | | | | | | | | | | <table border="1"><tr><td></td><td></td><td></td><td></td><td></td><td></td></tr></table> | | | | | | | <table border="1"><tr><td></td><td></td><td></td><td></td><td></td><td></td></tr></table> | | | | | | | <table border="1"><tr><td></td><td></td><td></td><td></td><td></td><td></td></tr></table> | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | TYPE | | | | | | | | | | | | | | | | | | | | | | D - DRUM | | | | | | | | | | | | | | | | | | | | | | T - TRUCK | | | | | | | | | | | | | | | | | | | | | | O - OTHER | | | | | | | | | | | | | | | | | | | | | | UNITS | | | | | | | | | | | | | | | | | | | | | | Y - YARDS | | | | | | | | | | | | | | | | | | | | | | O - OTHER | | | | | | | | | | | | | | | | | | | | | | Quantity — Ld 3 | | | | | | | | | | | | | | | | | | | | | | |---|-------|------|--|--|--|--|---|--|--|--|--|--|--|---|--|--|--|--|--|--| | Quantity | Units | TYPE | | | | | | | | | | | | | | | | | | | | <table border="1"><tr><td></td><td></td><td></td><td></td><td></td><td></td></tr></table> | | | | | | | <table border="1"><tr><td></td><td></td><td></td><td></td><td></td><td></td></tr></table> | | | | | | | <table border="1"><tr><td></td><td></td><td></td><td></td><td></td><td></td></tr></table> | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | TYPE | | | | | | | | | | | | | | | | | | | | | | D - DRUM | | | | | | | | | | | | | | | | | | | | | | T - TRUCK | | | | | | | | | | | | | | | | | | | | | | O - OTHER | | | | | | | | | | | | | | | | | | | | | | UNITS | | | | | | | | | | | | | | | | | | | | | | Y - YARDS | | | | | | | | | | | | | | | | | | | | | | O - OTHER | | | | | | | | | | | | | | | | | | | | | | Quantity — Ld 4 | | | | | | | | | | | | | | | | | | | | | | |---|-------|------|--|--|--|--|---|--|--|--|--|--|--|---|--|--|--|--|--|--| | Quantity | Units | TYPE | | | | | | | | | | | | | | | | | | | | <table border="1"><tr><td></td><td></td><td></td><td></td><td></td><td></td></tr></table> | | | | | | | <table border="1"><tr><td></td><td></td><td></td><td></td><td></td><td></td></tr></table> | | | | | | | <table border="1"><tr><td></td><td></td><td></td><td></td><td></td><td></td></tr></table> | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | TYPE | | | | | | | | | | | | | | | | | | | | | | D - DRUM | | | | | | | | | | | | | | | | | | | | | | T - TRUCK | | | | | | | | | | | | | | | | | | | | | | O - OTHER | | | | | | | | | | | | | | | | | | | | | | UNITS | | | | | | | | | | | | | | | | | | | | | | Y - YARDS | | | | | | | | | | | | | | | | | | | | | | O - OTHER | | | | | | | | | | | | | | | | | | | | | | h. Owner's Phone No.: Same i. Waste Profile No.: 003323 j. Description of Waste: Resin/Urea Product |

*GENERATOR'S CERTIFICATION: I hereby certify that the above named material is not a hazardous waste as defined by 40 CFR Part 261 or any applicable state law, has been properly described, classified and packaged, and is in proper condition for transportation according to applicable regulations; **AND, if the waste is a treatment residue of a previously restricted hazardous waste** subject to the Land Disposal Restrictions, I certify and warrant that the waste has been treated in accordance with the requirements of 40 CFR Part 268 and is no longer a hazardous waste as defined by 40 CFR Part 261.

TOTAL
VOLUME

Generator Authorized Agent Name

Signature

Shipment Date

07/15/06

Section II TRANSPORTER (Generator completes a-d; Transporter I complete c-g; Transporter II complete h-n)

TRANSPORTER I

a. Name: First Choice Logistics
b. Address: 2320 W 167th Street
Markham, IL 60428
c. Driver Name/Title: Mike Stevens
d. Phone No.: 708-511-1111 e. Truck No.: 912
f. Vehicle License No./State: A-1441222

Acknowledgement of Receipt of Materials.

g. Driver Signature

Shipment Date

07/15/06

TRANSPORTER II

h. Name: _____
i. Address: _____
j. Driver Name/Title: _____
k. Phone No.: _____ l. Truck No.: _____
m. Vehicle License No./State: _____

Acknowledgement of Receipt of Materials.

n. Driver Signature

Shipment Date

07/15/06

Section III DESTINATION (Generator completes a-d; destination site completes e-f)

a. Site Name: Veolia ES Zion Landfill c. Phone No.: 847-623-3870
b. Physical Address: 701 Green Bay Rd. d. Mailing Address: SAME
Zion, IL 60099
e. Discrepancy Indication Space: _____

I hereby certify that the above named material has been accepted and to the best of my knowledge the foregoing is true and accurate.

f. Name of Authorized Agent

Signature

Receipt Date

07/15/06

* Shipper refers to the company which owns, leases, operates, controls, or supervises the facility being demolished or renovated, or the demolition or renovation operation, or both.

First Choice
Logistics, Inc.

P.O. Box 450
Hazel Crest, IL 60429-0450
Toll Free 800-544-7781
Phone 708-210-3160
Fax 708-210-3176

FIRST CHOICE PRO NO.

DRIVERS:
USE SEPARATE FORM FOR EACH CONSIGNEE

SHIPPER #1 <i>US Risk</i>		SHIPPER #2		SHIPPER #3		CONSIGNEE <i>Zain Landfill</i>	
CITY, STATE <i>Bellwood</i>		CITY, STATE		CITY, STATE		CITY, STATE <i>Zain, IL</i>	
SHIPPING DATE <i>7/15</i>	BOL / MANIFEST NO.	LOADING TRACTOR <i>812</i>	TRAILER #1 <i>Pool</i>	TRAILER #2	UNLOADING TRACTOR	CUSTOMER NO.	DELIVERY DATE <i>7/15</i>
COMPT.	REQUESTED GALLONS	ACTUAL GALLONS	REQUESTED WEIGHT	ACTUAL WEIGHT <i>204</i>	HM	COMMODITY DESCRIPTION <i>Non Haz</i>	

HOURLY WORK		CARRIER EQUIPMENT USED	
START TIME	LOCATION	TRACTOR PUMP.	DRUM NOZZLE
END TIME	LOCATION	TRACTOR AIR COMP.	INTRANSIT HEAT
PORTAL TO PORTAL	TOTAL HRS.	LINERS <input type="checkbox"/> Y <input type="checkbox"/> N QTY. _____	

N
O
T
I
C
E

IN THE INTEREST OF SAFETY, THIS DRIVER CANNOT UNLOAD UNTIL THE RECEIVING AGENT HAS INSPECTED THE SHIPPING DOCUMENTS, AND APPROVED THE HOOK-UP OF EACH PRODUCT FOR UNLOADING. IF THIS PROCEDURE IS NOT ACCEPTABLE TO YOU, THE DRIVER HAS BEEN INSTRUCTED TO CALL HIS OFFICE.

THANK YOU,
FIRST CHOICE
LOGISTICS

SIGNATURE APPROVING COMPARTMENT #1 _____

SIGNATURE APPROVING COMPARTMENT #2 _____

SIGNATURE APPROVING COMPARTMENT #3 _____

SIGNATURE APPROVING COMPARTMENT #4 _____

HOSE USED	
SUCTION	DISCHARGE
Feet 2" _____	Feet 2" _____
Feet 3" _____	Feet 3" _____
CUSTOMER UNLOAD	PUBLIC SCALE
RE-LOAD NO WASH	MILES TO SCALE
PRODUCT STEAMING	AMT. PAID \$

TIME ZONE (check one) ☐ EASTERN ☒ CENTRAL ☐ MTN ☐ PACIFIC

LOADING TIME				EXPLANATION OF DELAY				UNLOADING TIME				EXPLANATION OF DELAY			
1ST STOP	2ND STOP	3RD STOP		1ST	2ND	3RD	MARK WITH AN 'X' IN CORRESPONDING COLUMN								MARK WITH AN 'X' IN CORRESPONDING COLUMN
REQUESTED TIME							WAIT FOR LOADING	REQUESTED TIME							WAIT FOR RECEIVER
ARRIVAL TIME <i>700</i>							WAIT FOR LAB TEST	ARRIVAL TIME							WAIT FOR LAB TEST
STARTED LOADING							WAIT FOR BILLS	SAMPLE TAKEN							SLOW UNLOADING
FINISHED LOADING							STOP FOR LUNCH	SAMPLE APPROVED							DRUM OFF
SAMPLE TAKEN							CARRIER EQUIPMENT FAILURE	STARTED UNLOADING							CARRIER EQUIPMENT FAILURE
SAMPLE APPROVED							WAIT FOR SCALE	FINISHED UNLOADING							WAIT FOR SCALE
DEPART TIME <i>830</i>							WAIT FOR INSTRUCTIONS	DEPART TIME							WAIT FOR ROOM
TOTAL <i>1.5</i>							WAIT FOR OTHER CARRIERS								WAIT FOR OTHER CARRIERS
							MATERIAL OUT OF SPEC.								MATERIAL OUT OF SPEC.
							CUSTOMER EQUIPMENT FAILURE	TOTAL							CUSTOMER EQUIPMENT FAILURE

OTHER (explain in detail) _____

PLEASE SIGN THAT TANK IS LOADED AND READY FOR SHIPMENT AND YOU AGREE WITH LOADING TIMES.

SHIPPER'S SIGNATURE _____

I HAVE INSPECTED THE TANK AND ALL COMPARTMENTS ARE SECURE AND READY FOR TRANSPORT.

DRIVER'S SIGNATURE _____

PLEASE SIGN THAT YOU HAVE INSPECTED TANK AND CONTENTS HAVE BEEN REMOVED AND RECEIVED IN GOOD ORDER AND AGREE WITH UNLOADING TIMES.

CONSIGNEE'S SIGNATURE _____

I HAVE INSPECTED THE TANK AND ALL COMPARTMENTS ARE EMPTY. (IF NOT EMPTY, NOTIFY DISPATCHER IMMEDIATELY)

DRIVER'S SIGNATURE _____

CUSTOMER COPY



ENVIRONMENTAL SERVICES

CERTIFIED NON-SPECIAL WASTE MANIFEST

No. 220270

Section I GENERATOR (Generator completes all of Section I)

a. Generator Name: Universal Foam Clump

b. Generating Location: Same

c. Address: 840 South 35th Ave.

d. Address: _____

Bellwood, IL 60104

e. Phone No.: 708-838-5634

f. Phone No.: _____

If owner of the generating facility differs from the generator, provide:

g. Owner's Name: M.A. Phillips

k. Quantity — Ld 1

h. Owner's Phone No.: Same

Quantity — Ld 2

i. Waste Profile No.: 003323

Quantity — Ld 3

j. Description of Waste: 100% Polystyrene Product

Quantity — Ld 4

*GENERATOR'S CERTIFICATION: I hereby certify that the above named material is not a hazardous waste as defined by 40 CFR Part 261 or any applicable state law, has been properly described, classified and packaged, and is in proper condition for transportation according to applicable regulations; **AND, if the waste is a treatment residue of a previously restricted hazardous waste** subject to the Land Disposal Restrictions, I certify and warrant that the waste has been treated in accordance with the requirements of 40 CFR Part 268 and is no longer a hazardous waste as defined by 40 CFR Part 261.

TOTAL
VOLUME

Generator Authorized Agent Name

Signature

Shipment Date

Section II TRANSPORTER (Generator completes a-d; Transporter I complete e-g; Transporter II complete h-n)

TRANSPORTER I

a. Name: First Choice Logistics

h. Name: _____

b. Address: 2320 W 167th Street

i. Address: _____

Northbrook, IL 60062

c. Driver Name/Title: _____

j. Driver Name/Title: _____

d. Phone No.: _____ e. Truck No.: 721

k. Phone No.: _____ l. Truck No.: _____

f. Vehicle License No./State: _____

m. Vehicle License No./State: _____

Acknowledgement of Receipt of Materials.

Acknowledgement of Receipt of Materials.

g. _____

071706

Driver Signature

Shipment Date

n. _____

Driver Signature

Shipment Date

Section III DESTINATION (Generator completes a-d; destination site completes e-f)

a. Site Name: Veolia ES Zion Landfill

c. Phone No.: 847-623-3870

b. Physical Address: 701 Green Bay Rd.

d. Mailing Address: SAME

Zion, IL 60099

e. Discrepancy Indication Space: _____

I hereby certify that the above named material has been accepted and to the best of my knowledge the foregoing is true and accurate.

f. _____

Name of Authorized Agent

Signature

Receipt Date

* Shipper refers to the company which owns, leases, operates, controls, or supervises the facility being demolished or renovated, or the demolition or renovation operation, or both.

WHITE - Destination Retain

CANARY - Return to Generator

PINK - Transporter Retain

GOLD - Generator Retain

First Choice Logistics, Inc.

P.O. Box 450
Hazel Crest, IL 60429-0450
Toll Free 800-544-7781
Phone 708-210-3160
Fax 708-210-3176

FIRST CHOICE PRO NO.

DRIVERS:
USE SEPARATE FORM FOR EACH CONSIGNEE

SHIPPER #1 <i>US Risk Manager</i>		SHIPPER #2		SHIPPER #3		CONSIGNEE <i>210V Landfill</i>	
CITY, STATE <i>Bellwood IL</i>		CITY, STATE		CITY, STATE		CITY, STATE <i>210V IL</i>	
SHIPPING DATE <i>7-17-06</i>		BOL / MANIFEST NO.		LOADING TRACTOR <i>77-1</i>		TRAILER #1 <i>885332</i>	
				TRAILER #2		UNLOADING TRACTOR <i>72-1</i>	
						CUSTOMER NO.	
						DELIVERY DATE <i>7-17-06</i>	

COMPT.	REQUESTED GALLONS	ACTUAL GALLONS	REQUESTED WEIGHT	ACTUAL WEIGHT	HM	COMMODITY DESCRIPTION
						<i>NOS HAZ SOLID WASTE</i>

HOURLY WORK		CARRIER EQUIPMENT USED	
START TIME	LOCATION	TRACTOR PUMP	DRUM NOZZLE
END TIME	LOCATION	TRACTOR AIR COMP.	INTRANSIT HEAT
PORTAL TO PORTAL	TOTAL HRS.	LINERS <input type="checkbox"/> Y <input type="checkbox"/> N QTY. _____	

N
O
T
I
C
E

IN THE INTEREST OF SAFETY, THIS DRIVER CANNOT UNLOAD UNTIL THE RECEIVING AGENT HAS INSPECTED THE SHIPPING DOCUMENTS, AND APPROVED THE HOOK-UP OF EACH PRODUCT FOR UNLOADING. IF THIS PROCEDURE IS NOT ACCEPTABLE TO YOU, THE DRIVER HAS BEEN INSTRUCTED TO CALL HIS OFFICE.

THANK YOU,
FIRST CHOICE LOGISTICS

SIGNATURE APPROVING COMPARTMENT #1 _____

SIGNATURE APPROVING COMPARTMENT #2 _____

SIGNATURE APPROVING COMPARTMENT #3 _____

SIGNATURE APPROVING COMPARTMENT #4 _____

HOSE USED

SUCTION DISCHARGE

Feet 2" Feet 2"

Feet 3" Feet 3"

CUSTOMER UNLOAD PUBLIC SCALE

RE-LOAD NO WASH MILES TO SCALE

PRODUCT STEAMING AMT. PAID \$

TIME ZONE (check one) <input type="checkbox"/> EASTERN <input checked="" type="checkbox"/> CENTRAL <input type="checkbox"/> MTN <input type="checkbox"/> PACIFIC										TIME ZONE (check one) <input type="checkbox"/> EASTERN <input type="checkbox"/> CENTRAL <input type="checkbox"/> MTN <input type="checkbox"/> PACIFIC									
LOADING TIME				EXPLANATION OF DELAY				UNLOADING TIME				EXPLANATION OF DELAY							
1ST STOP	2ND STOP	3RD STOP		1ST	2ND	3RD	MARK WITH AN 'X' IN CORRESPONDING COLUMN								MARK WITH AN 'X' IN CORRESPONDING COLUMN				
REQUESTED TIME							WAIT FOR LOADING	REQUESTED TIME							WAIT FOR RECEIVER				
ARRIVAL TIME	<i>7:00</i>						WAIT FOR LAB TEST	ARRIVAL TIME							WAIT FOR LAB TEST				
STARTED LOADING							WAIT FOR BILLS	SAMPLE TAKEN							SLOW UNLOADING				
FINISHED LOADING							STOP FOR LUNCH	SAMPLE APPROVED							DRUM OFF				
SAMPLE TAKEN							CARRIER EQUIPMENT FAILURE	STARTED UNLOADING							CARRIER EQUIPMENT FAILURE				
SAMPLE APPROVED							WAIT FOR SCALE	FINISHED UNLOADING							WAIT FOR SCALE				
DEPART TIME							WAIT FOR INSTRUCTIONS	DEPART TIME							WAIT FOR ROOM				
							WAIT FOR OTHER CARRIERS								WAIT FOR OTHER CARRIERS				
							MATERIAL OUT OF SPEC.								MATERIAL OUT OF SPEC.				
TOTAL							CUSTOMER EQUIPMENT FAILURE	TOTAL							CUSTOMER EQUIPMENT FAILURE				

OTHER (explain in detail) PLEASE SIGN THAT TANK IS LOADED AND READY FOR SHIPMENT AND YOU AGREE WITH LOADING TIMES. SHIPPER'S SIGNATURE _____ I HAVE INSPECTED THE TANK AND ALL COMPARTMENTS ARE SECURE AND READY FOR TRANSPORT. DRIVER'S SIGNATURE _____	OTHER (explain in detail) PLEASE SIGN THAT YOU HAVE INSPECTED TANK AND CONTENTS HAVE BEEN REMOVED AND RECEIVED IN GOOD ORDER AND AGREE WITH UNLOADING TIMES. CONSIGNEE'S SIGNATURE _____ I HAVE INSPECTED THE TANK AND ALL COMPARTMENTS ARE EMPTY. (IF NOT EMPTY, NOTIFY DISPATCHER IMMEDIATELY) DRIVER'S SIGNATURE _____
--	---

CUSTOMER COPY

is a. Acknowledgement that a bill of lading has been issued and is not the Original Bill of Lading, nor a copy or duplicate covering the property named herein, and is intended solely for filing or record.

Carrier's No.

SCAC

Date _____

7/18/06

Cons

Street

FROM:

Shipper

Street

Destination

Route:

Origin

Vehicle Number

U.S. DOT Hazmat Reg. No.

Number of Shipping Units

HM

Description of articles, special marks, and exceptions

* **WEIGHT**
(subject to
correction)

CLASS OR RATE

CHARGES
(For Carrier use only)

Check
column

1

Construction Debris
ROB # 20-938

Remit C.O.D. to: **US Risk Management**
Address: **365 Canal Street, Suite 2700**
City: **New Orleans** State: **LA** Zip: **70130**

COD

AMT: \$

C. O. D. FEE:Prepaid ☐Collect ☐ \$**TOTAL CHARGES:**

\$

Note. - where the rate is dependent on value, shippers are required to state specifically in writing the agreed or declared value of the property.

Subject to Section 7 of conditions if this shipment is to be delivered to the consignee without recourse on the consignor, the consignor shall sign the following statement:
The carrier shall not make delivery of this shipment without payment of freight and all other lawful charges.

FREIGHT CHARGES	
Freight	1.00
Insurance	0.00
Warehouse	0.00
Handling	0.00
Other	0.00
Total	1.00

FREIGHT PREPAID
Except when
box at right
is checked ☐ **CHECK BOX**
if charges are
to be collect

The agreed or declared value of the property is hereby specifically stated by the shipper to be not exceeding _____ per _____

(Signature of Consignor)

NOTE: Liability Limitation for loss or damage in this shipment may be applicable. See 49 U.S.C. 14706(c)(1)(A) and (B).

NOTE: Liability Limitation for loss or damage in this shipment may be applicable. See 49 U.S.C. 14706(c)(1)(A) and (B).

RECEIVED, subject to individually determined rates or contracts that have been agreed upon in writing between the carrier and shipper, if applicable, otherwise to the rates, classifications and rules that have been established by the carrier and are available to the shipper, on request; and all applicable state and federal regulations; the Property described below, in apparent good order, except as noted (contents and condition of contents of packages unknown), marked, consigned, and destined as indicated below which said company (the word "company" being understood throughout this contract as meaning any person or corporation in possession of the property under the contract) agrees to carry to delivery at said destination, if, on its route, or otherwise to deliver to another carrier on the route to said destination. It is mutually agreed as to each carrier of all or any of said Property over all or any portion of said route to destination and as to each party at any time interested in all or any of said Property that every service to be performed hereunder shall be subject to all the conditions not prohibited by law, whether printed or written, herein contained, including the conditions on the back hereof, which are hereby agreed to by the shipper and accepted for himself and his assigns.

This is to certify that the above-named materials are properly classified, described, packaged, marked and labeled and are in proper condition for transportation according to the applicable regulations of the Department of Transportation. PER:

SHIPPER: *Wm. A. Hall Co.*

CARRIER: EAST

PER: W. P. H. H. S. DATE: 7-14-06

PER: [Signature] DATE: 3-18-21

EMERGENCY-RESPONSE
TELEPHONE NUMBER:

(075) (03-519) James Lawrence

MONITORED AT ALL TIMES THE HAZARDOUS MATERIALS IS IN TRANSPORTATION, INCLUDING STORAGE INCIDENTAL TO TRANSPORTATION (172.604).

First Choice
Logistics, Inc.

P.O. Box 450
Hazel Crest, IL 60429-0450
Toll Free 800-544-7781
Phone 708-210-3160
Fax 708-210-3176

FIRST CHOICE PRO NO.

DRIVERS:
USE SEPARATE FORM FOR EACH CONSIGNEE

SHIPPER #1 <i>US Risk Management</i>		SHIPPER #2		SHIPPER #3		CONSIGNEE <i>Zion Landfill</i>	
CITY, STATE <i>Bellwood, IL</i>		CITY, STATE		CITY, STATE		CITY, STATE <i>Zion, IL</i>	
LOADING DATE <i>7-18-06</i>		BOL / MANIFEST NO.		LOADING TRACTOR <i>721</i>		TRAILER #1 <i>20-9-38</i>	
TRAILER #2		UNLOADING TRACTOR <i>721</i>		CUSTOMER NO.		DELIVERY DATE <i>7-18-06</i>	

COMPT.	REQUESTED GALLONS	ACTUAL GALLONS	REQUESTED WEIGHT	ACTUAL WEIGHT	HM	COMMODITY DESCRIPTION
						<i>NOS HCL Solid Waste</i>

HOURLY WORK		CARRIER EQUIPMENT USED	
START TIME	LOCATION	TRACTOR PUMP	DRUM NOZZLE
END TIME	LOCATION	TRACTOR AIR COMP.	INTRANSIT HEAT
PORTAL TO PORTAL	TOTAL HRS.	LINERS <input type="checkbox"/> Y <input type="checkbox"/> N QTY. 	

NOTICE
IN THE INTEREST OF SAFETY, THIS DRIVER CANNOT UNLOAD UNTIL THE RECEIVING AGENT HAS INSPECTED THE SHIPPING DOCUMENTS, AND APPROVED THE HOOK-UP OF EACH PRODUCT FOR UNLOADING. IF THIS PROCEDURE IS NOT ACCEPTABLE TO YOU, THE DRIVER HAS BEEN INSTRUCTED TO CALL HIS OFFICE.

**THANK YOU,
FIRST CHOICE
LOGISTICS**

SIGNATURE APPROVING
COMPARTMENT #1

SIGNATURE APPROVING
COMPARTMENT #2

SIGNATURE APPROVING
COMPARTMENT #3

SIGNATURE APPROVING
COMPARTMENT #4

HOSE USED	
SUCTION	DISCHARGE
Feet 2" 	Feet 2"
Feet 3" 	Feet 3"
CUSTOMER UNLOAD	PUBLIC SCALE
RE-LOAD NO WASH	MILES TO SCALE
PRODUCT STEAMING	AMT. PAID \$

TIME ZONE (check one) ☐ EASTERN ☒ CENTRAL ☐ MTN ☐ PACIFIC

LOADING TIME				EXPLANATION OF DELAY				UNLOADING TIME				EXPLANATION OF DELAY			
1ST STOP	2ND STOP	3RD STOP		1ST	2ND	3RD	MARK WITH AN 'X' IN CORRESPONDING COLUMN	REQUESTED TIME						MARK WITH AN 'X' IN CORRESPONDING COLUMN	
							WAIT FOR LOADING							WAIT FOR RECEIVER	
							WAIT FOR LAB TEST							WAIT FOR LAB TEST	
							WAIT FOR BILLS							SLOW UNLOADING	
							STOP FOR LUNCH							DRUM OFF	
							CARRIER EQUIPMENT FAILURE							CARRIER EQUIPMENT FAILURE	
							WAIT FOR SCALE							WAIT FOR SCALE	
							WAIT FOR INSTRUCTIONS							WAIT FOR ROOM	
							WAIT FOR OTHER CARRIERS							WAIT FOR OTHER CARRIERS	
							MATERIAL OUT OF SPEC.							MATERIAL OUT OF SPEC.	
							CUSTOMER EQUIPMENT FAILURE							CUSTOMER EQUIPMENT FAILURE	

SIGNATURE (explain in detail) I HAVE INSPECTED THE TANK AND ALL COMPARTMENTS ARE SECURE AND READY FOR SHIPMENT AND YOU AGREE WITH UNLOADING TIMES. SIGNATURE <i>[Signature]</i> I HAVE INSPECTED THE TANK AND ALL COMPARTMENTS ARE EMPTY. (IF NOT EMPTY, NOTIFY DISPATCHER IMMEDIATELY) DRIVER'S SIGNATURE <i>[Signature]</i>	OTHER (explain in detail) PLEASE SIGN THAT YOU HAVE INSPECTED TANK AND CONTENTS HAVE BEEN REMOVED AND RECEIVED IN GOOD ORDER AND AGREE WITH UNLOADING TIMES. CONSIGNEE'S SIGNATURE I HAVE INSPECTED THE TANK AND ALL COMPARTMENTS ARE EMPTY. (IF NOT EMPTY, NOTIFY DISPATCHER IMMEDIATELY) DRIVER'S SIGNATURE
---	---

CUSTOMER COPY

First Choice Logistics, Inc.

P.O. Box 450
Hazel Crest, IL 60429-0450
Toll Free 800-544-7781
Phone 708-210-3160
Fax 708-210-3176

FIRST CHOICE PRO NO.

1110284

DRIVERS:

USE SEPARATE FORM FOR EACH CONSIGNEE

SHIPPER #1 <i>US Risk Management</i>		SHIPPER #2		SHIPPER #3		CONSIGNEE <i>Zion Landfill</i>	
CITY, STATE <i>Bellwood IL</i>		CITY, STATE		CITY, STATE		CITY, STATE <i>Zion IL</i>	
HIPPING DATE <i>7-19-06</i>		BOL / MANIFEST NO.		LOADING TRACTOR <i>721</i>		TRAILER #1 <i>20-967</i>	
				TRAILER #2		UNLOADING TRACTOR <i>721</i>	
						CUSTOMER NO.	
						DELIVERY DATE <i>7-19-06</i>	

COMPT.	REQUESTED GALLONS	ACTUAL GALLONS	REQUESTED WEIGHT	ACTUAL WEIGHT	HM	COMMODITY DESCRIPTION
						<i>NOS Inc Solid Waste</i>

HOURLY WORK		CARRIER EQUIPMENT USED	
START TIME	LOCATION	TRACTOR PUMP.	DRUM NOZZLE
END TIME	LOCATION	TRACTOR AIR COMP.	INTRANSIT HEAT
PORTAL TO PORTAL	TOTAL HRS.	LINERS <input type="checkbox"/> Y <input type="checkbox"/> N QTY.	

NOTICE

IN THE INTEREST OF SAFETY, THIS DRIVER CANNOT UNLOAD UNTIL THE RECEIVING AGENT HAS INSPECTED THE SHIPPING DOCUMENTS, AND APPROVED THE HOOK-UP OF EACH PRODUCT FOR UNLOADING. IF THIS PROCEDURE IS NOT ACCEPTABLE TO YOU, THE DRIVER HAS BEEN INSTRUCTED TO CALL HIS OFFICE.

**THANK YOU,
FIRST CHOICE
LOGISTICS**

SIGNATURE APPROVING COMPARTMENT #1 _____

SIGNATURE APPROVING COMPARTMENT #2 _____

SIGNATURE APPROVING COMPARTMENT #3 _____

SIGNATURE APPROVING COMPARTMENT #4 _____

HOSE USED

SUCTION DISCHARGE

Feet 2" Feet 2"

Feet 3" Feet 3"

CUSTOMER UNLOAD	PUBLIC SCALE
RE-LOAD NO WASH	MILES TO SCALE
PRODUCT STEAMING	AMT. PAID \$

TIME ZONE (check one) ☐ EASTERN ☐ CENTRAL ☐ MTN ☐ PACIFIC

LOADING TIME				EXPLANATION OF DELAY				UNLOADING TIME				EXPLANATION OF DELAY			
1ST STOP	2ND STOP	3RD STOP		1ST	2ND	3RD	MARK WITH AN 'X' IN CORRESPONDING COLUMN							MARK WITH AN 'X' IN CORRESPONDING COLUMN	
REQUESTED TIME							WAIT FOR LOADING	REQUESTED TIME						WAIT FOR RECEIVER	
ARRIVAL TIME	<i>7:00</i>						WAIT FOR LAB TEST	ARRIVAL TIME						WAIT FOR LAB TEST	
STARTED LOADING							WAIT FOR BILLS	SAMPLE TAKEN						SLOW UNLOADING	
FINISHED LOADING							STOP FOR LUNCH	SAMPLE APPROVED						DRUM OFF	
SAMPLE TAKEN							CARRIER EQUIPMENT FAILURE	STARTED UNLOADING						CARRIER EQUIPMENT FAILURE	
SAMPLE APPROVED							WAIT FOR SCALE	FINISHED UNLOADING						WAIT FOR SCALE	
DEPART TIME	<i>7:30</i>						WAIT FOR INSTRUCTIONS	DEPART TIME						WAIT FOR ROOM	
							WAIT FOR OTHER CARRIERS							WAIT FOR OTHER CARRIERS	
							MATERIAL OUT OF SPEC.							MATERIAL OUT OF SPEC.	
TOTAL							CUSTOMER EQUIPMENT FAILURE	TOTAL						CUSTOMER EQUIPMENT FAILURE	

OTHER (explain in detail) _____

PLEASE SIGN THAT TANK IS LOADED AND READY FOR SHIPMENT AND YOU AGREE WITH UNLOADING TIMES.

SHIPPER'S SIGNATURE _____

I HAVE INSPECTED THE TANK AND ALL COMPARTMENTS ARE SECURE AND READY FOR TRANSPORT.

DRIVER'S SIGNATURE _____

PLEASE SIGN THAT YOU HAVE INSPECTED TANK AND CONTENTS HAVE BEEN REMOVED AND RECEIVED IN GOOD ORDER AND AGREE WITH UNLOADING TIMES.

CONSIGNEE'S SIGNATURE _____

I HAVE INSPECTED THE TANK AND ALL COMPARTMENTS ARE EMPTY. (IF NOT EMPTY, NOTIFY DISPATCHER IMMEDIATELY)

DRIVER'S SIGNATURE _____

Is an acknowledgement that a bill of lading has been issued and is not the Original Bill of Lading, nor a copy or duplicate, covering the property named herein, and is intended solely for filing or record.

Carrier's No.

Date _____

Date 7/19/06

FROM: Shipper *Universal Form Clamp*

Street 840 South 25th Ave

Origin Rollwood Tl Zip 60144

Vehicle Number
721

U.S. DOT Hazmat Reg. No.

Remit C.O.D. to <u>US Risk Management</u> Address: <u>365 Canal Street Suite 2760</u> City: <u>New Orleans</u> State: <u>LA</u> Zip: <u>70130</u>	COD AMT: \$	C. O. D. FEE: Prepaid <input type="checkbox"/> Collect <input type="checkbox"/> \$	TOTAL CHARGES: \$
---	-----------------------	---	-----------------------------

Subject to Section 7 of conditions if this shipment is to be delivered to the consignee without recourse on the consignor, the consignor shall sign the following statement:

FREIGHT CHARGES	
FREIGHT PREPAID	

The carrier shall not make delivery of this shipment without payment of freight and all other lawful charges.

(Signature of Consignor)

Except when
box at right
is checked ☐ CHECK BOX
if charges are
to be collect

NOTE: Liability Limitation for loss or damage in this shipment may be applicable. See 49 U.S.C. 14706(c)(1)(A) and (B).

RECEIVED, subject to individually determined rates or contracts that have been agreed upon in writing between the carrier and shipper, if applicable, otherwise to the rates, classifications and rules that have been established by the carrier and are available to the shipper, on request; and all applicable state and federal regulations; the Property described below, in apparent good order, except as noted (contents and condition of contents of packages unknown), marked, consigned, and destined as indicated below which said company (the word company being understood throughout this contract as meaning any person or corporation in possession of the property under the contract) agrees to carry to delivery at said destination, if on its route, or otherwise to deliver to another carrier on the route to said destination. It is mutually agreed as to each carrier of all or any of said Property over all or any portion of said route to destination and as to each party at any time interested in all or any of said Property that every service to be performed hereunder shall be subject to all the conditions not prohibited by law, whether printed or written; herein contained, including the conditions on the back hereof, which are hereby agreed to by the shipper and accepted for himself and his assigns.

It is to certify that the above-named materials are properly classified, described, packaged, marked and labeled and in proper condition for transportation according to the applicable regulations of the Department of Transportation. PER: 6

CARRIER: *First Class* PER: *1202* DATE: *12/1/78*

MONITORED AT ALL TIMES THE HAZARDOUS MATERIALS IS IN TRANSPORTATION, INCLUDING STORAGE INCIDENTAL TO TRANSPORTATION (172.604).



P.O. Box 450
Hazel Crest, IL 60429-0450
Toll Free 800-544-7781
Phone 708-210-3160
Fax 708-210-3176

FIRST CHOICE PRO NO.

110674

DRIVERS:

USE SEPARATE FORM FOR EACH CONSIGNEE

SHIPPER #1		SHIPPER #2		SHIPPER #3		CONSIGNEE	
CITY, STATE		CITY, STATE		CITY, STATE		CITY, STATE	
SHIPPING DATE		BOL / MANIFEST NO.		LOADING TRACTOR		TRAILER #1	
COMPT.		REQUESTED GALLONS		ACTUAL GALLONS		REQUESTED WEIGHT	
ACTUAL WEIGHT		HM		COMMODITY DESCRIPTION			

START TIME		LOCATION		TRACTOR PUMP.		DRUM NOZZLE	
END TIME		LOCATION		TRACTOR AIR COMP.		INTRANSIT HEAT	
PORTAL TO PORTAL		TOTAL HRS.		LINERS <input type="checkbox"/> Y <input type="checkbox"/> N QTY.			

NOTICE	IN THE INTEREST OF SAFETY, THIS DRIVER CANNOT UNLOAD UNTIL THE RECEIVING AGENT HAS INSPECTED THE SHIPPING DOCUMENTS, AND APPROVED THE HOOK-UP OF EACH PRODUCT FOR UNLOADING. IF THIS PROCEDURE IS NOT ACCEPTABLE TO YOU, THE DRIVER HAS BEEN INSTRUCTED TO CALL HIS OFFICE.			
	THANK YOU, FIRST CHOICE LOGISTICS			
	SIGNATURE APPROVING COMPARTMENT #1			
	SIGNATURE APPROVING COMPARTMENT #2			

TIME ZONE (check one)	<input type="checkbox"/> EASTERN	<input type="checkbox"/> CENTRAL	<input type="checkbox"/> MTN	<input type="checkbox"/> PACIFIC
-----------------------	----------------------------------	----------------------------------	------------------------------	----------------------------------

LOADING TIME				EXPLANATION OF DELAY				UNLOADING TIME				EXPLANATION OF DELAY			
REQUESTED TIME	1ST STOP	2ND STOP	3RD STOP	1ST	2ND	3RD	MARK WITH AN 'X' IN CORRESPONDING COLUMN	REQUESTED TIME	1ST	2ND	3RD	MARK WITH AN 'X' IN CORRESPONDING COLUMN			
ARRIVAL TIME							WAIT FOR LOADING	ARRIVAL TIME				WAIT FOR RECEIVER			
STARTED LOADING							WAIT FOR LAB TEST	SAMPLE TAKEN				WAIT FOR LAB TEST			
FINISHED LOADING							WAIT FOR BILLS	SAMPLE APPROVED				SLOW UNLOADING			
SAMPLE TAKEN							STOP FOR LUNCH	STARTED UNLOADING				DRUM OFF			
SAMPLE APPROVED							CARRIER EQUIPMENT FAILURE	FINISHED UNLOADING				CARRIER EQUIPMENT FAILURE			
DEPART TIME							WAIT FOR SCALE	DEPART TIME				WAIT FOR SCALE			
TOTAL							WAIT FOR INSTRUCTIONS	TOTAL				WAIT FOR ROOM			
							WAIT FOR OTHER CARRIERS					WAIT FOR OTHER CARRIERS			
							MATERIAL OUT OF SPEC.					MATERIAL OUT OF SPEC.			
							CUSTOMER EQUIPMENT FAILURE					CUSTOMER EQUIPMENT FAILURE			

OTHER (explain in detail)				OTHER (explain in detail)			
SHIPPER'S SIGNATURE				CONSIGNEE'S SIGNATURE			

I HAVE INSPECTED THE TANK AND ALL COMPARTMENTS ARE SECURE AND READY FOR TRANSPORT.				I HAVE INSPECTED THE TANK AND ALL COMPARTMENTS ARE EMPTY. (IF NOT EMPTY, NOTIFY DISPATCHER IMMEDIATELY)			
DRIVER'S SIGNATURE				DRIVER'S SIGNATURE			

CUSTOMER COPY



WASTE MANAGEMENT DIVISION
MICHIGAN DEPARTMENT OF
ENVIRONMENTAL QUALITY

DO NOT WRITE IN THIS SPACE

ATT. ☐ DIS. ☐ REJ. ☐ PR. ☐

Required under authority of Part 111 and
Part 121 of Act 451, 1994, as amended.

Failure to file may subject you to
criminal and/or civil penalties under
Sections 324.11151 or 324.12116 MCL.

Please print or type.

Form Approved. OMB No. 2050-0039

UNIFORM HAZARDOUS WASTE MANIFEST		1. Generator's US EPA ID No.	Manifest Document No.	2. Page 1 of 1	Information in the shaded areas is not required by Federal law.	
3. Generator's Name and Mailing Address UNIVERSAL FORM CLAMP 840 SOUTH 25TH AVE BELLWOOD IL 60104		1. Generator's US EPA ID No. ILE054353727		A. State Manifest Document Number MI 8680908		
4. Generator's Phone (813) 838 5634		6. US EPA ID Number		B. State Generator's ID		
5. Transporter 1 Company Name EQ INDUSTRIAL SERVICES		7. US EPA ID Number MI 0000263871		C. State Transporter's ID		
7. Transporter 2 Company Name		8. US EPA ID Number		D. Transporter's Phone 734 547 2525		
9. Designated Facility Name and Site Address EQ DETROIT, INC 1923 FREDRICK DETROIT MI 48211		10. US EPA ID Number MD1 980991566		E. State Transporter's ID		
				F. Transporter's Phone		
				G. State Facility's ID		
				H. Facility's Phone 313 999 9230080		
11. US DOT Description (including Proper Shipping Name, Hazard Class, and HM ID NUMBER).		12. Containers		13. Total Quantity	14. Unit Wt/Vol	I. Waste No.
a. NON HAZARDOUS NON REGULATED LIQUID WASTES		No. Type				
		001 TT 4908 G				
b.						
c.						
d.						
J. Additional Descriptions for Materials Listed Above						K. Handling Codes
GP 06161 / TANK'S						a.
						b.
						c.
						d.
15. Special Handling Instructions and Additional Information						
EMERGENCY PHONE NUMBER GENARTEX 813 838 5634						
16. GENERATOR'S CERTIFICATION: I hereby declare that the contents of this consignment are fully and accurately described above by proper shipping name and are classified, packed, marked, and labeled, and are in all respects in proper condition for transport by highway according to applicable international and national government regulations. If I am a large quantity generator, I certify that I have a program in place to reduce the volume and toxicity of waste generated to the degree I have determined to be economically practicable and that I have selected the practicable method of treatment, storage, or disposal currently available to me which minimizes the present and future threat to human health and the environment; OR; if I am a small quantity generator, I have made a good faith effort to minimize my waste generation and select the best waste management method that is available to me and that I can afford.						
Printed/Typed Name HARPER SOAK		Signature			Date Month Day Year 02/19/06	
17. Transporter 1 Acknowledgement of Receipt of Materials		Signature			Date	
Printed/Typed Name WATSON Himes		Signature			Month Day Year 07/19/06	
18. Transporter 2 Acknowledgement of Receipt of Materials		Signature			Date	
Printed/Typed Name		Signature			Month Day Year	
19. Discrepancy Indication Space						
20. Facility Owner or Operator: Certification of receipt of hazardous materials covered by this manifest except as noted in Item 19.						
Printed/Typed Name		Signature			Date Month Day Year	



WASTE MANAGEMENT DIVISION
MICHIGAN DEPARTMENT OF
ENVIRONMENTAL QUALITY

DO NOT WRITE IN THIS SPACE

ATT. ☐ DIS. ☐ REJ. ☐ PR. ☐

Required under authority of Part 111 and
Part 121 of Act 451, 1994, as amended.

Failure to file may subject you to
criminal and/or civil penalties under
Sections 324.11151 or 324.12116 MCL.

Please print or type.

Form Approved. OMB No. 2050-0039

UNIFORM HAZARDOUS
WASTE MANIFEST

1. Generator's US EPA ID No.

0310155006

Manifest
Document No.

2. Page 1
of

Information in the shaded areas
is not required by Federal
law.

A. State Manifest Document Number

MI 8680906

B. State Generator's ID

C. State Transporter's ID

D. Transporter's Phone 313-272-2500

E. State Transporter's ID

F. Transporter's Phone

G. State Facility's ID

H. Facility's Phone

3. Generator's Name and Mailing Address

Universal Form Clamp
840 South 25th Ave
Bellwood IL 60104

4. Generator's Phone (813) 838-5634

5. Transporter 1 Company Name

S & C TRANSPORT INC

6. US EPA ID Number

MIR 000039701

7. Transporter 2 Company Name

8. US EPA ID Number

9. Designated Facility Name and Site Address

EQ Detroit Inc
1923 Frederick
Detroit, MI 48211

10. US EPA ID Number

MID 980991566

11. US DOT Description (including Proper Shipping Name, Hazard Class, and
HM ID NUMBER).

a. X Waste, Flammable Liquids, N.O.S., 3, UN1993
PG II

12. Containers

No. Type

001 TT

13. Total
Quantity

5800

14. Unit
Wt/Vol

G

I. Waste
No.

J. Additional Descriptions for Materials Listed Above

GM 06159: Tanks

K. Handling Codes

a.
b.
c.
d.

15. Special Handling Instructions and Additional Information

Emergency Phone Number Generator 813-838-5634

16. GENERATOR'S CERTIFICATION: I hereby declare that the contents of this consignment are fully and accurately described above by proper shipping name and are classified, packed, marked, and labeled, and are in all respects in proper condition for transport by highway according to applicable international and national government regulations. If I am a large quantity generator, I certify that I have a program in place to reduce the volume and toxicity of waste generated to the degree I have determined to be economically practicable and that I have selected the practicable method of treatment, storage, or disposal currently available to me which minimizes the present and future threat to human health and the environment; OR, if I am a small quantity generator, I have made a good faith effort to minimize my waste generation and select the best waste management method that is available to me and that I can afford.

Printed/Typed Name

MARK SANDOZ

Signature

[Signature]

Date

Month Day Year
02/19/06

17. Transporter 1 Acknowledgement of Receipt of Materials

Printed/Typed Name

JONATHAN SMITH

Signature

[Signature]

Date

Month Day Year
02/19/06

18. Transporter 2 Acknowledgement of Receipt of Materials

Printed/Typed Name

Signature

Date

Month Day Year

19. Discrepancy Indication Space

20. Facility Owner or Operator: Certification of receipt of hazardous materials covered by this manifest except as noted in
Item 19.

Printed/Typed Name

Signature

Date

Month Day Year

GENERATOR

TRANSPORTER

FACILITY



WASTE MANAGEMENT DIVISION
MICHIGAN DEPARTMENT OF
ENVIRONMENTAL QUALITY

DO NOT WRITE IN THIS SPACE
ATT. ☐ DIS. ☐ REJ. ☐ PR. ☐

Required under authority of Part 111 and
Part 121 of Act 451, 1994, as amended.

Failure to file may subject you to
criminal and/or civil penalties under
Sections 324.11151 or 324.12116 MCL.

Please print or type.

Form Approved. OMB No. 2050-0039

UNIFORM HAZARDOUS WASTE MANIFEST		1. Generator's US EPA ID No.	Manifest Document No.	2. Page 1 of	Information in the shaded areas is not required by Federal law.	
3. Generator's Name and Mailing Address Universal Farm Camp 8405 25th Avenue Bellwood, IL 60104		03/0155006		A. State Manifest Document Number MI 8680905		
4. Generator's Phone (813) 838-5634		6. US EPA ID Number MIR000039701		B. State Generator's ID		
5. Transporter 1 Company Name S+S Transport Inc.		8. US EPA ID Number		C. State Transporter's ID		
7. Transporter 2 Company Name		10. US EPA ID Number		D. Transporter's Phone (313) 272-2500		
9. Designated Facility Name and Site Address EQ Detroit Inc 1923 Fredrick Detroit, MI 48211		11. US DOT Description (including Proper Shipping Name, Hazard Class, and ID NUMBER) HM a. X Waste, Flammable Liquids, N.O.S., 3, UN 1993 PG II		E. State Transporter's ID		
				F. Transporter's Phone		
				G. State Facility's ID		
				H. Facility's Phone		
				I. Waste No. 2001		
				12. Containers No. Type 001 TT 05800 G		
				13. Total Quantity		
				14. Unit Wt/Vol		
				J. Additional Descriptions for Materials Listed Above GM 06159 Tanks T-48		
				K. Handling Codes a. b. c. d.		
				15. Special Handling Instructions and Additional Information Emergency Phone Number Generator 813-838-5634		
				16. GENERATOR'S CERTIFICATION: I hereby declare that the contents of this consignment are fully and accurately described above by proper shipping name and are classified, packed, marked, and labeled, and are in all respects in proper condition for transport by highway according to applicable international and national government regulations. If I am a large quantity generator, I certify that I have a program in place to reduce the volume and toxicity of waste generated to the degree I have determined to be economically practicable and that I have selected the practicable method of treatment, storage, or disposal currently available to me which minimizes the present and future threat to human health and the environment; OR, if I am a small quantity generator, I have made a good faith effort to minimize my waste generation and select the best waste management method that is available to me and that I can afford.		
Printed/Typed Name MURRAY		Signature 		Date 07/19/06		
17. Transporter 1 Acknowledgement of Receipt of Materials Printed/Typed Name Shawn Allendort		Signature 		Date 07/19/06		
18. Transporter 2 Acknowledgement of Receipt of Materials Printed/Typed Name		Signature		Date		
19. Discrepancy Indication Space						
20. Facility Owner or Operator: Certification of receipt of hazardous materials covered by this manifest except as noted in Item 19.						
Printed/Typed Name		Signature		Date		



WASTE MANAGEMENT DIVISION
MICHIGAN DEPARTMENT OF
ENVIRONMENTAL QUALITY

DO NOT WRITE IN THIS SPACE

ATT. ☐ DIS. ☐ REJ. ☐ PR. ☐

Required under authority of Part 111 and
Part 121 of Act 451, 1994, as amended.

Failure to file may subject you to
criminal and/or civil penalties under
Sections 324.11151 or 324.12116 MCL.

Please print or type.

Form Approved. OMB No. 2050-0039

UNIFORM HAZARDOUS WASTE MANIFEST		1. Generator's US EPA ID No. <i>ILD054353727</i>	Manifest Document No.		2. Page 1 of 1	Information in the shaded areas is not required by Federal law.		
3. Generator's Name and Mailing Address <i>Universal Farm Champ Co 8410 S 25th Avenue Bellaire, IL 60104</i>					A. State Manifest Document Number <i>MI 8680902</i>			
4. Generator's Phone ()					B. State Generator's ID			
5. Transporter 1 Company Name <i>S&C Transport</i>			6. US EPA ID Number <i>MI R000039701</i>		C. State Transporter's ID			
7. Transporter 2 Company Name			8. US EPA ID Number		D. Transporter's Phone <i>313 2728300</i>			
9. Designated Facility Name and Site Address <i>ER Detroit, Inc 1923 Fredrick Detroit, MI 48211</i>			10. US EPA ID Number <i>MID980991568</i>		E. State Transporter's ID			
					F. Transporter's Phone			
					G. State Facility's ID			
					H. Facility's Phone			
11. US DOT Description (including Proper Shipping Name, Hazard Class, and ID NUMBER). HM					12. Containers No. Type	13. Total Quantity	14. Unit Wt/Vol	I. Waste No.
a. <i>1 RQ. Waste, Flammable Liquid, N.O.S., 3, UN 1993, PG II</i>					<i>001 TT</i>	<i>04000 G</i>		<i>001</i>
b.								
c.								
d.								
J. Additional Descriptions for Materials Listed Above <i>6m 061591/ERG 128 / Fire Water</i>								K. Handling Codes a. b. c. d.
15. Special Handling Instructions and Additional Information								
16. GENERATOR'S CERTIFICATION: I hereby declare that the contents of this consignment are fully and accurately described above by proper shipping name and are classified, packed, marked, and labeled, and are in all respects in proper condition for transport by highway according to applicable international and national government regulations. If I am a large quantity generator, I certify that I have a program in place to reduce the volume and toxicity of waste generated to the degree I have determined to be economically practicable and that I have selected the practicable method of treatment, storage, or disposal currently available to me which minimizes the present and future threat to human health and the environment; OR; if I am a small quantity generator, I have made a good faith effort to minimize my waste generation and select the best waste management method that is available to me and that I can afford.								
Printed/Typed Name <i>QUINCY GAND</i>					Signature <i>[Signature]</i>		Date Month Day Year <i>07/19/06</i>	
17. Transporter 1 Acknowledgement of Receipt of Materials					Signature <i>[Signature]</i>		Date Month Day Year <i>07/19/06</i>	
Printed/Typed Name <i>Kon Williamson</i>					Signature <i>[Signature]</i>		Date Month Day Year <i>07/19/06</i>	
18. Transporter 2 Acknowledgement of Receipt of Materials					Signature		Date Month Day Year	
Printed/Typed Name					Signature		Date Month Day Year	
19. Discrepancy Indication Space								
20. Facility Owner or Operator: Certification of receipt of hazardous materials covered by this manifest except as noted in Item 19.								
Printed/Typed Name					Signature		Date Month Day Year	



WASTE MANAGEMENT DIVISION
MICHIGAN DEPARTMENT OF
ENVIRONMENTAL QUALITY

DO NOT WRITE IN THIS SPACE
ATT. ☐ DIS. ☐ REJ. ☐ PR. ☐

Required under authority of Part 111 and
Part 121 of Act 451, 1994, as amended.

Failure to file may subject you to
criminal and/or civil penalties under
Sections 324.11151 or 324.12116 MCL.

Please print or type.

Form Approved. OMB No. 2050-0039

UNIFORM HAZARDOUS WASTE MANIFEST		1. Generator's US EPA ID No. ILD 054 353 727	Manifest Document No. 75645	2. Page 1 of 1	Information in the shaded areas is not required by Federal law.	
3. Generator's Name and Mailing Address UNIVERSAL FORM CLAMP CO. 840 S. 25TH AVENUE BELLWOOD, IL 60104				A. State Manifest Document Number MI 10275645		
4. Generator's Phone ()				B. State Generator's ID		
5. Transporter 1 Company Name EQ Industrial Services		6. US EPA ID Number MID 000 263 871		C. State Transporter's ID 734 547 2525		
7. Transporter 2 Company Name		8. US EPA ID Number		D. Transporter's Phone		
9. Designated Facility Name and Site Address EQ Detroit, INC 1923 FEDERICK STREET DETROIT MI 48211		10. US EPA ID Number MID 990 991 566		E. State Transporter's ID		
				F. Transporter's Phone		
				G. State Facility's ID		
				H. Facility's Phone 313-923-0080		
11. US DOT Description (including Proper Shipping Name, Hazard Class, and ID NUMBER). HM NON HAZARDOUS NON REGULATED LIQUID WASTE			12. Containers No. Type 1 TT	13. Total Quantity 991	14. Unit Wt/Vol G	Waste No. 0291
J. Additional Descriptions for Materials Listed Above 11a. GPO6161 / TANKS			840 S. 25TH AVE BELLWOOD, IL 60104			K. Handling Codes a. b. c. d.
15. Special Handling Instructions and Additional Information EMERGENCY CONTACT (800) 495-6059						
16. GENERATOR'S CERTIFICATION: I hereby declare that the contents of this consignment are fully and accurately described above by proper shipping name and are classified, packed, marked, and labeled, and are in all respects in proper condition for transport by highway according to applicable international and national government regulations. If I am a large quantity generator, I certify that I have a program in place to reduce the volume and toxicity of waste generated to the degree I have determined to be economically practicable and that I have selected the practicable method of treatment storage, or disposal currently available to me which minimizes the present and future threat to human health and the environment; OR, if I am a small quantity generator, I have made a good faith effort to minimize my waste generation and select the best waste management method that is available to me and that I can afford.						
Printed/Typed Name Mark Staro			Signature 		Date Month Day Year 07/21/06	
17. Transporter 1 Acknowledgment of Receipt of Materials			Signature Jeremy R. Lange		Date Month Day Year 07/21/06	
18. Transporter 2 Acknowledgment of Receipt of Materials			Signature		Date Month Day Year	
19. Discrepancy Indication Space						
20. Facility Owner or Operator: Certification of receipt of hazardous materials covered by this manifest except as noted in item 19.						
Printed/Typed Name			Signature 		Date Month Day Year	



ENVIRONMENTAL PROTECTION AGENCY DIVISION OF LAND POLLUTION CONTROL

P.O. BOX 19276

SPRINGFIELD, ILLINOIS 62794-9276 (217) 782-6761

FOR SHIPMENT OF HAZARDOUS
AND SPECIAL WASTE

PLEASE TYPE

(Form designed for use on elite (12-pitch) typewriter.)

EPA Form 8700-22 (Rev. 6-89)

Form Approved. OMB No. 2050-0039

**COPY 5. GENERATOR MAIL TO IEPA
(RCRA HAZARDOUS AND PCB WASTES ONLY)**

This Agency is authorized to require, pursuant to Illinois Revised Statute, 1989, Chapter 111 1/2, Section 1004 and 1021, that this information be submitted to the Agency. Failure to provide this information may result in a civil penalty against the owner or operator not to exceed \$25,000 per day of violation. Falsification of this information may result in a fine up to \$50,000 per day of violation and imprisonment up to 5 years. This form has been approved by the Forms Management Center.



PLEASE TYPE

(Form designed for use on elite (12-pitch) typewriter.)

EPA Form 8700-22 (Rev. 6-89)

Form Approved. OMB No. 2050-0039

UNIFORM HAZARDOUS WASTE MANIFEST		1. Generator's US EPA ID No.		Manifest Document No.		2. Page 1 of		Information in the shaded areas is not required by Federal law, but is required by Illinois law.					
3. Generator's Name and Mailing Address UNIVERSAL FORM SUPPLY 40 SOUTH 25TH AVE BELLWOOD IL 60104						A. Illinois Manifest Document Number IL11878761 FEE PAID IF APPLICABLE							
4. *24 HOUR EMERGENCY AND SPILL ASSISTANCE NUMBERS* 708 544 5965						B. Generator's IL ID Number 831 01 55006							
5. Transporter 1 Company Name						C. Transporter's ID Number 001 17 6700							
6. US EPA ID Number						D. Transporter's Phone 630 529 0240							
7. Transporter 2 Company Name						E. Transporter's ID Number							
8. US EPA ID Number						F. Transporter's Phone ()							
9. Designated Facility Name and Site Address ORTEX, INC 7601 WEST 47TH STREET MCCORMICK IL 60505						G. Facility's IL ID Number 1111111111							
10. US EPA ID Number						H. Facility's Phone () 708 442 6592							
11. US DOT Description (including Proper Shipping Name, Hazard Class, and ID Number)						12. Containers		13. Total Quantity		14. Unit W/Vol		Waste No.	
a. NON HAZ NON FLAMMABLE ONLY WATER 001 17 6700						No. Type		Quantity		Unit W/Vol		EPA HW Number	
b.												EPA HW Number	
c.												EPA HW Number	
d.												EPA HW Number	
J. Additional Description for Materials Listed Above						K. Handling Codes for Wastes Listed Above In Item #14 GALLONS							
15. Special Handling Instructions and Additional Information 24-HOUR EMERGENCY RESPONSE CALL 630/529-0240													
16. GENERATOR'S CERTIFICATION: I hereby declare that the contents of this consignment are fully and accurately described above by proper shipping name and are classified, packed, marked, and labeled, and are in all respects in proper condition for transport by highway according to applicable international and national government regulations. If I am a large quantity generator, I certify that I have a program in place to reduce the volume and toxicity of waste generated to the degree I have determined to be economically practicable and that I have selected the practicable method of treatment, storage, or disposal currently available to me which minimizes the present and future threat to human health and the environment; OR, if I am a small quantity generator, I have made a good faith effort to minimize my waste generation and select the best waste management method that is available to me and that I can afford.													
Printed/Typed Name						Signature						Date Month Day Year	
17. Transporter 1 Acknowledgement of Receipt of Materials						Signature						Date Month Day Year	
18. Transporter 2 Acknowledgement of Receipt of Materials						Signature						Date Month Day Year	
19. Discrepancy Indication Space													
20. Facility Owner or Operator: Certification of receipt of hazardous materials covered by this manifest except as noted in item 19.													
Printed/Typed Name						Signature						Date Month Day Year	

This Agency is authorized to require, pursuant to Illinois Revised Statute, 1989, Chapter 111 1/2, Section 1004 and 1021, that this information be submitted to the Agency. Failure to provide this information may result in a civil penalty against the owner or operator not to exceed \$25,000 per day of violation. Falsification of this information may result in a fine up to \$50,000 per day of violation and imprisonment up to 5 years. This form has been approved by the Forms Management Center.



STATE OF ILLINOIS

ENVIRONMENTAL PROTECTION AGENCY DIVISION OF LAND POLLUTION CONTROL

P.O. BOX 19276

SPRINGFIELD, ILLINOIS 62794-9276 (217) 782-6761

State Form LPC 62 8/81

IL532-0610

FOR SHIPMENT OF HAZARDOUS
AND SPECIAL WASTE

PLEASE TYPE

(Form designed for use on elite (12-pitch) typewriter.)

EPA Form 8700-22 (Rev. 6-89)

Form Approved. OMB No. 2050-0039

**UNIFORM HAZARDOUS
WASTE MANIFEST**

1. Generator's US EPA ID No.

Manifest
Document No.

2. Page 1

Information in the shaded areas is not
required by Federal law, but is required by
Illinois law.

3. Generator's Name and Mailing Address

Location If Different

A. Illinois Manifest Document Number

FEE PAID
IF APPLICABLEB. Generator's
ID NumberC. Transporter's
ID Number

D. Transporter's Phone (xxx) xxx-xxxx

E. Transporter's
ID Number

F. Transporter's Phone ()

G. Facility's IL
ID Number

H. Facility's Phone (xxx) xxx-xxxx

4. *24 HOUR EMERGENCY AND SPILL ASSISTANCE NUMBERS*

5. Transporter 1 Company Name

6. US EPA ID Number

7. Transporter 2 Company Name

8. US EPA ID Number

9. Designated Facility Name and Site Address

10. US EPA ID Number

11. US DOT Description (Including Proper Shipping Name, Hazard Class, and ID Number)

12. Containers

No.

Type

13. Total
Quantity14. Unit
Wt/Vol

I. Waste No.

EPA HW Number

EPA HW Number

EPA HW Number

EPA HW Number

J. Additional Description for Materials Listed Above

K. Handling Codes for Wastes Listed Above
in Item #14

15. Special Handling Instructions and Additional Information

16. GENERATOR'S CERTIFICATION: I hereby declare that the contents of this consignment are fully and accurately described above by
proper shipping name and are classified, packed, marked, and labeled, and are in all respects in proper condition for transport by highway
according to applicable international and national government regulations.If I am a large quantity generator, I certify that I have a program in place to reduce the volume and toxicity of waste generated to the degree I have determined to
be economically practicable and that I have selected the practicable method of treatment, storage, or disposal currently available to me which minimizes the present
and future threat to human health and the environment; OR, if I am a small quantity generator, I have made a good faith effort to minimize my waste generation and
select the best waste management method that is available to me and that I can afford.

Printed/Typed Name

Signature

Date

Month Day Year

17. Transporter 1 Acknowledgement of Receipt of Materials

Printed/Typed Name

Signature

Date

Month Day Year

18. Transporter 2 Acknowledgement of Receipt of Materials

Printed/Typed Name

Signature

Date

Month Day Year

19. Discrepancy Indication Space

20. Facility Owner or Operator: Certification of receipt of hazardous materials covered by this manifest except as noted in item 19.

Printed/Typed Name

Signature

Date

Month Day Year

This Agency is authorized to require, pursuant to Illinois Revised Statute, 1989, Chapter 111 1/2, Section 1004 and 1021, that this information be submitted to the Agency. Failure to provide
this information may result in a civil penalty against the owner or operator not to exceed \$25,000 per day of violation. Falsification of this information may result in a fine up to \$50,000
per day of violation and imprisonment up to 5 years. This form has been approved by the Forms Management Center.COPY 5. GENERATOR MAIL TO EPA
(RCRA HAZARDOUS AND SPECIAL WASTE)



STATE OF ILLINOIS

ENVIRONMENTAL PROTECTION AGENCY DIVISION OF LAND POLLUTION CONTROL

P.O. BOX 19276

SPRINGFIELD, ILLINOIS 62794-9276 (217) 782-6761

FOR SHIPMENT OF HAZARDOUS
AND SPECIAL WASTE

State Form LPC 62 8/81

IL532-0610

PLEASE TYPE

(Form designed for use on elite (12-pitch) typewriter.)

EPA Form 8700-22 (Rev. 6-89)

Form Approved. OMB No. 2050-0039

UNIFORM HAZARDOUS WASTE MANIFEST		1. Generator's US EPA ID No.	Manifest Document No.	2. Page 1 of	Information in the shaded areas is not required by Federal law, but is required by Illinois law.	
3. Generator's Name and Mailing Address WILSON'S TIRE & AUTO 1001 WEST HIGH STREET SPRINGFIELD, IL 62761		Location If Different		A. Illinois Manifest Document Number IL 11432595 FEE PAID IF APPLICABLE		
4. *24 HOUR EMERGENCY AND SPILL ASSISTANCE NUMBERS*		6. US EPA ID Number		B. Generator's ID Number		
5. Transporter 1 Company Name NORTH BRIDGE ENVIRONMENTAL		8. US EPA ID Number		C. Transporter's ID Number		
7. Transporter 2 Company Name		10. US EPA ID Number		D. Transporter's Phone ()		
9. Designated Facility Name and Site Address 1001 WEST HIGH STREET SPRINGFIELD, IL 62761		12. Containers		E. Transporter's ID Number		
11. US DOT Description (Including Proper Shipping Name, Hazard Class, and ID Number)		13. Total Quantity		F. Transporter's Phone ()		
a. NON HAZ WATER - OIL		No. Type		G. Facility's IL ID Number		
b.		00.17.1030.006		H. Facility's Phone ()		
c.						
d.						
J. Additional Description for Materials Listed Above		K. Handling Codes for Wastes Listed Above In Item #14				
15. Special Handling Instructions and Additional Information 24-HOUR EMERGENCY RESPONSE CALL 800/368-1240						
16. GENERATOR'S CERTIFICATION: I hereby declare that the contents of this consignment are fully and accurately described above by proper shipping name and are classified, packed, marked, and labeled, and are in all respects in proper condition for transport by highway according to applicable international and national government regulations. If I am a large quantity generator, I certify that I have a program in place to reduce the volume and toxicity of waste generated to the degree I have determined to be economically practicable and that I have selected the practicable method of treatment, storage, or disposal currently available to me which minimizes the present and future threat to human health and the environment; OR, if I am a small quantity generator, I have made a good faith effort to minimize my waste generation and select the best waste management method that is available to me and that I can afford.		Printed/Typed Name		Signature		
17. Transporter 1 Acknowledgement of Receipt of Materials		Printed/Typed Name		Signature		
18. Transporter 2 Acknowledgement of Receipt of Materials		Printed/Typed Name		Signature		
19. Discrepancy Indication Space						
20. Facility Owner or Operator: Certification of receipt of hazardous materials covered by this manifest except as noted in item 19.		Printed/Typed Name		Signature		

This Agency is authorized to require, pursuant to Illinois Revised Statute, 1989, Chapter 111 1/2, Section 1004 and 1021, that this information be submitted to the Agency. Failure to provide this information may result in a civil penalty against the owner or operator not to exceed \$25,000 per day of violation. Falsification of this information may result in a fine up to \$50,000 per day of violation and imprisonment up to 5 years. This form has been approved by the Forms Management Center.

COPY 6. GENERATOR'S COPY



PLEASE TYPE

(Form designed for use on elite (12-pitch) typewriter.)

EPA Form 8700-22 (Rev. 6-89)

Form Approved. OMB No. 2050-0039

UNIFORM HAZARDOUS WASTE MANIFEST		1. Generator's US EPA ID No. ILD 05435307	Manifest Document No. 005	2. Page 1 of	Information in the shaded areas is not required by Federal law, but is required by Illinois law.		
3. Generator's Name and Mailing Address UNIVERSAL FORM CLAMP 840 S. 25th Ave. Bellwood, IL 60104				A. Illinois Manifest Document Number IL11058943 FEE PAID IF APPLICABLE			
4. *24 HOUR EMERGENCY AND SPILL ASSISTANCE NUMBERS*				B. Generator's IL ID Number 031101155006			
5. Transporter 1 Company Name NORTH BRANCH ENVIRONMENTAL		6. US EPA ID Number ILR 00005297		C. Transporter's ID Number UPM 350461			
7. Transporter 2 Company Name		8. US EPA ID Number		D. Transporter's Phone (630) 529-0240			
9. Designated Facility Name and Site Address ORTEK INC 7601 W. 47th St. M'COOK, IL 60525		10. US EPA ID Number		E. Transporter's ID Number			
				F. Transporter's Phone ()			
				G. Facility's IL ID Number 03111740002			
				H. Facility's Phone (708) 442-6992			
11. US DOT Description (Including Proper Shipping Name, Hazard Class, and ID Number) NON HAZARDOUS NON REGULATED OILY WATER				12. Containers No. Type	13. Total Quantity	14. Unit Wt/Vol	1. Waste No. EPA HW Number
a.							
b.							
c.							
d.							
J. Additional Description for Materials Listed Above				K. Handling Codes for Wastes Listed Above In Item #14			
15. Special Handling Instructions and Additional Information							
16. GENERATOR'S CERTIFICATION: I hereby declare that the contents of this consignment are fully and accurately described above by proper shipping name and are classified, packed, marked, and labeled, and are in all respects in proper condition for transport by highway according to applicable international and national government regulations. If I am a large quantity generator, I certify that I have a program in place to reduce the volume and toxicity of waste generated to the degree I have determined to be economically practicable and that I have selected the practicable method of treatment, storage, or disposal currently available to me which minimizes the present and future threat to human health and the environment; OR, if I am a small quantity generator, I have made a good faith effort to minimize my waste generation and select the best waste management method that is available to me and that I can afford.							
Printed /Typed Name [Signature]				Signature [Signature]		Date Month Day Year 11/20/06	
17. Transporter 1 Acknowledgement of Receipt of Materials				Printed /Typed Name Frank C. Amodeo		Signature [Signature]	
				Date Month Day Year 06/30/06			
18. Transporter 2 Acknowledgement of Receipt of Materials				Printed /Typed Name		Signature	
				Date Month Day Year			
19. Discrepancy Indication Space							
20. Facility Owner or Operator: Certification of receipt of hazardous materials covered by this manifest except as noted in item 19.							
Printed /Typed Name				Signature		Date Month Day Year	

This Agency is authorized to require, pursuant to Illinois Revised Statute, 1989, Chapter 111 1/2, Section 1004 and 1021, that this information be submitted to the Agency. Failure to provide this information may result in a civil penalty against the owner or operator not to exceed \$25,000 per day of violation. Falsification of this information may result in a fine up to \$50,000 per day of violation and imprisonment up to 5 years. This form has been approved by the Forms Management Center.



PLEASE TYPE

(Form designed for use on elite (12-pitch) typewriter.)

EPA Form 8700-22 (Rev. 6-89)

Form Approved, OMB No. 2050-0039

UNIFORM HAZARDOUS WASTE MANIFEST		1. Generator's US EPA ID No.	Manifest Document No.	2. Page 1 of	Information in the shaded areas is not required by Federal law, but is required by Illinois law.	
3. Generator's Name and Mailing Address UNIVERSAL FORM CLAMP 240 S. 26th Ave. Bensenville, IL 60014		Location If Different		A. Illinois Manifest Document Number IL11058943 FEE PAID IF APPLICABLE		
4. *24 HOUR EMERGENCY AND SPILL ASSISTANCE NUMBERS*		B. Generator's IL ID Number		C. Transporter's ID Number		
5. Transporter 1 Company Name BETH BARON & W. CONTINENTAL		6. US EPA ID Number ILK 00005297		D. Transporter's Phone (630) 529-0240		
7. Transporter 2 Company Name		8. US EPA ID Number		E. Transporter's ID Number		
9. Designated Facility Name and Site Address Coke Plant 7001 W. 4th St. Morton, IL 61550		10. US EPA ID Number		F. Transporter's Phone ()		
11. US DOT Description (Including Proper Shipping Name, Hazard Class, and ID Number) NOT HAZARDOUS NON REGULATED OILY WATER		12. Containers		13. Total Quantity		14. Unit Wt/Vol
a.		No.	Type	1200		I. Waste No. EPA HW Number
b.						EPA HW Number
c.						EPA HW Number
d.						EPA HW Number
J. Additional Description for Materials Listed Above		K. Handling Codes for Wastes Listed Above In Item #14				
15. Special Handling Instructions and Additional Information						
16. GENERATOR'S CERTIFICATION: I hereby declare that the contents of this consignment are fully and accurately described above by proper shipping name and are classified, packed, marked, and labeled, and are in all respects in proper condition for transport by highway according to applicable international and national government regulations. If I am a large quantity generator, I certify that I have a program in place to reduce the volume and toxicity of waste generated to the degree I have determined to be economically practicable and that I have selected the practicable method of treatment, storage, or disposal currently available to me which minimizes the present and future threat to human health and the environment; OR, if I am a small quantity generator, I have made a good faith effort to minimize my waste generation and select the best waste management method that is available to me and that I can afford.						
Printed /Typed Name		Signature		Date Month Day Year		
17. Transporter 1 Acknowledgement of Receipt of Materials		Printed /Typed Name		Signature		
18. Transporter 2 Acknowledgement of Receipt of Materials		Printed /Typed Name		Signature		
19. Discrepancy Indication Space						
20. Facility Owner or Operator: Certification of receipt of hazardous materials covered by this manifest except as noted in item 19.		Printed /Typed Name		Signature		



PLEASE TYPE

(Form designed for use on elite (12-pitch) typewriter.)

EPA Form 8700-22 (Rev. 6-89)

Form Approved. OMB No. 2050-0039

UNIFORM HAZARDOUS WASTE MANIFEST		1. Generator's US EPA ID No. <i>ILD 0543 5307</i>	Manifest Document No. <i>0000</i>	2. Page 1 of	Information in the shaded areas is not required by Federal law, but is required by Illinois law.
3. Generator's Name and Mailing Address <i>- UNIVERSAL FORM CLAMP</i> <i>840 S. 25th AVE. BELLWOOD, IL 60104</i>				A. Illinois Manifest Document Number IL 11058944 FEE PAID IF APPLICABLE	
4. "24 HOUR EMERGENCY AND SPILL ASSISTANCE NUMBERS"				B. Generator's IL ID Number <i>031101550016</i>	
5. Transporter 1 Company Name <i>NORM BLANCH ENVIRONMENTAL</i>		6. US EPA ID Number <i>ILR 00005297</i>		C. Transporter's ID Number <i>UPM 350461</i>	
7. Transporter 2 Company Name <i>JUKES OIL SERVICE</i>		8. US EPA ID Number		D. Transporter's Phone <i>(630) 529-0340</i>	
9. Designated Facility Name and Site Address <i>ORTEL INC.</i> <i>7601 W. 47th ST.</i> <i>IR. COOK IL 60525</i>		10. US EPA ID Number		E. Transporter's ID Number	
				F. Transporter's Phone <i>(671) 865-5050</i>	
				G. Facility's IL ID Number <i>031117400012</i>	
				H. Facility's Phone <i>(708) 442-6992</i>	
11. US DOT Description (Including Proper Shipping Name, Hazard Class, and ID Number) <i>NON HAZARDOUS NON REGULATED OILY WATER</i>				12. Containers No. Type	13. Total Quantity
a.					14. Unit Wt/Vol
b.					Waste No.
c.					EPA HW Number
d.					EPA HW Number
J. Additional Description for Materials Listed Above				K. Handling Codes for Wastes Listed Above in Item #14 <i>FLC</i>	
15. Special Handling Instructions and Additional Information					
16. GENERATOR'S CERTIFICATION: I hereby declare that the contents of this consignment are fully and accurately described above by proper shipping name and are classified, packed, marked, and labeled, and are in all respects in proper condition for transport by highway according to applicable international and national government regulations. If I am a large quantity generator, I certify that I have a program in place to reduce the volume and toxicity of waste generated to the degree I have determined to be economically practicable and that I have selected the practicable method of treatment, storage, or disposal currently available to me which minimizes the present and future threat to human health and the environment; OR, if I am a small quantity generator, I have made a good faith effort to minimize my waste generation and select the best waste management method that is available to me and that I can afford.					
Printed/Typed Name <i>John J. ...</i>		Signature <i>[Signature]</i>		Date Month Day Year <i>06/30/06</i>	
17. Transporter 1 Acknowledgement of Receipt of Materials		Printed/Typed Name <i>[Signature]</i>		Signature <i>[Signature]</i>	
18. Transporter 2 Acknowledgement of Receipt of Materials		Printed/Typed Name		Signature	
19. Discrepancy Indication Space					
20. Facility Owner or Operator: Certification of receipt of hazardous materials covered by this manifest except as noted in item 19.		Printed/Typed Name		Signature	
				Date Month Day Year	

This Agency is authorized to require, pursuant to Illinois Revised Statute, 1989, Chapter 111 1/2, Section 1004 and 1021, that this information be submitted to the Agency. Failure to provide this information may result in a civil penalty against the owner or operator not to exceed \$25,000 per day of violation. Falsification of this information may result in a fine up to \$50,000 per day of violation and imprisonment up to 5 years. This form has been approved by the Forms Management Center.



PLEASE TYPE

(Form designed for use on elite (12-pitch) typewriter.)

EPA Form 8700-22 (Rev. 6-89)

Form Approved. OMB No. 2050-0039

UNIFORM HAZARDOUS WASTE MANIFEST		1. Generator's US EPA ID No.	Manifest Document No.	2. Page 1 of	Information in the shaded areas is not required by Federal law, but is required by Illinois law.
3. Generator's Name and Mailing Address UNIVERSAL FORA CLAMP 400 E. 10th Ave. Springfield, IL 62764		Location If Different		A. Illinois Manifest Document Number IL11058944 FEE PAID IF APPLICABLE	
4. *24 HOUR EMERGENCY AND SPILL ASSISTANCE NUMBERS*		6. US EPA ID Number ILR000000000		B. Generator's IL ID Number 03101550016	
5. Transporter 1 Company Name JULIE OIL SERVICE		8. US EPA ID Number		C. Transporter's ID Number UPM350461	
7. Transporter 2 Company Name		10. US EPA ID Number		D. Transporter's Phone (618) 229-0240	
9. Designated Facility Name and Site Address BETHLE 3RD. 7001 W. 47th St. W. BETHLE IL 62265				E. Transporter's ID Number	
				F. Transporter's Phone (618) 229-0240	
				G. Facility's IL ID Number 03101740002	
				H. Facility's Phone (618) 442-6992	
11. US DOT Description (Including Proper Shipping Name, Hazard Class, and ID Number) H1 HAZARDOUS H21 H22 LIMITED ONLY WASTE		12. Containers No.	Type	13. Total Quantity	14. Unit Wt/Vol
a.					I. Waste No. EPA HW Number
b.					EPA HW Number
c.					EPA HW Number
d.					EPA HW Number
J. Additional Description for Materials Listed Above		K. Handling Codes for Wastes Listed Above In Item #14 FALCON			
15. Special Handling Instructions and Additional Information					
16. GENERATOR'S CERTIFICATION: I hereby declare that the contents of this consignment are fully and accurately described above by proper shipping name and are classified, packed, marked, and labeled, and are in all respects in proper condition for transport by highway according to applicable international and national government regulations. If I am a large quantity generator, I certify that I have a program in place to reduce the volume and toxicity of waste generated to the degree I have determined to be economically practicable and that I have selected the practicable method of treatment, storage, or disposal currently available to me which minimizes the present and future threat to human health and the environment; OR, if I am a small quantity generator, I have made a good faith effort to minimize my waste generation and select the best waste management method that is available to me and that I can afford.					
Printed/Typed Name		Signature		Date Month Day Year	
17. Transporter 1 Acknowledgement of Receipt of Materials		Signature		Date Month Day Year	
18. Transporter 2 Acknowledgement of Receipt of Materials		Signature		Date Month Day Year	
19. Discrepancy Indication Space					
20. Facility Owner or Operator: Certification of receipt of hazardous materials covered by this manifest except as noted in item 19.		Signature		Date Month Day Year	

This Agency is authorized to require, pursuant to Illinois Revised Statute, 1989, Chapter 111 1/2, Section 1004 and 1021, that this information be submitted to the Agency. Failure to provide this information may result in a civil penalty against the owner or operator not to exceed \$25,000 per day of violation. Falsification of this information may result in a fine up to \$50,000 per day of violation and imprisonment up to 5 years. This form has been approved by the Forms Management Center.



STATE OF ILLINOIS

ENVIRONMENTAL PROTECTION AGENCY DIVISION OF LAND POLLUTION CONTROL

P.O. BOX 19276

SPRINGFIELD, ILLINOIS 62794-9276 (217) 782-6761

State Form LPC 62 8/81

IL532-0610

FOR SHIPMENT OF HAZARDOUS
AND SPECIAL WASTE

PLEASE TYPE

(Form designed for use on elite (12-pitch) typewriter.)

EPA Form 8700-22 (Rev. 6-89)

Form Approved. OMB No. 2050-0039

UNIFORM HAZARDOUS
WASTE MANIFEST

1. Generator's US EPA ID No.

ILD 05435307

Manifest
Document No.

004

2. Page 1

of

Information in the shaded areas is not
required by Federal law, but is required by
Illinois law.

3. Generator's Name and Mailing Address

UNIVERSAL FOOD CLAMP

Location If Different

810 S. 25TH AVE. BELLWOOD, IL. 60104

4. *24 HOUR EMERGENCY AND SPILL ASSISTANCE NUMBERS*

5. Transporter 1 Company Name

NORTH BRANCH ENVIRONMENTAL

6.

US EPA ID Number

ILR 00005297

7. Transporter 2 Company Name

MURS

8.

US EPA ID Number

9. Designated Facility Name and Site Address

ORTEL INC.

7601 W. 4TH ST.

MOBILE, IL. 60525

10.

US EPA ID Number

11. US DOT Description (Including Proper Shipping Name, Hazard Class, and ID Number)

NON HAZARDOUS NOT REGULATED OILY WATER

12. Containers

No.

Type

13. Total
Quantity14. Unit
Wt/Vol

1. Waste No.

a.

b.

c.

d.

J. Additional Description for Materials Listed Above

K. Handling Codes for Wastes Listed Above
in Item #14

15. Special Handling Instructions and Additional Information

16. GENERATOR'S CERTIFICATION: I hereby declare that the contents of this consignment are fully and accurately described above by
proper shipping name and are classified, packed, marked, and labeled, and are in all respects in proper condition for transport by highway
according to applicable international and national government regulations.If I am a large quantity generator, I certify that I have a program in place to reduce the volume and toxicity of waste generated to the degree I have determined to
be economically practicable and that I have selected the practicable method of treatment, storage, or disposal currently available to me which minimizes the present
and future threat to human health and the environment; OR, if I am a small quantity generator, I have made a good faith effort to minimize my waste generation and
select the best waste management method that is available to me and that I can afford.

Printed/Typed Name

Signature

Date

Month Day Year

17. Transporter 1 Acknowledgement of Receipt of Materials

Printed/Typed Name

Signature

Date

Month Day Year

18. Transporter 2 Acknowledgement of Receipt of Materials

Printed/Typed Name

Signature

Date

Month Day Year

19. Discrepancy Indication Space

20. Facility Owner or Operator: Certification of receipt of hazardous materials covered by this manifest except as noted in item 19.

Printed/Typed Name

Signature

Date

Month Day Year

This Agency is authorized to require, pursuant to Illinois Revised Statute, 1989, Chapter 111 1/2, Section 1004 and 1021, that this information be submitted to the Agency. Failure to provide
this information may result in a civil penalty against the owner or operator not to exceed \$25,000 per day of violation. Falsification of this information may result in a fine up to \$50,000
per day of violation and imprisonment up to 5 years. This form has been approved by the Forms Management Center.COPY 5. GENERATOR MAIL TO IEPA
(RCRA HAZARDOUS AND SOLID WASTE ONLY)



PLEASE TYPE

(Form designed for use on elite (12-pitch) typewriter.)

EPA Form 8700-22 (Rev. 6-89)

Form Approved. OMB No. 2050-0039

UNIFORM HAZARDOUS WASTE MANIFEST		1. Generator's US EPA ID No.	Manifest Document No.	2. Page 1 of	Information in the shaded areas is not required by Federal law, but is required by Illinois law.
3. Generator's Name and Mailing Address Location If Different CITY OF SPRINGFIELD, ILL. 62704 1001 N. 1ST ST. SPRINGFIELD, ILL. 62704		6. US EPA ID Number ILK-0005297		A. Illinois Manifest Document Number IL 11058942 FEE PAID IF APPLICABLE	
4. *24 HOUR EMERGENCY AND SPILL ASSISTANCE NUMBERS*		7. Transporter 1 Company Name DORR BROTHERS LTD. INC.		B. Generator's IL ID Number 0310155006	
5. Transporter 1 Company Name		8. US EPA ID Number		C. Transporter's ID Number 060350401	
9. Designated Facility Name and Site Address DORR INC. 7601 N. 4TH ST. SPRINGFIELD, ILL. 62704		10. US EPA ID Number		D. Transporter's Phone (618) 524-0240	
11. US DOT Description (Including Proper Shipping Name, Hazard Class, and ID Number) HAZARDOUS WASTE, UNK. ORG.		12. Containers No. Type		E. Transporter's ID Number 70 625096	
a.		13. Total Quantity		F. Transporter's Phone ()	
b.		14. Unit Wt/Vol		G. Facility's IL ID Number 0311740002	
c.		15. Waste No.		H. Facility's Phone (708) 442-6492	
d.		16. EPA HW Number			
J. Additional Description for Materials Listed Above		K. Handling Codes for Wastes Listed Above In Item #14			
15. Special Handling Instructions and Additional Information					
16. GENERATOR'S CERTIFICATION: I hereby declare that the contents of this consignment are fully and accurately described above by proper shipping name and are classified, packed, marked, and labeled, and are in all respects in proper condition for transport by highway according to applicable international and national government regulations. If I am a large quantity generator, I certify that I have a program in place to reduce the volume and toxicity of waste generated to the degree I have determined to be economically practicable and that I have selected the practicable method of treatment, storage, or disposal currently available to me which minimizes the present and future threat to human health and the environment; OR, if I am a small quantity generator, I have made a good faith effort to minimize my waste generation and select the best waste management method that is available to me and that I can afford.					
Printed /Typed Name		Signature		Date Month Day Year	
17. Transporter 1 Acknowledgement of Receipt of Materials		Signature		Date Month Day Year	
18. Transporter 2 Acknowledgement of Receipt of Materials		Signature		Date Month Day Year	
19. Discrepancy Indication Space					
20. Facility Owner or Operator: Certification of receipt of hazardous materials covered by this manifest except as noted in item 19.		Signature		Date Month Day Year	

This Agency is authorized to require, pursuant to Illinois Revised Statute, 1989, Chapter 111 1/2, Section 1004 and 1021, that this information be submitted to the Agency. Failure to provide this information may result in a civil penalty against the owner or operator not to exceed \$25,000 per day of violation. Falsification of this information may result in a fine up to \$50,000 per day of violation and imprisonment up to 5 years. This form has been approved by the Forms Management Center.





PLEASE TYPE

(Form designed for use on elite (12-pitch) typewriter.)

EPA Form 8700-22 (Rev. 6-89)

Form Approved. OMB No. 2050-0039

UNIFORM HAZARDOUS WASTE MANIFEST		1. Generator's US EPA ID No.	Manifest Document No.	2. Page 1 of	Information in the shaded areas is not required by Federal law, but is required by Illinois law.
3. Generator's Name and Mailing Address UNIVERSAL FORM COMPANY 440 SOUTH 15TH AVE SPRINGFIELD, IL 62764		Location if Different		A. Illinois Manifest Document Number IL11878664 FEE PAID IF APPLICABLE	
4. *24 HOUR EMERGENCY AND SPILL ASSISTANCE NUMBERS*		6. US EPA ID Number		B. Generator's IL ID Number	
5. Transporter 1 Company Name		7. Transporter 1 US EPA ID Number		C. Transporter's ID Number	
7. Transporter 2 Company Name		8. Transporter 2 US EPA ID Number		D. Transporter's Phone	
9. Designated Facility Name and Site Address ARTEN, INC 1601 WEST 4TH STREET		10. US EPA ID Number		E. Transporter's ID Number	
				F. Transporter's Phone	
				G. Facility's IL ID Number	
				H. Facility's Phone	
11. US DOT Description (Including Proper Shipping Name, Hazard Class, and ID Number)		12. Containers		13. Total Quantity	14. Unit Wt/Vol
		No.	Type		
a.					Waste No.
b.					EPA HW Number
c.					EPA HW Number
d.					EPA HW Number
J. Additional Description for Materials Listed Above		K. Handling Codes for Wastes Listed Above In Item #14			
15. Special Handling Instructions and Additional Information 24 HOUR EMERGENCY RESPONSE CALL 630/529-0240					
16. GENERATOR'S CERTIFICATION: I hereby declare that the contents of this consignment are fully and accurately described above by proper shipping name and are classified, packed, marked, and labeled, and are in all respects in proper condition for transport by highway according to applicable international and national government regulations. If I am a large quantity generator, I certify that I have a program in place to reduce the volume and toxicity of waste generated to the degree I have determined to be economically practicable and that I have selected the practicable method of treatment, storage, or disposal currently available to me which minimizes the present and future threat to human health and the environment; OR, if I am a small quantity generator, I have made a good faith effort to minimize my waste generation and select the best waste management method that is available to me and that I can afford.					
Printed/Typed Name		Signature		Date Month Day Year	
17. Transporter 1 Acknowledgement of Receipt of Materials		Signature		Date Month Day Year	
18. Transporter 2 Acknowledgement of Receipt of Materials		Signature		Date Month Day Year	
19. Discrepancy Indication Space					
20. Facility Owner or Operator: Certification of receipt of hazardous materials covered by this manifest except as noted in item 19.					
Printed/Typed Name		Signature		Date Month Day Year	

This Agency is authorized to require, pursuant to Illinois Revised Statute, 1989, Chapter 111 1/2, Section 1004 and 1021, that this information be submitted to the Agency. Failure to provide this information may result in a civil penalty against the owner or operator not to exceed \$25,000 per day of violation. Falsification of this information may result in a fine up to \$50,000 per day of violation and imprisonment up to 5 years. This form has been approved by the Forms Management Center.



PLEASE TYPE

(Form designed for use on elite (12-pitch) typewriter.)

EPA Form 8700-22 (Rev. 6-89)

Form Approved. OMB No. 2050-0039

UNIFORM HAZARDOUS WASTE MANIFEST		1. Generator's US EPA ID No.		Manifest Document No.		2. Page 1 of		Information in the shaded areas is not required by Federal law, but is required by Illinois law.	
3. Generator's Name and Mailing Address UNIVERSAL FORM, COMPANY CO 840 SOUTH 25TH AVE BIRMINGHAM AL 35204				Location if Different		A. Illinois Manifest Document Number IL11878741 FEE PAID IF APPLICABLE			
4. *24 HOUR EMERGENCY AND SPILL ASSISTANCE NUMBERS* 708 551-4651				6. US EPA ID Number		B. Generator's IL ID Number 0311150016			
5. Transporter 1 Company Name				7. Transporter 2 Company Name		C. Transporter's ID Number			
6. Designated Facility Name and Site Address ORTEK, INC 7601 WEST 47TH STREET				10. US EPA ID Number		D. Transporter's Phone 800 551-4651			
7. US DOT Description (Including Proper Shipping Name, Hazard Class, and ID Number)				12. Containers		13. Total Quantity		14. Unit Wt/Vol	
a. NON HAZARDOUS NON REGULATED 05000				No. Type		6		Waste No.	
b. NON HAZARDOUS NON REGULATED 05000								EPA HW Number	
c. NON HAZARDOUS NON REGULATED 05000								EPA HW Number	
d. NON HAZARDOUS NON REGULATED 05000								EPA HW Number	
J. Additional Description for Materials Listed Above				K. Handling Codes for Wastes Listed Above in Item #14		GALLONS			
15. Special Handling Instructions and Additional Information 24-HOUR EMERGENCY RESPONSE CALL 630/529-0240									
16. GENERATOR'S CERTIFICATION: I hereby declare that the contents of this consignment are fully and accurately described above by proper shipping name and are classified, packed, marked, and labeled, and are in all respects in proper condition for transport by highway according to applicable international and national government regulations. If I am a large quantity generator, I certify that I have a program in place to reduce the volume and toxicity of waste generated to the degree I have determined to be economically practicable and that I have selected the practicable method of treatment, storage, or disposal currently available to me which minimizes the present and future threat to human health and the environment; OR, if I am a small quantity generator, I have made a good faith effort to minimize my waste generation and select the best waste management method that is available to me and that I can afford.									
Printed/Typed Name				Signature				Date	
17. Transporter 1 Acknowledgement of Receipt of Materials				Signature				Date	
Printed/Typed Name				Signature				Date	
18. Transporter 2 Acknowledgement of Receipt of Materials				Signature				Date	
Printed/Typed Name				Signature				Date	
19. Discrepancy Indication Space									
20. Facility Owner or Operator: Certification of receipt of hazardous materials covered by this manifest except as noted in item 19.									
Printed/Typed Name				Signature				Date	

This Agency is authorized to require, pursuant to Illinois Revised Statute, 1989, Chapter 111 1/2, Section 1004 and 1021, that this information be submitted to the Agency. Failure to provide this information may result in a civil penalty against the owner or operator not to exceed \$25,000 per day of violation. Falsification of this information may result in a fine up to \$50,000 per day of violation and imprisonment up to 5 years. This form has been approved by the Forms Management Center.



PLEASE TYPE

(Form designed for use on elite (12-pitch) typewriter.)

EPA Form 8700-22 (Rev. 6-89)

Form Approved. OMB No. 2050-0039

UNIFORM HAZARDOUS WASTE MANIFEST		1. Generator's US EPA ID No.	Manifest Document No.	2. Page 1 of	Information in the shaded areas is not required by Federal law, but is required by Illinois law.
3. Generator's Name and Mailing Address WILSON'S ROYAL CLEAN CO 740 SOUTH LEXINGTON BLVD SPRINGFIELD, IL 62761		Location if Different		A. Illinois Manifest Document Number IL11878741 FEE PAID IF APPLICABLE	
4. *24 HOUR EMERGENCY AND SPILL ASSISTANCE NUMBERS* 700 544 4255		6. US EPA ID Number		B. Generator's IL ID Number 0016150476	
5. Transporter 1 Company Name		8. US EPA ID Number		C. Transporter's ID Number 0016150476	
7. Transporter 2 Company Name		10. US EPA ID Number		D. Transporter's Phone (630) 525-0240	
9. Designated Facility Name and Site Address ORTEK, INC 7601 WEST 47TH STREET CHICAGO, IL 60631		12. Containers		E. Transporter's ID Number	
11. US DOT Description (Including Proper Shipping Name, Hazard Class, and ID Number)		13. Total Quantity		F. Transporter's Phone ()	
a. NON HAZARDOUS NON REGULATED 071 WHITE PC IT T		14. Unit Wt/Vol		G. Facility's IL ID Number	
b.		15. Waste No.		H. Facility's Phone ()	
c.		16. EPA HW Number			
d.		17. EPA HW Number			
J. Additional Description for Materials Listed Above		K. Handling Codes for Wastes Listed Above In Item #14			
15. Special Handling Instructions and Additional Information 24-HOUR EMERGENCY RESPONSE CALL 630/525-0240					
16. GENERATOR'S CERTIFICATION: I hereby declare that the contents of this consignment are fully and accurately described above by proper shipping name and are classified, packed, marked, and labeled, and are in all respects in proper condition for transport by highway according to applicable international and national government regulations. If I am a large quantity generator, I certify that I have a program in place to reduce the volume and toxicity of waste generated to the degree I have determined to be economically practicable and that I have selected the practicable method of treatment, storage, or disposal currently available to me which minimizes the present and future threat to human health and the environment; OR, if I am a small quantity generator, I have made a good faith effort to minimize my waste generation and select the best waste management method that is available to me and that I can afford.		Printed/Typed Name		Signature	
17. Transporter 1 Acknowledgement of Receipt of Materials		Printed/Typed Name		Signature	
18. Transporter 2 Acknowledgement of Receipt of Materials		Printed/Typed Name		Signature	
19. Discrepancy Indication Space					
20. Facility Owner or Operator: Certification of receipt of hazardous materials covered by this manifest except as noted in item 19.		Printed/Typed Name		Signature	

This Agency is authorized to require, pursuant to Illinois Revised Statute, 1989, Chapter 111 1/2, Section 1004 and 1021, that this information be submitted to the Agency. Failure to provide this information may result in a civil penalty against the owner or operator not to exceed \$25,000 per day of violation. Falsification of this information may result in a fine up to \$50,000 per day of violation and imprisonment up to 5 years. This form has been approved by the Forms Management Center.



PLEASE TYPE

(Form designed for use on elite (12-pitch) typewriter.)

EPA Form 8700-22 (Rev. 6-89)

Form Approved. OMB No. 2050-0039

UNIFORM HAZARDOUS WASTE MANIFEST		1. Generator's US EPA ID No. <i>IL0 05435307</i>	Manifest Document No. <i>203</i>	2. Page 1 of	Information in the shaded areas is not required by Federal law, but is required by Illinois law.
3. Generator's Name and Mailing Address <i>UNIVERSAL FORM CLAMP</i> <i>840 S. 25th AVE. BELLWOOD, IL. 60014</i>				A. Illinois Manifest Document Number <i>IL11058945</i> FEE PAID IF APPLICABLE	
4. *24 HOUR EMERGENCY AND SPILL ASSISTANCE NUMBERS*				B. Generator's IL ID Number <i>03110115510106</i>	
5. Transporter 1 Company Name <i>NORTH BRANCH ENVIRONMENTAL</i>		6. US EPA ID Number		C. Transporter's ID Number <i>UPM 350461</i>	
7. Transporter 2 Company Name <i>WASS OIL SERVICE</i>		8. US EPA ID Number <i>ILR 00005297</i>		D. Transporter's Phone <i>(630) 529-0240</i>	
9. Designated Facility Name and Site Address <i>ORTEL INC.</i> <i>7601 W. 47th St.</i> <i>MS COOK, IL. 60035</i>		10. US EPA ID Number		E. Transporter's ID Number <i>107 338732</i>	
11. US DOT Description (Including Proper Shipping Name, Hazard Class, and ID Number) <i>NON HAZARDOUS NON REGULATED OILY WATER</i>				F. Transporter's Phone <i>(815) 595 4291</i>	
				G. Facility's IL ID Number <i>03111740002</i>	
12. Containers No. Type				H. Facility's Phone <i>(708) 442-6992</i>	
				13. Total Quantity	
14. Unit Wt/Vol				1. Waste No.	
				EPA HW Number	
				EPA HW Number	
				EPA HW Number	
J. Additional Description for Materials Listed Above				K. Handling Codes for Wastes Listed Above in Item #14	
15. Special Handling Instructions and Additional Information					
16. GENERATOR'S CERTIFICATION: I hereby declare that the contents of this consignment are fully and accurately described above by proper shipping name and are classified, packed, marked, and labeled, and are in all respects in proper condition for transport by highway according to applicable international and national government regulations. If I am a large quantity generator, I certify that I have a program in place to reduce the volume and toxicity of waste generated to the degree I have determined to be economically practicable and that I have selected the practicable method of treatment, storage, or disposal currently available to me which minimizes the present and future threat to human health and the environment; OR, if I am a small quantity generator, I have made a good faith effort to minimize my waste generation and select the best waste management method that is available to me and that I can afford.					
Printed/Typed Name <i>Mike Sullivan</i>		Signature <i>[Signature]</i>		Date Month Day Year <i>06 30 06</i>	
17. Transporter 1 Acknowledgement of Receipt of Materials		Signature <i>[Signature]</i>		Date Month Day Year <i>06 30 06</i>	
18. Transporter 2 Acknowledgement of Receipt of Materials		Signature <i>[Signature]</i>		Date Month Day Year <i>06 30 06</i>	
19. Discrepancy Indication Space					
20. Facility Owner or Operator: Certification of receipt of hazardous materials covered by this manifest except as noted in item 19.		Signature <i>[Signature]</i>		Date Month Day Year <i>06 30 06</i>	

This Agency is authorized to require, pursuant to Illinois Revised Statute, 1989, Chapter 111 1/2, Section 1004 and 1021, that this information be submitted to the Agency. Failure to provide this information may result in a civil penalty against the owner or operator not to exceed \$25,000 per day of violation. Falsification of this information may result in a fine up to \$50,000 per day of violation and imprisonment up to 5 years. This form has been approved by the Forms Management Center.



STATE OF ILLINOIS

ENVIRONMENTAL PROTECTION AGENCY DIVISION OF LAND POLLUTION CONTROL

P.O. BOX 19276

SPRINGFIELD, ILLINOIS 62794-9276 (217) 782-6761

State Form

LPC 62 8/81

IL532-0610

FOR SHIPMENT OF HAZARDOUS
AND SPECIAL WASTE

PLEASE TYPE

(Form designed for use on elite (12-pitch) typewriter.)

EPA Form 8700-22 (Rev. 6-89)

Form Approved. OMB No. 2050-0039

UNIFORM HAZARDOUS WASTE MANIFEST		1. Generator's US EPA ID No. ILL 05432307	Manifest Document No. 3	2. Page 1 of	Information in the shaded areas is not required by Federal law, but is required by Illinois law.
3. Generator's Name and Mailing Address UNIVERSAL TRAIL CAMP 540 S. 25th Ave. Springfield, IL 61104		Location If Different		A. Illinois Manifest Document Number ILL11058945 FEE PAID IF APPLICABLE	
4. *24 HOUR EMERGENCY AND SPILL ASSISTANCE NUMBERS*				B. Generator's IL ID Number 10211111511016	
5. Transporter 1 Company Name NORTH CAROLINA TRANSPORT INC.		6. US EPA ID Number		C. Transporter's ID Number 11PM350461	
7. Transporter 2 Company Name DRESS OTL WASTE		8. US EPA ID Number ILL10005041		D. Transporter's Phone (618) 329-1240	
9. Designated Facility Name and Site Address GRILL INC. 7601 W. 47th St. St. Louis, Mo. 63125		10. US EPA ID Number		E. Transporter's ID Number 11PM350461	
				F. Transporter's Phone (314) 945-9291	
				G. Facility's IL ID Number 0311111400002	
				H. Facility's Phone (314) 442-6992	
11. US DOT Description (Including Proper Shipping Name, Hazard Class, and ID Number) 1104 HAZARDOUS SOLID REGULATED ONLY 1102		12. Containers No. Type		13. Total Quantity	14. Unit Wt/Vol
a.					I. Waste No. EPA HW Number
b.					EPA HW Number
c.					EPA HW Number
d.					EPA HW Number
J. Additional Description for Materials Listed Above		K. Handling Codes for Wastes Listed Above In Item #14			
15. Special Handling Instructions and Additional Information					
16. GENERATOR'S CERTIFICATION: I hereby declare that the contents of this consignment are fully and accurately described above by proper shipping name and are classified, packed, marked, and labeled, and are in all respects in proper condition for transport by highway according to applicable international and national government regulations. If I am a large quantity generator, I certify that I have a program in place to reduce the volume and toxicity of waste generated to the degree I have determined to be economically practicable and that I have selected the practicable method of treatment, storage, or disposal currently available to me which minimizes the present and future threat to human health and the environment; OR, if I am a small quantity generator, I have made a good faith effort to minimize my waste generation and select the best waste management method that is available to me and that I can afford.					
Printed/Typed Name [Signature]		Signature [Signature]		Date Month Day Year 10 6 30 06	
17. Transporter 1 Acknowledgement of Receipt of Materials		Printed/Typed Name [Signature]		Signature [Signature]	
18. Transporter 2 Acknowledgement of Receipt of Materials		Printed/Typed Name [Signature]		Signature [Signature]	
19. Discrepancy Indication Space					
20. Facility Owner or Operator: Certification of receipt of hazardous materials covered by this manifest except as noted in item 19.		Printed/Typed Name [Signature]		Signature [Signature]	
				Date Month Day Year	

This information is authorized to require, pursuant to Illinois Revised Statute, 1989, Chapter 111 1/2, Section 1004 and 1021, that this information be submitted to the Agency. Failure to provide this information may result in a civil penalty against the owner or operator not to exceed \$25,000 per day of violation. Falsification of this information may result in a fine up to \$50,000 per day of violation and imprisonment up to 5 years. This form has been approved by the Forms Management Center.



STATE OF ILLINOIS

ENVIRONMENTAL PROTECTION AGENCY DIVISION OF LAND POLLUTION CONTROL

P.O. BOX 19276

SPRINGFIELD, ILLINOIS 62794-9276 (217) 782-6761

FOR SHIPMENT OF HAZARDOUS
AND SPECIAL WASTE

PLEASE TYPE

(Form designed for use on elite (12-pitch) typewriter.)

State Form LPC 62 8/81

IL532-0610

EPA Form 8700-22 (Rev. 6-89)

Form Approved. OMB No. 2050-0039

UNIFORM HAZARDOUS WASTE MANIFEST		1. Generator's US EPA ID No.	Manifest Document No.	2. Page 1 of	Information in the shaded areas is not required by Federal law, but is required by Illinois law.
3. Generator's Name and Mailing Address UNIVERSAL FORM CLAMP 840 SOUTH 25th AVE ELLWOOD ZI 60101		Location if Different		A. Illinois Manifest Document Number IL11878658 FEE PAID IF APPLICABLE	
4. *24 HOUR EMERGENCY AND SPILL ASSISTANCE NUMBERS* 708 944 5965		6. US EPA ID Number		B. Generator's IL ID Number 03101550060	
5. Transporter 1 Company Name		6. US EPA ID Number		C. Transporter's ID Number	
7. Transporter 2 Company Name		8. IL R US EPA ID Number 977		D. Transporter's Phone 350461	
9. Designated Facility Name and Site Address ORDEX, INC 7601 WEST 47TH STREET		10. US EPA ID Number		E. Transporter's ID Number 630 529-0240	
11. US DOT Description (including Proper Shipping Name, Hazard Class, and ID Number)		12. Containers		13. Total Quantity	
		No. Type		Unit Wt/Vol	
a. NON HAZ NONRELATED RLY WATER		001 T 103000 G		Waste No:	
b.				EPA HW Number	
c.				EPA HW Number	
d.				EPA HW Number	
J. Additional Description for Materials Listed Above		K. Handling Codes for Wastes Listed Above In Item #14		GALLONS	
15. Special Handling Instructions and Additional Information 24 HOUR EMERGENCY RESPONSE CALL 630/529-0240					
16. GENERATOR'S CERTIFICATION: I hereby declare that the contents of this consignment are fully and accurately described above by proper shipping name and are classified, packed, marked, and labeled, and are in all respects in proper condition for transport by highway according to applicable international and national government regulations. If I am a large quantity generator, I certify that I have a program in place to reduce the volume and toxicity of waste generated to the degree I have determined to be economically practicable and that I have selected the practicable method of treatment, storage, or disposal currently available to me which minimizes the present and future threat to human health and the environment; OR, if I am a small quantity generator, I have made a good faith effort to minimize my waste generation and select the best waste management method that is available to me and that I can afford.					
Printed/Typed Name		Signature		Date	
17. Transporter 1 Acknowledgement of Receipt of Materials		Signature		Date	
Printed/Typed Name		Signature		Date	
18. Transporter 2 Acknowledgement of Receipt of Materials		Signature		Date	
Printed/Typed Name		Signature		Date	
19. Discrepancy Indication Space					
20. Facility Owner or Operator: Certification of receipt of hazardous materials covered by this manifest except as noted in item 19.					
Printed/Typed Name		Signature		Date	

This Agency is authorized to require, pursuant to Illinois Revised Statute, 1989, Chapter 111 1/2, Section 1004 and 1021, that this information be submitted to the Agency. Failure to provide this information may result in a civil penalty against the owner or operator not to exceed \$25,000 per day of violation. Falsification of this information may result in a fine up to \$50,000 per day of violation and imprisonment up to 5 years. This form has been approved by the Forms Management Center.

COPY 5. GENERATOR MAIL TO IEPA
(RCRA HAZARDOUS AND PCB WASTE)



PLEASE TYPE

(Form designed for use on elite (12-pitch) typewriter.)

State Form LPC 62 8/81

IL532-0610

EPA Form 8700-22 (Rev. 6-89)

Form Approved. OMB No. 2050-0039

**UNIFORM HAZARDOUS
WASTE MANIFEST**

1. Generator's US EPA ID No.

Manifest
Document No.

2. Page 1

Information in the shaded areas is not
required by Federal law, but is required by
Illinois law.

3. Generator's Name and Mailing Address

Location if Different

UNIVERSAL FORM CORP
840 SUMMIT AVE BELLWOOD IL 60104

4. *24 HOUR EMERGENCY AND SPILL ASSISTANCE NUMBERS*

206 944 5965

5. Transporter 1 Company Name

6. US EPA ID Number

A. Illinois Manifest Document Number

FEE PAID
IF APPLICABLE

IL11878658

B. Generator's IL
ID Number

03110155000

C. Transporter's
ID Number

D. Transporter's Phone

800 529-0240

E. Transporter's
ID Number

F. Transporter's Phone ()

G. Facility's IL
ID Number

H. Facility's Phone ()

9. Designated Facility Name and Site Address

10. US EPA ID Number

ORTER, INC
1601 WEST 47TH STREET

11. US DOT Description (including Proper Shipping Name, Hazard Class, and ID Number)

12. Containers

13. Total
Quantity14. Unit
Wt/Vol

15. Waste No.

G
E
N
E
R
A
T
O
R

a.

No.

Type

Total
QuantityUnit
Wt/Vol

Waste No.

b.

No.

Type

Total
QuantityUnit
Wt/Vol

Waste No.

c.

No.

Type

Total
QuantityUnit
Wt/Vol

Waste No.

d.

No.

Type

Total
QuantityUnit
Wt/Vol

Waste No.

e.

No.

Type

Total
QuantityUnit
Wt/Vol

Waste No.

f.

No.

Type

Total
QuantityUnit
Wt/Vol

Waste No.

g.

No.

Type

Total
QuantityUnit
Wt/Vol

Waste No.

h.

No.

Type

Total
QuantityUnit
Wt/Vol

Waste No.

i.

No.

Type

Total
QuantityUnit
Wt/Vol

Waste No.

j.

No.

Type

Total
QuantityUnit
Wt/Vol

Waste No.

k.

No.

Type

Total
QuantityUnit
Wt/Vol

Waste No.

l.

No.

Type

Total
QuantityUnit
Wt/Vol

Waste No.

m.

No.

Type

Total
QuantityUnit
Wt/Vol

Waste No.

n.

No.

Type

Total
QuantityUnit
Wt/Vol

Waste No.

o.

No.

Type

Total
QuantityUnit
Wt/Vol

Waste No.

p.

No.

Type

Total
QuantityUnit
Wt/Vol

Waste No.

q.

No.

Type

Total
QuantityUnit
Wt/Vol

Waste No.

r.

No.

Type

Total
QuantityUnit
Wt/Vol

Waste No.

s.

No.

Type

Total
QuantityUnit
Wt/Vol

Waste No.

t.

No.

Type

Total
QuantityUnit
Wt/Vol

Waste No.

u.

No.

Type

Total
QuantityUnit
Wt/Vol

Waste No.

v.

No.

Type

Total
QuantityUnit
Wt/Vol

Waste No.

w.

No.

Type

Total
QuantityUnit
Wt/Vol

Waste No.

x.

No.

Type

Total
QuantityUnit
Wt/Vol

Waste No.

y.

No.

Type

Total
QuantityUnit
Wt/Vol

Waste No.

z.

No.

Type

Total
QuantityUnit
Wt/Vol

Waste No.

aa.

No.

Type

Total
QuantityUnit
Wt/Vol

Waste No.

ab.

No.

Type

Total
QuantityUnit
Wt/Vol

Waste No.

ac.

No.

Type

Total
QuantityUnit
Wt/Vol

Waste No.

ad.

No.

Type

Total
QuantityUnit
Wt/Vol

Waste No.

ae.

No.

Type

Total
QuantityUnit
Wt/Vol

Waste No.

af.

No.

Type

Total
QuantityUnit
Wt/Vol

Waste No.

ag.

No.

Type

Total
QuantityUnit
Wt/Vol

Waste No.

ah.

No.

Type

Total
QuantityUnit
Wt/Vol

Waste No.

ai.

No.

Type

Total
QuantityUnit
Wt/Vol

Waste No.

aj.

No.

Type

Total
QuantityUnit
Wt/Vol

Waste No.

ak.

No.

Type

Total
QuantityUnit
Wt/Vol

Waste No.

al.

No.

Type

Total
QuantityUnit
Wt/Vol

Waste No.

am.

No.

Type

Total
QuantityUnit
Wt/Vol

Waste No.

an.

No.

Type

Total
QuantityUnit
Wt/Vol

Waste No.

ao.

No.

Type

Total
QuantityUnit
Wt/Vol

Waste No.

ap.

No.

Type

Total
QuantityUnit
Wt/Vol

Waste No.

aq.

No.

Type

Total
QuantityUnit
Wt/Vol

Waste No.

ar.

No.

Type

Total
QuantityUnit
Wt/Vol

Waste No.

as.

No.

Type

Total
QuantityUnit
Wt/Vol

Waste No.

at.

No.

Type

Total
QuantityUnit
Wt/Vol

Waste No.

au.

No.

Type

Total
QuantityUnit
Wt/Vol

Waste No.

av.

No.

Type

Total
QuantityUnit
Wt/Vol

Waste No.

This Agency is authorized to require, pursuant to Illinois Revised Statute, 1989, Chapter 111 1/2, Section 1004 and 1021, that this information be submitted to the Agency. Failure to provide this information may result in a civil penalty against the owner or operator not to exceed \$25,000 per day of violation. Falsification of this information may result in a fine up to \$50,000 per day of violation and imprisonment up to 5 years. This form has been approved by the Forms Management Center.

COPY 6. GENERATOR'S COPY



PLEASE TYPE

(Form designed for use on elite (12-pitch) typewriter.)

EPA Form 8700-22 (Rev. 6-89)

Form Approved. OMB No. 2050-0039

UNIFORM HAZARDOUS WASTE MANIFEST		1. Generator's US EPA ID No.	Manifest Document No.	2. Page 1 of	Information in the shaded areas is not required by Federal law, but is required by Illinois law.
3. Generator's Name and Mailing Address UNIVERSAL FORM COMPANY 840 SOUTH 25TH AVE BLOOMINGTON IL 61704		Location if Different		A. Illinois Manifest Document Number IL11878764 FEE PAID IF APPLICABLE	
4. *24 HOUR EMERGENCY AND SPILL ASSISTANCE NUMBERS* 708 544 9965		6. US EPA ID Number		B. Generator's IL ID Number 0310155006	
5. Transporter 1 Company Name		8. US EPA ID Number		C. Transporter's ID Number	
7. Transporter 2 Company Name WEST BRANCH ENVIRONMENTAL		10. US EPA ID Number		D. Transporter's Phone 350 461	
9. Designated Facility Name and Site Address ORTEX, INC 7601 WEST 47TH STREET MCCOOK ILL 60055		11. US DOT Description (including Proper Shipping Name, Hazard Class, and ID Number)		E. Transporter's ID Number 530 529-0240	
		12. Containers		F. Transporter's Phone ()	
		No. Type		G. Facility's IL ID Number 0311140002	
		13. Total Quantity		H. Facility's Phone 708 442-6992	
		14. Unit Wt/Vol		I. Waste No.	
a.				EPA HW Number	
b.				EPA HW Number	
c.				EPA HW Number	
d.				EPA HW Number	
J. Additional Description for Materials Listed Above		K. Handling Codes for Wastes Listed Above In Item #14 GALLONS			
15. Special Handling Instructions and Additional Information 24-HOUR EMERGENCY RESPONSE CALL 630/529-0240					
16. GENERATOR'S CERTIFICATION: I hereby declare that the contents of this consignment are fully and accurately described above by proper shipping name and are classified, packed, marked, and labeled, and are in all respects in proper condition for transport by highway according to applicable international and national government regulations. If I am a large quantity generator, I certify that I have a program in place to reduce the volume and toxicity of waste generated to the degree I have determined to be economically practicable and that I have selected the practicable method of treatment, storage, or disposal currently available to me which minimizes the present and future threat to human health and the environment; OR, if I am a small quantity generator, I have made a good faith effort to minimize my waste generation and select the best waste management method that is available to me and that I can afford.					
Printed/Typed Name		Signature		Date Month Day Year	
17. Transporter 1 Acknowledgement of Receipt of Materials		Signature		Date Month Day Year	
Printed/Typed Name		Signature		Date Month Day Year	
18. Transporter 2 Acknowledgement of Receipt of Materials		Signature		Date Month Day Year	
Printed/Typed Name		Signature		Date Month Day Year	
19. Discrepancy Indication Space					
20. Facility Owner or Operator: Certification of receipt of hazardous materials covered by this manifest except as noted in item 19.					
Printed/Typed Name		Signature		Date Month Day Year	

This Agency is authorized to require, pursuant to Illinois Revised Statute, 1989, Chapter 111 1/2, Section 1004 and 1021, that this information be submitted to the Agency. Failure to provide this information may result in a civil penalty against the owner or operator not to exceed \$25,000 per day of violation. Falsification of this information may result in a fine up to \$50,000 per day of violation and imprisonment up to 5 years. This form has been approved by the Forms Management Center.



STATE OF ILLINOIS

ENVIRONMENTAL PROTECTION AGENCY DIVISION OF LAND POLLUTION CONTROL

P.O. BOX 19276

SPRINGFIELD, ILLINOIS 62794-9276 (217) 782-6761

FOR SHIPMENT OF HAZARDOUS
AND SPECIAL WASTE

State Form LPC 62 8/81

IL532-0610

PLEASE TYPE

(Form designed for use on elite (12-pitch) typewriter.)

EPA Form 8700-22 (Rev. 6-89)

Form Approved. OMB No. 2050-0039

UNIFORM HAZARDOUS WASTE MANIFEST		1. Generator's US EPA ID No.	Manifest Document No.	2. Page 1 of	Information in the shaded areas is not required by Federal law, but is required by Illinois law.
3. Generator's Name and Mailing Address UNIVERSAL FORM COMPANY 440 SOUTH 25TH AVE SPRINGFIELD, ILL 62761		Location if Different		A. Illinois Manifest Document Number IL11878764 FEE PAID IF APPLICABLE	
4. *24 HOUR EMERGENCY AND SPILL ASSISTANCE NUMBERS* 782-6765		6. US EPA ID Number		B. Generator's IL ID Number 0311055151261	
5. Transporter 1 Company Name		8. US EPA ID Number		C. Transporter's ID Number	
7. Transporter 2 Company Name		10. US EPA ID Number		D. Transporter's Phone 630-529-0240	
9. Designated Facility Name and Site Address ORTEL, INC 7601 WEST 47TH STREET MILWAUKEE, WI 53219		12. Containers		E. Transporter's ID Number	
11. US DOT Description (Including Proper Shipping Name, Hazard Class, and ID Number)		13. Total Quantity		F. Transporter's Phone ()	
a.		No.	Type	14. Unit Wt/Vol	Waste No.
b.					EPA HW Number
c.					EPA HW Number
d.					EPA HW Number
J. Additional Description for Materials Listed Above		K. Handling Codes for Wastes Listed Above In Item #14			
15. Special Handling Instructions and Additional Information 24-HOUR EMERGENCY RESPONSE CALL 630/529-0240					
16. GENERATOR'S CERTIFICATION: I hereby declare that the contents of this consignment are fully and accurately described above by proper shipping name and are classified, packed, marked, and labeled, and are in all respects in proper condition for transport by highway according to applicable international and national government regulations. If I am a large quantity generator, I certify that I have a program in place to reduce the volume and toxicity of waste generated to the degree I have determined to be economically practicable and that I have selected the practicable method of treatment, storage, or disposal currently available to me which minimizes the present and future threat to human health and the environment; OR, if I am a small quantity generator, I have made a good faith effort to minimize my waste generation and select the best waste management method that is available to me and that I can afford.					
Printed/Typed Name		Signature		Date Month Day Year	
17. Transporter 1 Acknowledgement of Receipt of Materials		Signature		Date Month Day Year	
18. Transporter 2 Acknowledgement of Receipt of Materials		Signature		Date Month Day Year	
19. Discrepancy Indication Space					
20. Facility Owner or Operator: Certification of receipt of hazardous materials covered by this manifest except as noted in item 19.		Signature		Date Month Day Year	

This Agency is authorized to require, pursuant to Illinois Revised Statute, 1989, Chapter 111 1/2, Section 1004 and 1021, that this information be submitted to the Agency. Failure to provide this information may result in a civil penalty against the owner or operator not to exceed \$25,000 per day of violation. Falsification of this information may result in a fine up to \$50,000 per day of violation and imprisonment up to 5 years. This form has been approved by the Forms Management Center.

COPY 6. GENERATOR'S COPY



PLEASE TYPE

(Form designed for use on elite (12-pitch) typewriter.)

State Form LPC 62 8/81 IL532-0610
EPA Form 8700-22 (Rev. 6-89)

Form Approved. OMB No. 2050-0039

UNIFORM HAZARDOUS WASTE MANIFEST		1. Generator's US EPA ID No.	Manifest Document No.	2. Page 1 of	Information in the shaded areas is not required by Federal law, but is required by Illinois law.
3. Generator's Name and Mailing Address UNIVERSITY FORM COMPANY 90 SOUTH 25TH AVE SPRINGFIELD, IL 60104		Location if Different		A. Illinois Manifest Document Number IL11878742 FEE PAID IF APPLICABLE	
4. *24 HOUR EMERGENCY AND SPILL ASSISTANCE NUMBERS*		5. Transporter 1 Company Name		B. Generator's IL ID Number 03/10/1550010	
6. US EPA ID Number		7. Transporter 2 Company Name UNIVERSITY FORM COMPANY		C. Transporter's ID Number	
8. US EPA ID Number		9. Designated Facility Name and Site Address OSTER, INC 7601 WEST 47TH STREET SPRINGFIELD, IL 60104		D. Transporter's Phone (312) 350461	
10. US EPA ID Number		11. US DOT Description (including Proper Shipping Name, Hazard Class, and ID Number)		E. Transporter's ID Number 630 529-0240	
12. Containers		13. Total Quantity		F. Transporter's Phone ()	
No.		Type		G. Facility's IL ID Number	
a.		b.		H. Facility's Phone (312) 740002	
c.		d.		14. Unit Wt/Vol	
J. Additional Description for Materials Listed Above		K. Handling Codes for Wastes Listed Above in Item #14		Waste No.	
15. Special Handling Instructions and Additional Information		16. GENERATOR'S CERTIFICATION: I hereby declare that the contents of this consignment are fully and accurately described above by proper shipping name and are classified, packed, marked, and labeled, and are in all respects in proper condition for transport by highway according to applicable international and national government regulations. If I am a large quantity generator, I certify that I have a program in place to reduce the volume and toxicity of waste generated to the degree I have determined to be economically practicable and that I have selected the practicable method of treatment, storage, or disposal currently available to me which minimizes the present and future threat to human health and the environment; OR, if I am a small quantity generator, I have made a good faith effort to minimize my waste generation and select the best waste management method that is available to me and that I can afford.		EPA HW Number	
24-HOUR EMERGENCY RESPONSE CALL 630/529-0240		17. Transporter 1 Acknowledgement of Receipt of Materials		EPA HW Number	
Printed/Typed Name		Signature		Date	
18. Transporter 2 Acknowledgement of Receipt of Materials		Signature		Date	
Printed/Typed Name		Signature		Date	
19. Discrepancy Indication Space		20. Facility Owner or Operator: Certification of receipt of hazardous materials covered by this manifest except as noted in item 19.		Date	
Printed/Typed Name		Signature		Month Day Year	

This Agency is authorized to require, pursuant to Illinois Revised Statute, 1989, Chapter 111 1/2, Section 1004 and 1021, that this information be submitted to the Agency. Failure to provide this information may result in a civil penalty against the owner or operator not to exceed \$25,000 per day of violation. Falsification of this information may result in a fine up to \$50,000 per day of violation and imprisonment up to 5 years. This form has been approved by the Forms Management Center.



PLEASE TYPE

(Form designed for use on elite (12-pitch) typewriter.)

State Form LPC 62 8/81

IL532-0610

EPA Form 8700-22 (Rev. 6-89)

Form Approved. OMB No. 2050-0039

UNIFORM HAZARDOUS WASTE MANIFEST		1. Generator's US EPA ID No.	Manifest Document No.	2. Page 1 of	Information in the shaded areas is not required by Federal law, but is required by Illinois law.
3. Generator's Name and Mailing Address UNIVERSITY OF ILLINOIS 90 SOUTH 25TH AVE CHICAGO, IL 60604		Location if Different		A. Illinois Manifest Document Number IL11878742 FEE PAID IF APPLICABLE	
4. *24 HOUR EMERGENCY AND SPILL ASSISTANCE NUMBERS*		6. US EPA ID Number		B. Generator's IL ID Number 03/01/90	
5. Transporter 1 Company Name		8. US EPA ID Number		C. Transporter's ID Number	
7. Transporter 2 Company Name		10. US EPA ID Number		D. Transporter's Phone 312-359-4611	
9. Designated Facility Name and Site Address ORTER, INC 7601 WEST 47TH STREET		12. Containers		E. Transporter's ID Number 630 529-0240	
11. US DOT Description (Including Proper Shipping Name, Hazard Class, and ID Number)		13. Total Quantity		F. Transporter's Phone ()	
a.		No.	Type	Unit Wt/Vol	Waste No.
b.					EPA HW Number
c.					EPA HW Number
d.					EPA HW Number
J. Additional Description for Materials Listed Above		K. Handling Codes for Wastes Listed Above In Item #14			
15. Special Handling Instructions and Additional Information 24 HOUR EMERGENCY RESPONSE CALL 630/529-0240		GALLONS			
16. GENERATOR'S CERTIFICATION: I hereby declare that the contents of this consignment are fully and accurately described above by proper shipping name and are classified, packed, marked, and labeled, and are in all respects in proper condition for transport by highway according to applicable international and national government regulations. If I am a large quantity generator, I certify that I have a program in place to reduce the volume and toxicity of waste generated to the degree I have determined to be economically practicable and that I have selected the practicable method of treatment, storage, or disposal currently available to me which minimizes the present and future threat to human health and the environment; OR, if I am a small quantity generator, I have made a good faith effort to minimize my waste generation and select the best waste management method that is available to me and that I can afford.					
Printed/Typed Name		Signature		Date Month Day Year	
17. Transporter 1 Acknowledgement of Receipt of Materials		Signature		Date Month Day Year	
18. Transporter 2 Acknowledgement of Receipt of Materials		Signature		Date Month Day Year	
19. Discrepancy Indication Space					
20. Facility Owner or Operator: Certification of receipt of hazardous materials covered by this manifest except as noted in item 19.					
Printed/Typed Name		Signature		Date Month Day Year	

This Agency is authorized to require, pursuant to Illinois Revised Statute, 1989, Chapter 111 1/2, Section 1004 and 1021, that this information be submitted to the Agency. Failure to provide this information may result in a civil penalty against the owner or operator not to exceed \$25,000 per day of violation. Falsification of this information may result in a fine up to \$50,000 per day of violation and imprisonment up to 5 years. This form has been approved by the Forms Management Center.

COPY 6. GENERATOR'S COPY



STATE OF ILLINOIS

ENVIRONMENTAL PROTECTION AGENCY DIVISION OF LAND POLLUTION CONTROL

P.O. BOX 19276

SPRINGFIELD, ILLINOIS 62794-9276 (217) 782-6761

FOR SHIPMENT OF HAZARDOUS
AND SPECIAL WASTE

State Form LPC 62 8/81

IL532-0610

PLEASE TYPE

(Form designed for use on elite (12-pitch) typewriter.)

EPA Form 8700-22 (Rev. 6-89)

Form Approved. OMB No. 2050-0039

UNIFORM HAZARDOUS
WASTE MANIFEST

1. Generator's US EPA ID No.

Manifest
Document No.

2. Page 1

Information in the shaded areas is not
required by Federal law, but is required by
Illinois law.A. Illinois Manifest Document Number
FEE PAID
IF APPLICABLE
IL 11432596B. Generator's IL
ID Number 0310155006C. Transporter's
ID Number 0831230461

D. Transporter's Phone (630) 629-9240

E. Transporter's
ID Number

F. Transporter's Phone ()

G. Facility's IL
ID Number 0010111174000012

H. Facility's Phone (708) 442-0352

3. Generator's Name and Mailing Address

Location If Different

UNIVERSAL FORM CLAY
9105 25TH
SPRINGFIELD, IL 60104

4. *24 HOUR EMERGENCY AND SPILL ASSISTANCE NUMBERS*

5. Transporter 1 Company Name

6.

US EPA ID Number

NORTH BRANCH ENVIRONMENTAL

IL R 0000052277

7. Transporter 2 Company Name

8.

US EPA ID Number

9. Designated Facility Name and Site Address

10.

US EPA ID Number

UNIVERSAL FORM CLAY
7601 WEST 4TH STREET
SPRINGFIELD, IL 60104

11. US DOT Description (Including Proper Shipping Name, Hazard Class, and ID Number)

12. Containers

13. Total
Quantity14. Unit
Wt/Vol

15. Waste No.

a.

No.

Type

Total
QuantityUnit
Wt/Vol

Waste No.

EPA HW Number

b.

No.

Type

Total
QuantityUnit
Wt/Vol

Waste No.

EPA HW Number

c.

No.

Type

Total
QuantityUnit
Wt/Vol

Waste No.

EPA HW Number

d.

No.

Type

Total
QuantityUnit
Wt/Vol

Waste No.

EPA HW Number

16. Additional Description for Materials Listed Above

K. Handling Codes for Wastes Listed Above
In Item #14

GALLONS

15. Special Handling Instructions and Additional Information

24-HOUR EMERGENCY RESPONSE CALL 630-629-9240

16. GENERATOR'S CERTIFICATION: I hereby declare that the contents of this consignment are fully and accurately described above by proper shipping name and are classified, packed, marked, and labeled, and are in all respects in proper condition for transport by highway according to applicable international and national government regulations.

If I am a large quantity generator, I certify that I have a program in place to reduce the volume and toxicity of waste generated to the degree I have determined to be economically practicable and that I have selected the practicable method of treatment, storage, or disposal currently available to me which minimizes the present and future threat to human health and the environment; OR, if I am a small quantity generator, I have made a good faith effort to minimize my waste generation and select the best waste management method that is available to me and that I can afford.

Printed/Typed Name

Signature

Date

Month Day Year

17. Transporter 1 Acknowledgement of Receipt of Materials

Printed/Typed Name

Signature

Date

Month Day Year

18. Transporter 2 Acknowledgement of Receipt of Materials

Printed/Typed Name

Signature

Date

Month Day Year

19. Discrepancy Indication Space

20. Facility Owner or Operator: Certification of receipt of hazardous materials covered by this manifest except as noted in item 19.

Printed/Typed Name

Signature

Date

Month Day Year

This Agency is authorized to require, pursuant to Illinois Revised Statute, 1989, Chapter 111 1/2, Section 1004 and 1021, that this information be submitted to the Agency. Failure to provide this information may result in a civil penalty against the owner or operator not to exceed \$25,000 per day of violation. Falsification of this information may result in a fine up to \$50,000 per day of violation and imprisonment up to 5 years. This form has been approved by the Forms Management Center.

COPY 5. GENERATOR MAIL TO IEPA
(ICRA HAZARDOUS WASTE)





PLEASE TYPE

(Form designed for use on elite (12-pitch) typewriter.)

EPA Form 8700-22 (Rev. 6-89)

Form Approved OMB No. 2050-0039

UNIFORM HAZARDOUS WASTE MANIFEST		1. Generator's US EPA ID No. ILD 05435307	Manifest Document No.	2. Page 1 of	Information in the shaded areas is not required by Federal law, but is required by Illinois law.	
3. Generator's Name and Mailing Address UNIVERSAL FORM CLAMP 640 S. 25th Ave. Bellwood, IL 60104		Location If Different:		A. Illinois Manifest Document Number IL 11039650 FEE PAID IF APPLICABLE		
4. "24 HOUR EMERGENCY AND SPILL ASSISTANCE NUMBERS"		6. US EPA ID Number ILR 00005297		B. Generator's IL ID Number 0310155006		
5. Transporter 1 Company Name NORTH BRANCH ENVIRONMENTAL		7. Transporter 2 Company Name		C. Transporter's ID Number UPM350461		
9. Designated Facility Name and Site Address ORTEL INC. 7601 W. 47th St. Mt Cook, IL 60525		10. US EPA ID Number		D. Transporter's Phone (630) 529-0246		
11. US DOT Description (Including Proper Shipping Name, Hazard Class, and ID Number) NON HAZARDOUS NON REGULATED OILY WATER		12. Containers No. Type		E. Transporter's ID Number		
a.		0 0 1 T T 0 2 5 0 0 6		F. Transporter's Phone ()		
b.				G. Facility's IL ID Number 03111749902		
c.				H. Facility's Phone (708) 442-6992		
d.				I. Waste No. EPA HW Number		
J. Additional Description for Materials Listed Above		K. Handling Codes for Wastes Listed Above In Item #14 CATIONS				
15. Special Handling Instructions and Additional Information						
16. GENERATOR'S CERTIFICATION: I hereby declare that the contents of this consignment are fully and accurately described above by proper shipping name and are classified, packed, marked, and labeled, and are in all respects in proper condition for transport by highway according to applicable international and national government regulations. If I am a large quantity generator, I certify that I have a program in place to reduce the volume and toxicity of waste generated to the degree I have determined to be economically practicable and that I have selected the practicable method of treatment, storage, or disposal currently available to me which minimizes the present and future threat to human health and the environment; OR, if I am a small quantity generator, I have made a good faith effort to minimize my waste generation and select the best waste management method that is available to me and that I can afford.						
Printed/Typed Name Mark L. Brown		Signature Mark L. Brown		Date Month Day Year 07/01/96		
17. Transporter 1 Acknowledgement of Receipt of Materials Printed/Typed Name Fred Colon		Signature Fred Colon		Date Month Day Year 070696		
18. Transporter 2 Acknowledgement of Receipt of Materials Printed/Typed Name		Signature		Date Month Day Year		
19. Discrepancy Indication Space						
20. Facility Owner or Operator: Certification of receipt of hazardous materials covered by this manifest except as noted in item 19.		Date Month Day Year				
Printed/Typed Name		Signature		Date Month Day Year		

This form is authorized to require, pursuant to Illinois Revised Statute, 1989, Chapter 111 1/2, Section 1004 and 1021, that this information be submitted to the Agency. Failure to provide this information may result in a civil penalty against the owner or operator not to exceed \$25,000 per day of violation. Falsification of this information may result in a fine up to \$50,000 per day of violation and imprisonment up to 5 years. This form has been approved by the Forms Management Center.

COPY 5. GENERATOR MAIL TO IEPA
(BCRA HAZARDOUS AND SPECIAL WASTE)

In case of a spill call the Illinois Office of Emergency Response at 217 / 782-7860 and the National Response Center at 800 / 424-8802 or 202 / 426-2675.



PLEASE TYPE

(Form designed for use on elite (12-pitch) typewriter.)

EPA Form 8700-22 (Rev. 6-89)

Form Approved. OMB No. 2050-0039

UNIFORM HAZARDOUS WASTE MANIFEST		1. Generator's US EPA ID No.	Manifest Document No.	2. Page 1 of	Information in the shaded areas is not required by Federal law, but is required by Illinois law.	
3. Generator's Name and Mailing Address Location If Different		A. Illinois Manifest Document Number IL 11039650 FEE PAID IF APPLICABLE			B. Generator's IL ID Number 0316155006	
4. *24 HOUR EMERGENCY AND SPILL ASSISTANCE NUMBERS*		C. Transporter's ID Number UPM35461			D. Transporter's Phone (630) 529-0240	
5. Transporter 1 Company Name		6. US EPA ID Number 360605297			E. Transporter's ID Number	
7. Transporter 2 Company Name		8. US EPA ID Number			F. Transporter's Phone ()	
9. Designated Facility Name and Site Address		10. US EPA ID Number			G. Facility's IL ID Number 12511749202	
11. US DOT Description (Including Proper Shipping Name, Hazard Class, and ID Number)		12. Containers			13. Total Quantity	
a.		No.	Type	14. Unit Wt/Vol	I. Waste No.	
b.					EPA HW Number	
c.					EPA HW Number	
d.					EPA HW Number	
J. Additional Description for Materials Listed Above		K. Handling Codes for Wastes Listed Above In Item #14 LA/HONS				
15. Special Handling Instructions and Additional Information						
16. GENERATOR'S CERTIFICATION: I hereby declare that the contents of this consignment are fully and accurately described above by proper shipping name and are classified, packed, marked, and labeled, and are in all respects in proper condition for transport by highway according to applicable international and national government regulations. If I am a large quantity generator, I certify that I have a program in place to reduce the volume and toxicity of waste generated to the degree I have determined to be economically practicable and that I have selected the practicable method of treatment, storage, or disposal currently available to me which minimizes the present and future threat to human health and the environment; OR, if I am a small quantity generator, I have made a good faith effort to minimize my waste generation and select the best waste management method that is available to me and that I can afford.						
Printed/Typed Name		Signature		Date Month Day Year		
17. Transporter 1 Acknowledgement of Receipt of Materials		Signature		Date Month Day Year		
18. Transporter 2 Acknowledgement of Receipt of Materials		Signature		Date Month Day Year		
19. Discrepancy Indication Space						
20. Facility Owner or Operator: Certification of receipt of hazardous materials covered by this manifest except as noted in item 19.						
Printed/Typed Name		Signature		Date Month Day Year		



PLEASE TYPE

(Form designed for use on elite (12-pitch) typewriter.)

EPA Form 8700-22 (Rev. 6-89)

Form Approved. OMB No. 2050-0039

UNIFORM HAZARDOUS WASTE MANIFEST		1. Generator's US EPA ID No.	Manifest Document No.	2. Page 1 of	Information in the shaded areas is not required by Federal law, but is required by Illinois law.
3. Generator's Name and Mailing Address UNIVERSAL WASTE MANAGEMENT CO 840 S 25TH AVE BELLWOOD IL 60104		4. *24 HOUR EMERGENCY AND SPILL ASSISTANCE NUMBERS*		A. Illinois Manifest Document Number IL11895232 FEE PAID IF APPLICABLE	
5. Transporter 1 Company Name BRAYNE, INC.		6. US EPA ID Number ILD064418353		B. Generator's ID Number ILD064418353	
7. Transporter 2 Company Name		8. US EPA ID Number		C. Transporter's ID Number (708) 354-4040	
9. Designated Facility Name and Site Address BRAYNE, INC. 6037 LENZI AVE HODGKINS IL 60525		10. US EPA ID Number ILD064418353		D. Transporter's Phone ()	
				E. Transporter's ID Number	
				F. Transporter's Phone ()	
				G. Facility's ID Number 0311260001	
				H. Facility's Phone ()	
11. US DOT Description (Including Proper Shipping Name, Hazard Class, and ID Number)		12. Containers	13. Total Quantity	14. Unit Wt/Vol	Waste No.
a. HAZARDOUS WASTE LIQUID N.O.S. 9, NA3082, PGIII		No. Type			EPA HW Number 10657
b.					EPA HW Number
c.					EPA HW Number
d.					EPA HW Number
J. Additional Description for Materials Listed Above ITEM A HAS A FLASH POINT ABOVE 200 DEGREES F EPA CLASSIFICATION FOR ITEM A IS HAZARDOUS (D039 - TETRACHLOROETHYLENE)		K. Handling Codes for Wastes Listed Above In Item #14 P 0 0 0 0 0 0			
15. Special Handling Instructions and Additional Information 24 HOUR EMERGENCY TELEPHONE NUMBER (708) 354-4040					
16. GENERATOR'S CERTIFICATION: I hereby declare that the contents of this consignment are fully and accurately described above by proper shipping name and are classified, packed, marked, and labeled, and are in all respects in proper condition for transport by highway according to applicable international and national government regulations. If I am a large quantity generator, I certify that I have a program in place to reduce the volume and toxicity of waste generated to the degree I have determined to be economically practicable and that I have selected the practicable method of treatment, storage, or disposal currently available to me which minimizes the present and future threat to human health and the environment; OR, if I am a small quantity generator, I have made a good faith effort to minimize my waste generation and select the best waste management method that is available to me and that I can afford.					
Printed/Typed Name Mike Francis		Signature <i>[Signature]</i>		Date Month Day Year 11/19/91	
17. Transporter 1 Acknowledgement of Receipt of Materials		Signature <i>[Signature]</i>		Date Month Day Year 11/19/91	
18. Transporter 2 Acknowledgement of Receipt of Materials		Signature		Date Month Day Year	
19. Discrepancy Indication Space					
20. Facility Owner or Operator: Certification of receipt of hazardous materials covered by this manifest except as noted in item 19.					
Printed/Typed Name		Signature		Mc	

This Agency is authorized to require, pursuant to Illinois Revised Statute, 1989, Chapter 111 1/2, Section 1004 and 1021, that this information be submitted to the Agency. This information may result in a civil penalty against the owner or operator not to exceed \$25,000 per day of violation. Falsification of this information may result in per day of violation and imprisonment up to 5 years. This form has been approved by the Forms Management Center.

COPY 6. GENERATOR'S COPY

In case of a spill call the Illinois Office of Emergency Response at 217 / 782-7860 and the National Response Center at 800 / 424-

Attachment E

U.S. Risk Work Plan

**UNIVERSAL FORMS CLAMP
COMPANY
BELLWOOD, ILLINOIS**

WORK PLAN FOR SITE REMEDIATION

JUNE 2006

PREPARED BY:

**UNITED STATES RISK MANAGEMENT, L.L.C.
10621 N. OAK HILLS PARKWAY, SUITE A
BATON ROUGE, LOUISIANA 70810
(225) 706-8412**

USRM PROJECT NO. 15-060103

TABLE OF CONTENTS

<u>SECTION</u>	<u>PAGE</u>
1.0 INTRODUCTION.....	1
2.0 MOBILIZATION.....	2
3.0 PRODUCT REMOVAL.....	3
4.0 GENERAL DESCRIPTION FOR CLEANING PROCESS OF CONCRETE SURFACES	4
5.0 REMEDIATION OF “RELATIVELY CLEAN” AREAS	5
6.0 REMEDIATION OF “HEAVILY SOILED” AREAS	8
7.0 COATING OF CONCRETE SURFACES	11
8.0 METALLIC CLEANING BY SURFACE WASHING.....	12
9.0 COATING OF METALLIC SURFACES	14
10.0 CONTENTS CLEANING IN EXCLUSION/NON-EXCLUSION ZONE	15
11.0 CONTINGENCY PLAN ELEMENTS	16
12.0 SPILL PREVENTION AND CONTROL MEASURES	18
13.0 STORAGE.....	19
14.0 EQUIPMENT OPERATION AND MAINTENANCE	20
15.0 WASTE MANAGEMENT	21
16.0 SPILL RESPONSE MATERIALS AND PROCEDURES.....	23
17.0 SITE-SPECIFIC HEALTH AND SAFETY PLAN	27

TABLE OF CONTENTS (CONTINUED)

LIST OF TABLES

TABLES

- 1 Summary of Analytical Results

LIST OF FIGURES

FIGURES

- 1 Site Location Map
- 2 Photograph Locations
- 3 Hot Zone
- 4 Sample Location Map
- 5 Tank Location Map

LIST OF APPENDICES

APPENDIX

- A Site Photographs
- B Material Safety Data Sheets

1.0 INTRODUCTION

United States Risk Management, LLC (USRM) was contracted by Affiliated FM (AFM) to prepare a Work Plan for Site Remediation activities required as a result of an explosion at the Universal Forms Clamp Company (Universal) facility in Bellwood, Illinois that occurred on June 14, 2006. These activities will primarily consist of, but not be limited to, removal of products from above-ground storage tanks, removal of bulk storage chemicals in open/damaged containers, followed by a thorough cleaning of surfaces affected from the results of the chemical explosion at the Bellwood, Illinois facility. The site is located at 840 South 25th Avenue, Bellwood, Illinois (**Figure 1**).

USRM conducted a site inspection the week of June 19, 2006. Photographs indicating the results of the explosion and fire are noted on **Figure 2** and included in **Appendix A**. The following sections document procedures to be implemented during remediation of the site.

The Universal project has been divided into four major phases to aid in the description of the various processes to be performed in the successful completion of the project.

The six phases of the project include the following tasks:

- Mobilization to the site;
- Remove chemicals/products from above-ground tanks;
- Remove chemicals from open/damaged containers;
- Cleaning/removal and disposal of damaged contents;
- Concrete surfaces preparation, cleaning and coating; and
- Cleaning and coating of metallic surfaces.

2.0 MOBILIZATION

The remediation contractor will mobilize the primary production crew with supplementary field technicians to the site. This crew should include a Senior Project Manager, Site (project) Supervisor, Site Foreman, and Technicians.

Following mobilization to the site, the remediation contractor will establish work zones at the various stations prior to performing remediation activities. The current work/hot zones are detailed in **Figure 3** (Hot Zone). The entrance to the contaminated reduction zone (CRZ), and exclusion zone (EZ) will be identified utilizing hazard banner guard by the remediation contractor. It is the responsibility of the remediation contractor to identify these zones. The remediation contractor shall also monitor flammability, lower explosive limit, and oxygen levels during all inspection and remedial processes.

The CRZ and EZ will typically be established at the entry door to the building or area. The CRZ will consist of a decontamination area where workers can remove their disposable clothing and boots placing them in 55-gallon drums for offsite disposal at a licensed landfill by Universal. For further details on the personnel decontamination process, please refer to the Site Specific Health and Safety Plan.

Air samples and wipe samples were collected by USRM personnel (**Figure 4**) during the initial site visit. Analytical results are summarized in **Table 1**.

3.0 PRODUCT REMOVAL

To ensure the safety of remediation personnel, the remaining product is to be removed from the tanks. Tank locations are indicated on the site plan (**Figure 5**). Prior to removal, each tank should be visibly inspected for damage by trained personnel. Tanks with asbestos containing insulation should be handled with caution, so as not to disturb any asbestos containing material. Where asbestos containing material is present and damage is apparent, removal activities should not commence until the asbestos containing material is stabilized with the use of visqueen or other barrier. Inspection of each tank should assess the following:

- Access to the tank;
- Product level in the tank;
- Calculate volume and anticipate storage capacity of each tank; and
- Make sure hoses/pump/tankage are compatible with each product.

Provided that the integrity of each tank is good, then product removal activities will begin. Following visual inspection activities, each tank should be fitted with an electrostatically-safe valve to control the flow of materials from each tank, in case of damage to the packing as a result of the explosion.

Once a release valve has been fitted on the tank, then liquids are to be removed via a vacuum truck. Evacuated liquids will then be transferred to a fractionation tank that will be reserved specifically for that substance. If conditions exist where two liquids from separate tanks are to be contained in the same fractionation tank, then the remediation contractor should evaluate if these two liquids are compatible. Vapor suppression can be controlled by using a charcoal canister. Additionally, vacuum trucks are not to be located next to a tank or damaged container; care should be taken to minimize the potential for an ignition source. Therefore, all hoses used should be of sufficient length to keep the vacuum truck at a safe distance from any tank or damaged container. In general, vacuum trucks will only be allowed in designated areas, in accordance with the Health and Safety Plan.

After the liquids have been completely removed by vacuum truck, then each tank will be cleaned out using a mixture of water and suitable detergent. These liquids will also need to be contained in a similar manner, with ultimate disposal as a hazardous waste, unless proven otherwise by analysis. Material Safety Data Sheets (MSDS) for the substances contained in the tanks are included as **Appendix B**.

4.0 GENERAL DESCRIPTION FOR CLEANING PROCESS OF CONCRETE SURFACES

As mentioned in Section 2.0, prior to initiation of cleaning activities, the remediation contractor should monitor ambient air quality for the lower explosive limit, percent oxygen, and flammability to ensure that workers can access the area around the above-ground tank or damaged container. Once all products have been removed from the storage tanks, then remediation personnel can access the damage area to evaluate or update air quality/work conditions and evaluate all constraints to working conditions.

Concrete slabs breathe and allow vapor emissions due to factors such as design mix and temperature/humidity variations. Because it is typically cooler and the humidity is higher below the slabs, there is a migration of moisture to the higher temperature and lower humidity area on top of the concrete surface. This occurrence will draw the moisture inside the concrete to the surface of the concrete and be trapped by the floor covering (i.e. epoxy paint). Concrete slabs by nature are actually porous and are filled with microscopic capillaries or open channels, and moisture within the slab and more importantly the salts (free lime) or contaminants are transmitted to the surface and begin to breakdown the adhesion of the coatings or floor coverings. The moisture is the vehicle by which the salts and/or contaminants migrate (leach back) to the concrete surface. In many cases the only barrier of protection for these contaminants are the actual coatings itself. This of course is not the design of the coating, therefore it becomes only a matter of time before the problem is physically noticed from the topside when the coating starts to blister or peel.

The process for cleaning concrete surfaces combines the use of industry-proven products with special application techniques to provide a demonstrated, effective ability to extract contaminants from concrete surfaces, stop excessive moisture emissions, and is this process is used in conjunction with the EPA double wash/double rinse. It will be necessary to first prepare the surfaces prior to application of any extraction solutions. Concrete floor surfaces required preparation and will be classified as either "relatively clean" or "heavily soiled" concrete. The relatively clean concrete surfaces will be "cleaned" in compliance with the method outlined in Section 5.0 while the heavily soiled concrete surfaces will be "cleaned" in accordance with the method outlined in Section 6.0. For both classifications, concrete surface preparation will consist of the removal of visible debris from the concrete surfaces. The heavily soiled concrete surfaces will require a more rigorous manual cleaning of excess surface materials and oily areas prior to the actual coating process. The more aggressive techniques to be employed involve the manual scraping of excess material from the concrete surfaces utilizing manual scrapers and chipping hammers.

All debris generated during this process will be considered hazardous waste, unless proved otherwise by analysis. Therefore, the debris will be collected and placed in the appropriate container, either 55-gallon drums or roll-off boxes, and disposed of at a permitted facility.

With excess materials removed from the surface of the concrete, the concrete surface will be suitable for extraction of the contaminants from the porous concrete via the penetration of the extraction solutions into the matrix of the concrete. Painted or coated

concrete floor surfaces will require the removal of the coatings to expose the pores of the concrete prior to the application of extraction solutions. Manual (hand) grinders fitted with HEPA-filter systems will be utilized to remove the coatings and/or hard carbonate finish leaving the concrete floor surface with a 100-grit sandpaper type finish exposing open pores suitable for the extraction process.

With the work zones established, the areas delineated as "relatively clean" or "heavily soiled", and surfaces prepared, work will proceed in an orderly manner as outlined below for the two types of areas (relatively clean, heavily soiled).

5.0 REMEDIATION OF "RELATIVELY CLEAN" AREAS

As discussed in "Section 4 Concrete Surface Preparation", concrete surfaces will require preparation and will be classified as "relatively clean" or "heavily soiled" concrete. This section deals with the procedures and protocols to be utilized in the "cleaning" of the "Relatively Clean Areas". As discussed in "Section 4 Concrete Surface Preparation," concrete surfaces require preparation prior to continuing the process. The relatively clean concrete surface preparation consists of the removal of visible debris/material from the concrete surfaces usually involving a light scraping of the surfaces with hand tools including but not limited to scrapers and wire brushes.

With the visible materials removed, the concrete surface will be suitable for the next step in the procedure, the application of the extraction solution to displace the contamination from the porous concrete via the penetration of the extraction solutions into the matrix of the concrete. However, USRM anticipates that most concrete floor surfaces encountered may be painted or coated with various types of coatings. Painted or coated floor surfaces will require additional preparation in that the removal of the existing coatings will be necessary to expose the pores of the concrete prior to the application of the extraction solutions. Manual (hand) grinders fitted with high efficiency particulate air (HEPA)-filter systems will be utilized to manually remove the coatings and/or hard carbonate finish leaving the surface of the concrete with a 100-grit sandpaper type finish exposing the newly opened pores suitable for application of the extraction process solution.

With the visible materials removed and the concrete pores exposed, the concrete surfaces will be suitable for the next phase of the procedure the application of the extraction solution. The solutions to be utilized for this procedure are as follows:

- **K1**, an organic wash solvent to prepare the concrete surfaces and rinse solution for the "rinse" portion of the double wash/double rinse procedure
- **CS 100**, a sudsing detergent to remove residual K1 that is present following the double wash/double rinse of the concrete surfaces
- **CS 200**, a penetrating cleaner to penetrate and extract the contaminants from the concrete matrix
- **CS 300**, a penetrating sealer to penetrate and seal the concrete against vapor emissions and future chemical contamination

- **Water**, a rinse solvent to remove the residue of the sudsing detergent

The application techniques involve various hand and/or mechanical methods of application including manual scrubbing with a brush, mopping, mechanical spraying, etc. Typically, the crew will spray the extraction solution (CS 200) on the concrete surfaces utilizing a manually operated hand sprayer. The extraction solution will then be manually scrubbed into the concrete pores utilizing a stiff bristle brush over the entire concrete surface previously sprayed with the extraction solution. The key function of the application steps is to maximize the amount of extraction solution (CS 200) scrubbed into the concrete pores to allow penetration of the extraction solution and extraction of contaminants.

The extraction solution will be permitted to dwell overnight to ensure a more uniform penetration of the concrete pores displacing any contaminants in the pores forcing them to the surface. Upon return the following day, the free contaminants on the surface will be removed typically by "squeegeeing" and vacuuming into a drum for offsite disposal. The surface will be washed with a soap solution (CS 100) utilizing scrub brushes with excess wash solution removed (via vacuuming) prior to rinsing, and rinsed with water with the excess rinsate removed (via vacuuming) and placed in the drum for offsite disposal.

After the extraction and wash/rinse processes are complete, a penetrating sealer (CS 300) will be applied to all the prepared areas. The penetrating sealer is typically sprayed onto the concrete surfaces utilizing a manually operated hand sprayer. The penetrating sealer enters the pores displacing any remaining contaminants or water that rise to the surface. The penetrating sealer will be permitted to dwell for a period of 48 hours.

With the penetrating sealing process complete and upon returning to the site at the conclusion of the 48 hour period the crew will perform the United States Environmental Protection Agency (EPA) double wash/rinse procedure. For the "Relatively Clean" protocol, the double wash/rinse procedure utilizes K1 for the wash solution, with the K1 being worked into the sealed areas utilizing scrub brushes. The K1 wash liquid will be removed (via vacuuming) and placed into a drum for offsite disposal. The completed washing portion of the process will be followed by a rinse cycle also utilizing K1 as the rinsing agent. The K1 rinsing agent will be applied to the washed concrete surface typically utilizing a manual sprayer or direct pouring. The K1 rinse liquid will be removed (via vacuuming) and placed into the drum for offsite disposal. This wash and rinse procedure utilizing K1 as the wash and rinse solution will be repeated a second time to complete the double wash, double rinse procedure.

A final (third) washing of the concrete surfaces will be performed utilizing a sudsing detergent (CS 100) that will be applied manually via a scrub brush. This third wash and rinse is necessary to remove any residual K1 wash or rinsing agent from the concrete surface. Manual application of the sudsing agent involves scrubbing the concrete surfaces with a scrub brush soaked in the sudsing detergent to remove any residue of the organic wash solvent. Any excess, residual sudsing detergent will be removed from the concrete surfaces (via vacuuming) and placed in a drum for offsite disposal. This washing or scrubbing process will be succeeded by a rinsing of the concrete surfaces with fresh water

to remove any residual wash solutions. The rinsing agent (fresh water) will be applied with a sprayer or directly poured with any accumulation of free liquid following the rinse process removed (via vacuuming) and placed in a drum for offsite disposal.

The double washed, double rinsed area will then be permitted to dry for a period of not less than 24 hours prior to beginning the coating of the area. During this 24 hour period the crew will return to the site previously prepared (if appropriate) during the penetrating sealers dwell time to continue work on that site. The 24 and 48 hour dwell periods will be utilized sometimes by the crew as "days off" depending on the sequence of work and available sites as detailed in the final schedule. The preparation procedures discussed above will be performed to provide a clean concrete surface for the final procedure of the process the coating of the concrete surfaces.

During all cleaning activities, cleaning water/solution will be contained with booms or other absorbent material. Booms or absorbent material will be placed so free liquids will not enter the storm drains or sewers during washing activities. Periodically, these free liquids will be collected via vacuum truck and placed in fractionation tanks for disposal as hazardous waste.

6.0 REMEDIATION OF "HEAVILY SOILED" AREAS

As discussed in Section 4 Concrete Surface Preparation, concrete surfaces will require preparation and will be classified as "relatively clean" or "heavily soiled" concrete. As discussed in Section 4 Concrete Surface Preparation, USRM anticipates that all concrete surfaces will require some degree of preparation. For both classifications, concrete surface preparation will consist of the removal of visible debris and/or oily material from the concrete surfaces. The heavily soiled concrete surfaces will require a more rigorous manual cleaning of the excess surface materials prior to the actual concrete cleaning. This will typically involve the manual scraping and removal of excess material from the concrete surface utilizing hand scrapers and wire brushes. Solutions utilized will be similar to those described in Section 5.0.

With the visible materials removed from the surface of the concrete, any "oily" surfaces will be further prepared by utilizing a soap solution composed of sudsing detergent (CS 100) and water to scrub the oily areas. This washing of the "oily" surfaces will be performed utilizing a sudsing detergent (CS 100) that will be applied manually via a scrub brush. Manual application involves scrubbing the concrete surfaces with a scrub brush soaked in the sudsing detergent to remove any oily residue. Any excess, residual sudsing detergent will be removed from the concrete surfaces and placed (via vacuuming) into a drum for offsite disposal. This washing or scrubbing process will be succeeded by a rinsing of the concrete surfaces with fresh water to remove any residual wash solutions. The rinsing agent (fresh water) will be applied with a sprayer with any accumulation of free liquid following the rinse process removed (via vacuuming) and placed in a drum for offsite disposal.

With the visible materials removed and oily areas washed and rinsed, the concrete surface will be suitable for the next step in the procedure, the application of the extraction solution (CS 200) to displace the contaminants from the porous concrete via the penetration of the extraction solutions into the matrix of the concrete. USRM anticipates that most concrete floor surfaces encountered will be painted or coated with various types of existing coatings. Existing painted or coated concrete floor surfaces will require additional preparation in that the removal of the coatings will be necessary to expose the pores of the concrete prior to the application of the extraction solution. Manual (hand) grinders fitted with HEPA-filter systems will be utilized to remove the coatings and/or hard carbonate finish leaving the surface of the concrete with a 100-grit sandpaper type finish, exposing the newly opened pores suitable for the extraction process.

With the visible materials removed, oily areas washed and rinsed, and the concrete pores exposed, the concrete surfaces will be suitable for the next phase of the procedure the application of the extraction solution. The application techniques for the extraction solution involved various hand and/or mechanical methods of application including manual scrubbing, mopping, mechanical spraying, etc. Typically, the crew will spray the extraction solution on the concrete surfaces utilizing a hand sprayer. Once applied the extraction solution will be manually scrubbed into the concrete pores utilizing a stiff bristle brush. The key function of the application steps will be to maximize the amount of extraction solution (CS 200) scrubbed into the concrete pores to allow penetration of the

extraction solution and extraction of contaminants. The extraction solution will be permitted to dwell overnight to ensure a uniform penetration of the concrete pores displacing any contaminants in the pores forcing them to the surface. Upon returning the next day, the free contaminants on the surface will be removed (via vacuuming) and placed in a drum for offsite disposal. The surface will be washed with a soap solution (CS 100) utilizing scrub brushes with excess wash solution removed (via vacuuming) prior to rinsing, and rinsed with water with the excess rinsate removed (via vacuuming) and placed in the drum for offsite disposal.

After the extraction and wash process is complete, a penetrating sealer (CS 300) will be applied as in Section 5.0. With the penetrating sealing process complete and upon returning to the site at the conclusion of the 48-hour dwell period the crew will perform the EPA double wash/rinse procedure. For the "Heavily Soiled" areas protocols for the double wash/rinse procedure utilizes CS 100 and K1 as the wash solutions to be scrubbed into the sealed areas. The heavily soiled concrete surface preparation process involves three wash and rinse cycles applied utilizing special application techniques and procedures to perform and comply with the EPA double wash, double rinse requirement to prepare "Heavily Soiled" concrete surfaces for coating.

The primary or first washing of the concrete surfaces will be performed utilizing a sudsing detergent (CS 100) that will be applied manually via a scrub brush. Manual application involves scrubbing the concrete surfaces with a scrub brush soaked in the sudsing detergent. Each square foot of the heavily soiled area will be scrubbed for one minute. Excess wash solution on the "cleaned" concrete surfaces will be removed (via vacuuming) and placed in a drum for offsite disposal. This wash or scrubbing will be succeeded by a rinsing of the concrete surfaces with fresh water. The rinsing agent (fresh water) will be applied at a rate of one gallon per square foot with a sprayer or hose with any accumulation of free liquid following the rinse process removed (via vacuuming) and placed in a drum(s) for offsite disposal.

The secondary or second washing of the concrete surfaces will be performed utilizing an organic wash solvent (K1) that will be applied manually via a scrub brush. Manual application involves scrubbing the concrete surfaces with a scrub brush soaked in the organic wash solvent. Excess wash solution on the "cleaned" concrete surfaces will be removed (via vacuuming) and placed in a drum for offsite disposal. This wash or scrubbing will be succeeded by a rinsing of the concrete surfaces with the organic rinse solvent (K1). The rinsing agent will be applied with a sprayer with any accumulation of free liquid following the rinse process removed and placed in a drum for offsite disposal.

The tertiary or third washing of the concrete surfaces will be performed utilizing a scrubbing solution comprised of a sudsing detergent (CS 100) and water that will be applied manually via a scrub brush. Manual application involves scrubbing the concrete surfaces with a scrub brush soaked in the scrubbing solution to remove any residue of the organic wash solvent. Excess wash solution on the "cleaned" concrete surfaces will be removed (via vacuuming) and placed in a drum for offsite disposal. This wash or scrubbing will be succeeded by a rinsing of the concrete surfaces with fresh water to remove any residual wash/scrubbing solution. The rinsing agent (fresh water) will be applied with a

sprayer or hose with any accumulation of free liquid following the rinse process removed (via vacuuming) and placed in a drum for offsite disposal. Following this final wash and rinse, the concrete surfaces will be permitted to dry a minimum of 24 hours prior to the coating of the concrete surfaces.

During all cleaning activities, cleaning water/solution will be contained with booms or other absorbent material. Booms or absorbent material will be placed so free liquids will not enter the storm drains or sewers during washing activities. Periodically, these free liquids will be collected via vacuum truck and placed in fractionation tanks for disposal as hazardous waste.

7.0 COATING OF CONCRETE SURFACES

With the concrete surfaces "prepared" as discussed above, the concrete surfaces will be permitted to dry a minimum of 24 hours (per EPA) prior to the application of the coatings. Concrete surfaces classified as "Relatively Clean" and "Heavily Soiled" will be coated utilizing the same procedure. After drying the required duration as outlined in the previous sections, the concrete surfaces will be coated utilizing two water and solvent repellent epoxy coatings of contrasting colors. The coatings (epoxy paints) will be applied to the concrete surfaces utilizing brushes, roller, and/or airless sprayer dependant on the size and type of surface to receive the coating. The base or primary coat of coating will be a red color applied directly to the concrete surface requiring coating. The first of the contrasting layers (red) will be applied and permitted to dry for a minimum of four hours (per manufacturers' direction) prior to the application of the second (gray) contrasting coating. The secondary or top coat of coating will be a gray color applied directly over the base coat (red). The top coating will typically be applied in the same manner as the base coat utilizing brushes, rollers, and/or an airless sprayer. The top or second contrasting coating will typically be applied the next day following the application of the first or base coat (red).

8.0 METALLIC CLEANING BY SURFACE WASHING

Some of the surfaces requiring cleaning will be metallic surfaces and require modifications to the procedures discussed above for concrete surface preparation and coating. The process for the preparation of the metallic surfaces combines the use of industry proven products that provide a demonstrated ability to remove contaminants and prepare metallic surfaces for coating. Metallic surface cleaning involves the use of three wash and rinse cycles utilizing special solutions and application techniques to perform the EPA double wash/rinse requirement in preparing metallic surfaces for coating. (Flaking paint will be removed utilizing HEPA assisted equipment to provide an "anchor base" for coating of the surfaces.)

The primary or first washing of the metallic surfaces will be performed utilizing an organic wash solvent (K1) that will be applied manually via a scrub brush or sprayer to the metallic surfaces. Manual application involves scrubbing the metal surfaces with a scrub brush soaked in the organic wash solvent. The "washing" includes the removal of washing residue/materials from the "washed" area prior to rinsing to remove excess washing solution. Any excess "wash" materials will be removed (via vacuuming and/or by rags) from the surfaces and placed in a drum for offsite disposal. This wash or scrubbing process will be succeeded by a rinsing of the metallic surfaces with the organic wash solvent (K1). The rinsing agent will be applied with a sprayer with any accumulation of free liquid following the rinse process removed (via vacuuming) and placed in a drum for offsite disposal.

The secondary or second washing of the metallic surfaces will be performed utilizing an organic wash solvent (K1) that will be applied manually via a scrub brush or sprayer to the metallic surfaces. Manual application involves scrubbing the metal surfaces with a scrub brush soaked in the organic wash solvent. Any excess "wash" materials will be removed (via vacuuming and/or by rags) from the surfaces and placed in a drum for offsite disposal. This wash or scrubbing will be succeeded by a rinsing of the metallic surfaces with the organic wash solvent (K1). The rinsing agent will be applied with a sprayer with any accumulation of free liquid following the rinse process removed and placed in a drum for offsite disposal.

The tertiary or third washing of the metallic surfaces will be performed utilizing a sudsing detergent (CS 100) that will be applied manually via a scrub brush or sprayer to the metallic surfaces. Manual application involves scrubbing the metal surfaces with a scrub brush soaked in the sudsing detergent to remove any residue of the organic wash solvent. Any excess "wash" materials will be removed (via vacuuming and/or by rags) from the surfaces and placed in a drum for offsite disposal. This wash or scrubbing will be succeeded by a rinsing of the metallic surfaces with fresh water to remove any residual wash solution. The rinsing agent (fresh water) will be applied with a sprayer with any accumulation of free liquid following the rinse process removed and placed in a drum for offsite disposal. Following the final wash and rinse process, the metallic surfaces will be permitted to dry a minimum of 24 hours prior to coating.

During all cleaning activities, cleaning water/solution will be contained with booms or other absorbent material. Booms or absorbent material will be placed so free liquids will not enter the storm drains or sewers during washing activities. Periodically, these free liquids will be collected via vacuum truck and placed in fractionation tanks for disposal as hazardous waste.

In review, the three wash and rinse solutions that will be utilized for the preparation of metallic surfaces as described above will be:

- **K1**, an organic wash/rinse solvent to prepare the metallic surfaces for coating
- **CS 100**, a sudsing detergent used as a wash solution to remove the residue of the K1 from the painted and metallic surfaces
- **Water**, fresh water a rinse solvent to remove the residue of the sudsing detergent in preparing the metallic surfaces for coating

9.0 COATING OF METALLIC SURFACES

With the metallic surfaces "cleaned and prepared", the surfaces will be permitted to dry a minimum of twenty-four (24) hours (per EPA) prior to the application of the coatings. After drying, the metallic surfaces will be coated utilizing two water and solvent repellent epoxy coatings of contrasting colors. The coatings (paints) will be applied to the metallic surfaces utilizing brushes, roller, and/or airless sprayer dependant on the size and type of metallic surface to receive the coating. The base or primary coat of coating will be a red color applied directly to the metallic surfaces requiring coating. The first coat of the contrasting layers (red) will be applied and permitted to dry for a minimum of four hours (per manufacturers' direction) prior to the application of the second coat (gray) contrasting coating. The secondary or top coat of coating will be a gray color applied directly over the base coat (red). The second or top coating will be typically applied on the next day following the application of the first coat on the previous day.

10.0 CONTENTS CLEANING IN EXCLUSION/NON-EXCLUSION ZONE

Contents that were located in the exclusion and non-exclusion zones will also be treated as part of this Work Plan. Contents within the exclusion zone that are non-porous surfaces will be cleaned with all the cleaning agents mentioned in Section 5.0. Those products/items that are composed of a porous material and were fire-damaged will be discarded as appropriate and cannot be cleaned.

For the non-exclusion zone, most products are covered with soot from the fire. Therefore, non-porous surfaces (plastics and metals) will be cleaned using a sudsing detergent and water rinse. The rinse water will be containerized as in Section 6.0. Porous surfaces will be cleaned using a HEPA vacuum to remove soot. Any removal items (shrink wrap) will be removed, discarded, and replaced. Where boxes/containers are damaged, contents will be repackaged in similar boxes/containers. In hard to reach areas, the HEPA vacuum will be used to remove soot.

11.0 CONTINGENCY PLAN ELEMENTS

The purpose of a Contingency Plan is to lessen the potential impact on public health and the environment in the event of an emergency circumstance, including a fire, explosion, or unplanned sudden or non-sudden release of dangerous waste or dangerous waste constituents to air, soil, surface water, or ground water by a facility. A Contingency Plan is developed to lessen the potential impacts of such emergency circumstances, and the plan is implemented immediately in such emergency circumstances.

The site contaminants of concern have been defined by the prime contract, and by information supplied by the project owner. The main contaminant of concern is volatile organics. In the course of performing work tasks, workers may be exposed to materials containing volatile organics. The volatile organics may be found in liquid form. The estimated quantities/volumes of chemicals that will be affected by site work are unknown.

Materials of concern to be utilized in the performance of the work include cleaning solutions. MSDS sheets for these materials are contained in the Site Specific Health and Safety Plan. This plan will also address health and safety issues associated petroleum, cleaning, and coating products. It should be noted that for the project the planned storage of oil, cleaning and coating products is in five gallon containers. Collection and storage of waste and all rags and disposable PPE will be in 55-gallon containers.

The required elements of a contingency plan are listed below with statements of applicability and reference to where requirements are addressed.

RESPONSE ACTIONS

A description of the actions that facility personnel must take during an event is described in the Spill Response Procedure section below.

IMPROPER SHIPMENTS

Not applicable to this project

EMERGENCY SERVICES ARRANGEMENTS.

A description of the arrangements agreed to by local police departments, fire departments, hospitals, contractors, and state and local emergency response teams to coordinate emergency services as required. Given the scope of work for the project, and the low potential for a major release of dangerous waste based on the small quantities of waste to be handled at any given time, the state and local emergency response teams have not been contacted.

EMERGENCY CONTACTS

A current list of names, addresses, and phone numbers of all persons qualified to act as the emergency coordinator. The Project Manager is designated as the emergency coordinator when present, and the Site (Project) Supervisor is the alternate emergency coordinator. Contact information for these personnel is provided in the Project Contact List contained in the Site Specific Health and Safety Plan.

EMERGENCY EQUIPMENT

An up to date list of all emergency equipment at the facility (such as fire extinguishing systems, spill control materials, and communications), is provided in the Spill Prevention and Control section below.

EVACUATION PLAN

The evacuation plan for personnel on the site should an evacuation be necessary, and descriptions of the signal(s) to be used to begin evacuation, evacuation routes, and alternate evacuation routes are described in the Evacuation section of the Site Specific Health and Safety Plan and will be reiterated in the daily onsite tailgate meetings.

12.0 SPILL PREVENTION AND CONTROL MEASURES

Good management practices (GMP), for preventing accidental spills and releases on remediation sites, will be used during the project. Prevention is the best tool in eliminating releases on a project. One method that can be employed to eliminate releases is to have materials delivered to the site in five gallon containers rather than 55-gallon drums. Although the material costs are slightly increased, the reduction in weight and complexity for moving the containers compared to a 55-gallon drum is substantial. The smaller containers increase production while reducing the risk not only of spills but also personnel injuries associated with moving heavy drums. Other project tasks include the elements listed below, organized by activity.

- Storage
- Fueling
- Equipment Operation and Maintenance
- Waste Management (containerizing)
- Containment Materials

13.0 STORAGE

To ensure that that the GMP associated with material delivery and storage are achieved, the following measures will be implemented:

- Materials, including fuels, paints, and coatings, required at the site will be kept in storage containers that will not tip easily. The containers will not contain leaks, and the outside surfaces will be free of liquids and solids. The containers will be covered or stored away from weather impacts in designated areas identified by the station personnel.
- Where possible storage containers will be stored in existing diked areas of the facility as directed by the station personnel.
- Storage containers construction materials will be compatible with material stored.
- All storage containers and drums will be properly labeled. A visual inspection will be made of all containers prior to handling to insure that the container is not under pressure; that symbols, words or other marks identify the contents; and there are no signs of deterioration, corrosion, rust or leaks. Containers consisting of remediation waste will be identified with appropriate labels and hazardous waste labels. Universal will collect representative samples of liquids and solids and submit to a laboratory for appropriate analysis. Upon receipt of the laboratory analysis, the waste will be characterized and the containers will be labeled accordingly.
- Drums will be stored in a manner to prevent rusting and damage and will stored in drum storage areas at the facility identified by the station personnel.
- All flammable materials will be stored in areas identified by the site personnel.

14.0 EQUIPMENT OPERATION AND MAINTENANCE

The following practices will be used to minimize the release of petroleum products:

- Fueling of all vehicles will be conducted at an offsite commercial facility unless a designated area on the Universal facility has been designated for refueling.
- No heavy maintenance of equipment will take place on the project sites unless required for emergency or other removal.
- All equipment will be maintained properly to minimize oil, grease, and fuel leakage.
- Use of new equipment and proper fueling containers will be encouraged.
- Drip pans will be used to drain oil as is practical and if required.
- A leak on a piece of equipment from the fuel tank, a seal, and/or hydraulic line will be corrected immediately. A leak from equipment will be contained within the equipment area by a temporary berm, absorbents or vacuumed immediately and cleaned up using the Spill Response Kit.
- Spill Response materials will be available at all times at the work zone.

The following practices will be used to minimize additional hazards:

- All electrical equipment (generators, lighting, etc.) used shall be intrinsically safe for explosive vapors, properly grounded, and utilize a ground fault interrupter.
- No running motors/engines shall be used unless the area has been cleared by monitoring for lower explosive limits, flammability, and oxygen levels.

15.0 WASTE MANAGEMENT

Waste management guidelines will also be used to prevent and control spills. These measures include waste minimization, waste characterization, remediation waste management, and general waste handling GPM as described below.

WASTE MINIMIZATION

- Request that suppliers take back rejected or unused items.
- Request that suppliers deliver materials in reusable containers.
- Request that suppliers reduce packaging waste such as cardboard, Styrofoam, and shrink wrap.
- Request that suppliers take back pallets and barrels.
- Coordinate the schedule of material delivery to designated areas to minimize site storage time and potential damage to stored materials.
- Protect materials from loss, deterioration, rain, snow, or sun and keep materials off the ground.
- Purchase only the amount of material required.

REMEDIATION WASTE MANAGEMENT

- Waste and debris generated during remedial activities will be containerized, labeled, and stored in a designated area at each site. Universal will be responsible for profiling, manifesting, transportation and disposal at a licensed TSCA/RCRA Hazardous Waste Landfill facility.

GENERAL WASTE MANAGEMENT

- All containers will be labeled as to content in conjunction with the Universal onsite representative.
- All wastes will be transferred to an onsite storage area for transport and disposal at a licensed waste facility by Universal.

The following is a list of materials potentially generated by the remedial activities with basic handling instructions.

PAPER, CARDBOARD AND DAILY REFUSE

Paper, cardboard, and daily refuse will be collected and disposed of in appropriate containers.

OILS AND OIL/WATER

Oils and Oil/Water shall be vacuumed into 55-gallon drums, labeled, and stored in a properly designed containment area at each station. Final waste management and disposal of the drums will be performed by Universal.

OILY RAGS

Oily rags that are contaminated with waste will be collected in an appropriate container, labeled, and stored in a properly designed containment area at each station. Final waste management and disposal of the drums will be performed by Universal.

PAINT, COATING

All paint and coating materials in plastic containers, buckets, and spray cans will be stored in approved areas prior to use. Spent cans or containers will be collected and stored in a properly designed containment area at each station. Final waste management and disposal of the containers will be performed by Universal.

LEAD BASED PAINT CHIPS

Lead based paint chips generated during metallic surface preparation will be collected and containerized separately. All containers will be collected and stored in a properly designed containment area at each station. Final waste management and disposal of the drums will be performed by Universal.

CLEANING SOLUTION

Cleaning solution utilized for remediation will be collected and stored in a properly designed containment area at each station. Final waste management and disposal of the drums will be performed by Universal.

ABSORBENT MATERIALS

Absorbent pads used in the cleanup of equipment leaks will be collected and stored in a properly designed containment area at each station. Final waste management and disposal of the drums will be performed by Universal.

16.0 SPILL RESPONSE MATERIALS AND PROCEDURES

The site contaminants of concern have been defined by the prime contract, and by information supplied by the project owner. The main contaminants of concern is volatile organics and semivolatile organics. In the course of performing work tasks in or near the stations, workers may be exposed to materials containing volatile organics. The estimated quantities/volumes of chemicals that will be affected by site work are unknown.

Materials of concern to be utilized in the performance of the work include kerosene, cleaners, and coatings. MSDS for these contractor materials are contained in the Site Specific Health and Safety Plan.

In the event of a release, the project crew will maintain the following priorities in dealing with the incident:

- Life safety
- Incident mitigation and control
- Environmental restoration
- Property damage

Spills would include uncontained releases to land or water of chemicals or petroleum products. Incidental spills (splashes, drips, or other small spills to contained areas) are to be cleaned up immediately and the materials properly disposed of off site. The primary objective of the Spill Response Procedure is to take all safe actions necessary to minimize or eliminate the spilled material from contaminating personnel, soil, equipment, water, or other materials in the immediate and surrounding areas. Personnel on duty will notify the Project Manager or Site (Project) Supervisor, safely secure the spill source, deploy available berms, sorbent materials around the spilled material or vacuum the spilled material pending the selection of further actions by the Project Manager or Site (Project) Supervisor. Spilled and contaminated materials will be secured, labeled, and transported for waste storage at the assigned onsite storage area while waiting offsite transportation and disposal to a licensed disposal facility by Universal.

The Senior Site (Project) Supervisor onsite at the time of a release shall manage all releases of materials. Sorbents and spill control materials will be provided on site at the work area for use in the event of a release. Storage of contaminated materials are to be appropriately bermed, diked and/or contained to prevent any spillage of material on uncontaminated areas. If the spill or discharge is reportable, and/or human health or the environment is threatened, the release must be reported within 24 hours to the National Response Center, the State, and the Contracting Officer.

Universal will receive a written report within 24 hours of a release detailing the following:

- Name, organization, telephone number, and location of the Contractor.
- Name and title of the person(s) reporting.

- Date and time of the incident.
- Location of the incident, i.e., site location, facility name.
- Brief summary of the incident giving pertinent details including type of operation on going at the time of the incident.
- Cause of the incident, if known.
- Casualties (fatalities, disabling injuries).
- Details of any existing chemical hazard or contamination.
- Estimated property damage, if applicable.
- Nature of damage, effect on contract schedule.
- Action taken to ensure safety and security.
- Other damage or injuries sustained, public or private.

All incidents shall have a critique of the emergency responses and follow-up. All suggestions and recommendations as well as action items to be preformed shall be documented during the critique.

The remediation contractor has established various elements in the Contingency Plan to minimize or eliminate any confusion should an event occur during or after onsite work hours. They are listed below for preparation purposes and for reference purposes during an incident.

- ***Emergency coordinator;*** At all times, there must be at least one employee either on the facility premises or on call (that is, available to respond to an emergency by reaching the facility within a short period of time) with the responsibility for coordinating all emergency response measures. This emergency coordinator will be thoroughly familiar with all aspects of the facility's contingency plan, activities at the facility, the location, and properties of all wastes handled for the project, the location of all records pertaining to the project, and the projects layout. In addition, this person must have the authority to commit the resources needed to carry out the contingency plan
- ***Emergency procedures. The following procedures must be implemented in the event of an emergency.***
 - **Whenever there is an imminent or actual emergency situation**, the Project Manager (Supervisor) must immediately do the following
 - Activate internal facility alarms or communication systems, where applicable, to notify all facility personnel. This will be done through the use of site radios, cell phones, or with an air horn.
 - Notify appropriate state or local agencies with designated response roles if their help is needed.

- **Whenever there is a release, fire, or explosion**, the Project Manager (Supervisor) must immediately identify the character, exact source, amount, and real extent of any released materials.
- **Concurrently**, the Project Manager (Supervisor) must assess possible hazards to human health and the environment (considering direct, indirect, immediate, and long-term effects) that may result from the release, fire, or explosion.
- **If the Project Manager (Supervisor) determines** that the site has had a release, fire, or explosion which could threaten human health or the environment, he must report his findings as follows.
 - *If the assessment indicates that evacuation of local areas may be advisable*, he must immediately notify appropriate local authorities. He must be available to help appropriate officials decide whether local areas should be evacuated; and,
 - *The Supervisor must immediately notify* appropriate State & Local Agencies as required, or the National Response Center (using their 24-hour toll free number (800) 424-8802).
- **The assessment report must include the following information.**
 - Name and telephone number of reporter.
 - Name and address of site.
 - Time and type of incident (e.g., release, fire).
 - Name and quantity of material(s) involved, to the extent known.
 - The extent of injuries, if any; and:
 - The possible hazards to human health or the environment outside the site.
- **During an emergency**, the Project Manager (Supervisor) must take all reasonable measures necessary to ensure that fires, explosions, and releases do not occur, recur, or spread to other dangerous waste at the site. These measures must include, where applicable, stopping operations, collecting and containing released waste, and removing or isolating containers.
- **If the site stops operations in response to a fire, explosion, or release**, the Project Manager (Supervisor) must monitor for leaks, pressure buildup, gas generation, or ruptures in valves, pipes, or other equipment, wherever this is appropriate.
- **Immediately after an emergency**, the Project Manager (Supervisor) must provide for treating, storing, or disposing of recovered hazardous substances, contaminated soil or surface water, or any other material that results from a release, fire, or explosion at the site.
- **The emergency coordinator must ensure that**, in the affected area(s) of the site:
 - No waste that may be incompatible with the released material is treated, stored, or disposed of until cleanup procedures are completed; and
 - All emergency equipment listed in the contingency plan is cleaned and fit for its intended use before operations are resumed.

- **The owner or operator must notify** the state regulatory authorities, and appropriate local authorities, that the site is in compliance before operations are resumed in the affected area(s) of the site.
- **The owner or operator must note in the operating record** the time, date, and details of any incident that requires implementing the contingency plan. Within fifteen days after the incident, he must submit a written report on the incident to the appropriate State or Local Agency. The report must include:
 - Name, address, and telephone number of the owner or operator;
 - Name, address, and telephone number of the site;
 - Date, time, and type of incident (e.g., fire, explosion);
 - Name and quantity of material(s) involved;
 - The extent of injuries, if any;
 - An assessment of actual or potential hazards to human health or the environment, where this is applicable;
 - Estimated quantity and disposition of recovered material that resulted from the incident;
 - Cause of incident; and
 - Description of corrective action taken to prevent reoccurrence of the incident.

TABLES

TABLE 1

SUMMARY OF ANALYTICAL RESULTS

TABLE 1-1

SUMMARY OF AIR SAMPLING RESULTS

Explosion Area
Universal Form and Clamp Company
Bellewood, Illinois

ANALYTE	CAS	SAMPLE			
		L135166-1	L135166-2	L135166-3	L135166-4
Sample ID No.					
Volatile Organics (ppbv)					
Acetone (2-Propanone, Dimethyl ketone)	67-64-1	<125	66	<5	<5
Cyclohexane		925	182	11	<5
Ethyl Acetate		<5	<5	<5	5
Heptane		238	40	<5	<5
Toluene	108-88-3	<5.0	<5.0	<5	<5
4-Ethyltoluene		449	49	6	<5
1,3,5-Trimethylbenzene		392	53	<5	<5
1,2,4-Trimethylbenzene		1200	147	6	17
Tentatively Identified Compounds (ppbv)					
Propane	74-98-6	----	----	6.7	----
Isobutane	75-28-5	----	----	36	11
Butane, 2-methyl-	78-78-4	----	----	----	64
Pentane	109-66-0	----	----	----	6.6
Hydrocarbon C7H16		160	26	----	----
Pentane, 2,4-dimethyl-	108-08-7	270	43	----	----
Hexane, 2-methyl-	591-76-4	1200	200	13	----
Pentane, 2,3-dimethyl-	565-59-3	280	48	----	----
Hexane, 3-methyl-	589-34-4	860	150	9.5	----
Cyclohexane, methyl-	108-87-2	160	32	----	----
Octane	111-65-9	190	27	----	----
Nonane	111-84-2	520	75	8.8	9.2
Branched alkane C10H22		160	----	----	----
Benzene, propyl-	103-65-1	330	44	----	----
Nonane, 3-methyl-	5911-04-6	220	32	----	----
Benzene, 1,2,3-trimethyl-	526-73-8	470	64/96	12	6.1
Benzene, 1,2,4-trimethyl-	95-63-6	----	----	9.9	9.7
Benzene, propenyl-		----	----	5.4	----
Benzene, 1-ethyl-2-methyl-	611-14-3	----	----	----	16
Benzene, 1-propenyl-	873-66-5	----	----	----	5.8
Benzene, 1,3-diethyl-	141-93-5	----	----	----	7.1
Decane	124-18-5	1100	170	23	24
Decane, 3-methyl-	13151-34-3	----	----	----	9.5
Limonene	138-86-3	----	53	----	----
Benzene, ethylmethyl-		690	----	7.4	14/8.3
Benzene, 2-propenyl-	300-57-2	250	35	----	----
Benzene, methyl (1-methylethyl)	25155-15-1	----	----	----	5.2
Benzene, 1-methyl-3- (1-methylethyl)	535-77-3	----	----	----	6.3
Benzene, methylpropyl-		150	----	----	----
Aromatic C10H14		240	36	----	----
Unknown aromatic		220	44	----	----
Unknown aromatic		----	23	----	----
Unknown		----	----	6.7	----
Undecane	1120-21-4	710	120	17	33
Dodecane	112-40-3	----	----	----	8.1

Notes:

NA - Not analyzed

N/A - Not applicable

ppbv - Parts per billion by volume

----- - Not reported

TABLE 1-2
SUMMARY OF ANALYTICAL RESULTS
Explosion Area
Universal Form and Clamp Company
Bellewood, Illinois

ANALYTE	CAS	SAMPLE					
		1a	2a	3a	4a	5a	6a
Sample ID No.							
POLYNUCLEAR AROMATIC HYDROCARBONS (ug/wipe)							
Acenaphthene	83-32-9	0.21	<0.1	1.4	<0.1	<0.1	<0.1
Acenaphthylene	208-96-8	0.89	<0.1	13	0.65	0.11	0.59
Anthracene	120-12-7	0.50	<0.1	1.1	<0.1	<0.1	0.42
Benzo(a)anthracene	56-55-3	0.23	<0.1	1.5	0.11	<0.1	<0.1
Benzo(a)pyrene	50-32-8	0.17	<0.1	0.77	0.10	<0.1	<0.1
Benzo(b)fluoranthene	205-99-2	<0.1	<0.1	0.78	<0.1	<0.1	<0.1
Benzo(g,h,i)perylene	191-24-2	0.12	<0.1	0.39	<0.1	<0.1	<0.1
Benzo(k)fluoranthene	207-08-9	<0.1	<0.1	0.14	<0.1	<0.1	<0.1
Chrysene	218-01-9	0.31	<0.1	0.60	0.12	<0.1	<0.1
Dibenz(a,h)anthracene	53-70-3	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1
Fluoranthene	206-44-0	0.84	0.17	<10	0.58	0.14	0.37
Fluorene	86-73-7	0.42	<0.1	0.67	0.49	<0.1	0.53
Indeno(1,2,3-cd)pyrene	193-39-5	0.13	<0.1	0.43	<0.1	<0.1	<0.1
Naphthalene	91-20-3	3.8	0.46	40	0.43	0.19	0.3
Phenanthrene	85-01-8	2.0	0.19	14	2.3	0.38	2
Pyrene	129-00-0	1.0	0.15	<10	0.55	0.16	0.22
SEMIVOLATILE ORGANICS (ug/wipe)							
Aniline (Benzeneamine)	62-53-3	<5.0	<5.0	<5.0	<5.0	<5.0	<5.0
Benzidine		<5.0	<5.0	<5.0	<5.0	<5.0	<5.0
Benzoic Acid		<5.0	<5.0	<5.0	<5.0	<5.0	<5.0
Benzyl alcohol	100-51-6	<5.0	<5.0	<5.0	<5.0	<5.0	<5.0
bis(2-Chloroethoxy)methane	111-91-1	<5.0	<5.0	<5.0	<5.0	<5.0	<5.0
bis(2-Chloroethyl) ether	111-44-4	<5.0	<5.0	<5.0	<5.0	<5.0	<5.0
bis(2-ethylhexyl)phthalate		91	130	<20.0	75	23	92
4-Bromophenyl-phenylether	101-55-3	<5.0	<5.0	<5.0	<5.0	<5.0	<5.0
Butylbenzylphthalate	85-68-7	<5.0	<5.0	<5.0	<5.0	<5.0	<5.0
Carbazole		<5.0	<5.0	<5.0	<5.0	<5.0	<5.0
4-chloroaniline		<5.0	<5.0	<5.0	<5.0	<5.0	<5.0
4-Chloro-3-methylphenol (p-Chloro-m-cresol)	59-50-7	<5.0	<5.0	<5.0	<5.0	<5.0	<5.0
2-Chloronaphthalene	91-58-7	<5.0	<5.0	<5.0	<5.0	<5.0	<5.0
2-Chlorophenol (o-Chlorophenol)	95-57-8	<5.0	<5.0	<5.0	<5.0	<5.0	<5.0
4-Chlorophenyl phenyl ether	7005-72-3	<5.0	<5.0	<5.0	<5.0	<5.0	<5.0
Dibenzofuran	132-64-9	<5.0	<5.0	<5.0	<5.0	<5.0	<5.0
1,2-Dichlorobenzene (o-Dichlorobenzene)	95-50-1	<5.0	<5.0	<5.0	<5.0	<5.0	<5.0
1,3-Dichlorobenzene (m-Dichlorobenzene)	541-73-1	<5.0	<5.0	<5.0	<5.0	<5.0	<5.0
1,4-Dichlorobenzene (p-Dichlorobenzene)	106-46-7	<5.0	<5.0	<5.0	<5.0	<5.0	<5.0
3,3'-Dichlorobenzidine	91-94-1	<5.0	<5.0	<5.0	<5.0	<5.0	<5.0
2,4-Dichlorophenol	120-83-2	<5.0	<5.0	<5.0	<5.0	<5.0	<5.0
2,6-Dichlorophenol	87-65-0	<5.0	<5.0	<5.0	<5.0	<5.0	<5.0
Diethylphthalate	84-66-2	<5.0	<5.0	<5.0	<5.0	<5.0	<5.0
4,6-Dinitro-2-methylphenol (4,6-Dinitro-o-cresol)	534-52-1	<5.0	<5.0	<5.0	<5.0	<5.0	<5.0
2,4-Dinitrophenol	51-28-5	<5.0	<5.0	<5.0	<5.0	<5.0	<5.0
2,4-Dinitrotoluene	121-14-2	<5.0	<5.0	<5.0	<5.0	<5.0	<5.0
2,6-Dinitrotoluene	606-20-2	<5.0	<5.0	<5.0	<5.0	<5.0	<5.0
Di-n-butylphthalate		<5.0	<5.0	<5.0	<5.0	<5.0	<5.0
Di-n-octylphthalate	117-84-0	<5.0	<5.0	<5.0	<5.0	<5.0	<5.0
Hexachlorobenzene	118-74-1	<5.0	<5.0	<5.0	<5.0	<5.0	<5.0
Hexachlorobutadiene	87-68-3	<5.0	<5.0	<5.0	<5.0	<5.0	<5.0
Hexachlorocyclopentadiene	77-47-4	<5.0	<5.0	<5.0	<5.0	<5.0	<5.0
Hexachloroethane	67-72-1	<5.0	<5.0	<5.0	<5.0	<5.0	<5.0
Isophorone	78-59-1	<5.0	<5.0	<5.0	<5.0	<5.0	<5.0
2-Methylnaphthalene	91-57-6	<5.0	<5.0	<5.0	<5.0	<5.0	<5.0
2-Methylphenol (o-Cresol)	95-48-7	<5.0	<5.0	<5.0	<5.0	<5.0	<5.0
4-Methylphenol (p-Cresol)	106-44-5	<5.0	<5.0	<5.0	<5.0	<5.0	<5.0
2-Nitroaniline (o-Nitroaniline)	88-74-4	<5.0	<5.0	<5.0	<5.0	<5.0	<5.0
3-Nitroaniline (m-Nitroaniline)	99-09-2	<5.0	<5.0	<5.0	<5.0	<5.0	<5.0
4-Nitroaniline (p-Nitroaniline)	100-01-6	<5.0	<5.0	<5.0	<5.0	<5.0	<5.0
2-Nitrophenol (o-Nitrophenol)	88-75-5	<5.0	<5.0	<5.0	<5.0	<5.0	<5.0
4-Nitrophenol (p-Nitrophenol)	100-02-7	<5.0	<5.0	<5.0	<5.0	<5.0	<5.0
Nitrobenzene	98-95-3	<5.0	<5.0	<5.0	<5.0	<5.0	<5.0
N-Nitroso-di-n-propylamine	621-64-7	<5.0	<5.0	<5.0	<5.0	<5.0	<5.0
N-Nitrosomethylethylamine	10595-95-6	<5.0	<5.0	<5.0	<5.0	<5.0	<5.0
N-Nitrosodiphenylamine (Diphenylamine)	86-30-6	<5.0	<5.0	<5.0	<5.0	<5.0	<5.0
2,2'-oxybis(1-Chloropropane)	108-60-1	<5.0	<5.0	<5.0	<5.0	<5.0	<5.0
Pentachlorophenol	87-86-5	<5.0	<5.0	<5.0	<5.0	<5.0	<5.0
Phenol	108-95-2	<5.0	<5.0	<5.0	<5.0	<5.0	<5.0
Pyridine	110-86-1	<5.0	<5.0	<5.0	<5.0	<5.0	<5.0
1,2,4-Trichlorobenzene	120-82-1	<5.0	<5.0	<5.0	<5.0	<5.0	<5.0
2,4,5-Trichlorophenol	95-95-4	<5.0	<5.0	<5.0	<5.0	<5.0	<5.0
2,4,6-Trichlorophenol	88-06-2	<5.0	<5.0	<5.0	<5.0	<5.0	<5.0

Notes:

NA - Not analyzed

N/A - Not applicable

ug/wipe - micrograms per wipe

TABLE 1-3
SUMMARY OF ANALYTICAL RESULTS
Explosion Area
Universal Form and Clamp Company
Bellewood, Illinois

ANALYTE	CAS	SAMPLE					
		7a	8a	9a	10a	11a	12a
Sample ID No.							
POLYNUCLEAR AROMATIC HYDROCARBONS (ug/wipe)							
Acenaphthene	83-32-9	<0.3	0.11	<0.1	<0.1	<0.1	1.1
Acenaphthylene	208-96-8	6.6	0.90	0.52	<0.1	<0.1	4.8
Anthracene	120-12-7	1.6	0.64	0.73	<0.1	<0.1	10
Benzo(a)anthracene	56-55-3	<0.3	0.36	0.73	<0.1	<0.1	13
Benzo(a)pyrene	50-32-8	2.9	0.37	0.32	<0.1	<0.1	13
Benzo(b)fluoranthene	205-99-2	<0.3	<0.1	<0.1	<0.1	<0.1	19
Benzo(g,h,i)perylene	191-24-2	<0.3	0.38	0.23	<0.1	<0.1	1.8
Benzo(k)fluoranthene	207-08-9	21	<0.1	<0.1	<0.1	<0.1	<1.0
Chrysene	218-01-9	<0.3	0.38	0.81	<0.1	<0.1	13
Dibenz(a,h)anthracene	53-70-3	<0.3	<0.1	<0.1	<0.1	<0.1	<1.0
Fluoranthene	206-44-0	0.87	0.70	1.4	<0.1	<0.1	42
Fluorene	86-73-7	<0.3	0.76	0.48	0.49	0.49	<10
Indeno(1,2,3-cd)pyrene	193-39-5	<0.3	0.32	0.29	<0.1	<0.1	1.8
Naphthalene	91-20-3	36	1.40	1.2	<0.1	<0.1	1.3
Phenanthrene	85-01-8	5.5	2.80	3.5	<0.1	<0.1	51
Pyrene	129-00-0	0.78	0.86	1.2	<0.1	<0.1	24
SEMIVOLATILE ORGANICS (ug/wipe)							
Aniline (Benzeneamine)	62-53-3	<15.0	<5.0	<5.0	<5.0	<5.0	<5.0
Benzidine		<15.0	<5.0	<5.0	<5.0	<5.0	<5.0
Benzoic Acid		<15.0	<5.0	<5.0	<5.0	<5.0	<5.0
Benzyl alcohol	100-51-6	130	<5.0	<5.0	<5.0	<5.0	<5.0
bis(2-Chloroethoxy)methane	111-91-1	<15.0	<5.0	<5.0	<5.0	<5.0	<5.0
bis(2-Chloroethyl) ether	111-44-4	<15.0	<5.0	<5.0	<5.0	<5.0	<5.0
bis(2-ethylhexyl)phthalate		160	78	<20.0	32	68	<20.0
4-Bromophenyl-phenylether	101-55-3	<15.0	<5.0	<5.0	<5.0	<5.0	<5.0
Butylbenzylphthalate	85-68-7	<15.0	<5.0	<5.0	<5.0	<5.0	<5.0
Carbazole		<15.0	<5.0	<5.0	<5.0	<5.0	<5.0
4-chloroaniline		<15.0	<5.0	<5.0	<5.0	<5.0	<5.0
4-Chloro-3-methylphenol (p-Chloro-m-cresol)	59-50-7	<15.0	<5.0	<5.0	<5.0	<5.0	<5.0
2-Chloronaphthalene	91-58-7	<15.0	<5.0	<5.0	<5.0	<5.0	<5.0
2-Chlorophenol (o-Chlorophenol)	95-57-8	<15.0	<5.0	<5.0	<5.0	<5.0	<5.0
4-Chlorophenyl phenyl ether	7005-72-3	<15.0	<5.0	<5.0	<5.0	<5.0	<5.0
Dibenzofuran	132-64-9	<15.0	<5.0	<5.0	<5.0	<5.0	<5.0
1,2-Dichlorobenzene (o-Dichlorobenzene)	95-50-1	<15.0	<5.0	<5.0	<5.0	<5.0	<5.0
1,3-Dichlorobenzene (m-Dichlorobenzene)	541-73-1	<15.0	<5.0	<5.0	<5.0	<5.0	<5.0
1,4-Dichlorobenzene (p-Dichlorobenzene)	106-46-7	<15.0	<5.0	<5.0	<5.0	<5.0	<5.0
3,3'-Dichlorobenzidine	91-94-1	<15.0	<5.0	<5.0	<5.0	<5.0	<5.0
2,4-Dichlorophenol	120-83-2	<15.0	<5.0	<5.0	<5.0	<5.0	<5.0
2,6-Dichlorophenol	87-65-0	<15.0	<5.0	<5.0	<5.0	<5.0	<5.0
Diethylphthalate	84-66-2	47	<5.0	<5.0	<5.0	<5.0	<5.0
4,6-Dinitro-2-methylphenol (4,6-Dinitro-o-cresol)	534-52-1	<15.0	<5.0	<5.0	<5.0	<5.0	<5.0
2,4-Dinitrophenol	51-28-5	<15.0	<5.0	<5.0	<5.0	<5.0	<5.0
2,4-Dinitrotoluene	121-14-2	<15.0	<5.0	<5.0	<5.0	<5.0	<5.0
2,6-Dinitrotoluene	606-20-2	<15.0	<5.0	<5.0	<5.0	<5.0	<5.0
Di-n-butylphthalate		<15.0	<5.0	<5.0	<5.0	<5.0	<5.0
Di-n-octylphthalate	117-84-0	<15.0	<5.0	<5.0	<5.0	<5.0	<5.0
Hexachlorobenzene	118-74-1	<15.0	<5.0	<5.0	<5.0	<5.0	<5.0
Hexachlorobutadiene	87-68-3	<15.0	<5.0	<5.0	<5.0	<5.0	<5.0
Hexachlorocyclopentadiene	77-47-4	<15.0	<5.0	<5.0	<5.0	<5.0	<5.0
Hexachloroethane	67-72-1	<15.0	<5.0	<5.0	<5.0	<5.0	<5.0
Isophorone	78-59-1	<15.0	<5.0	<5.0	<5.0	<5.0	<5.0
2-Methylnaphthalene	91-57-6	<15.0	<5.0	<5.0	<5.0	<5.0	<5.0
2-Methylphenol (o-Cresol)	95-48-7	<15.0	54	<5.0	<5.0	<5.0	<5.0
4-Methylphenol (p-Cresol)	106-44-5	<15.0	<5.0	<5.0	<5.0	<5.0	5.4
2-Nitroaniline (o-Nitroaniline)	88-74-4	<15.0	<5.0	<5.0	<5.0	<5.0	<5.0
3-Nitroaniline (m-Nitroaniline)	99-09-2	<15.0	<5.0	<5.0	<5.0	<5.0	<5.0
4-Nitroaniline (p-Nitroaniline)	100-01-6	<15.0	<5.0	<5.0	<5.0	<5.0	<5.0
2-Nitrophenol (o-Nitrophenol)	88-75-5	<15.0	<5.0	<5.0	<5.0	<5.0	<5.0
4-Nitrophenol (p-Nitrophenol)	100-02-7	<15.0	<5.0	<5.0	<5.0	<5.0	<5.0
Nitrobenzene	98-95-3	<15.0	<5.0	<5.0	<5.0	<5.0	<5.0
N-Nitroso-di-n-propylamine	621-64-7	<15.0	<5.0	<5.0	<5.0	<5.0	<5.0
N-Nitrosomethylmethanamine	10595-95-6	<15.0	<5.0	<5.0	<5.0	<5.0	<5.0
N-Nitrosodiphenylamine (Diphenylamine)	86-30-6	<15.0	<5.0	<5.0	<5.0	<5.0	<5.0
2,2'-oxybis(1-Chloropropane)	108-60-1	<15.0	<5.0	<5.0	<5.0	<5.0	<5.0
Pentachlorophenol	87-86-5	<15.0	<5.0	<5.0	<5.0	<5.0	<5.0
Phenol	108-95-2	<15.0	<5.0	<5.0	<5.0	<5.0	<5.0
Pyridine	110-86-1	<15.0	<5.0	<5.0	<5.0	<5.0	<5.0
1,2,4-Trichlorobenzene	120-82-1	<15.0	<5.0	<5.0	<5.0	<5.0	<5.0
2,4,5-Trichlorophenol	95-95-4	<15.0	<5.0	<5.0	<5.0	<5.0	<5.0
2,4,6-Trichlorophenol	88-06-2	<15.0	<5.0	<5.0	<5.0	<5.0	<5.0

Notes:
NA - Not analyzed
N/A - Not applicable
ug/wipe - micrograms per wipe

TABLE 1-4
SUMMARY OF ANALYTICAL RESULTS
Explosion Area
Universal Form and Clamp Company
Bellewood, Illinois

ANALYTE	CAS	SAMPLE	
		13a	14a
Sample ID No.			
POLYNUCLEAR AROMATIC HYDROCARBONS (ug/wipe)			
Acenaphthene	83-32-9	<1.0	<1.0
Acenaphthylene	208-96-8	<1.0	<1.0
Anthracene	120-12-7	<1.0	<1.0
Benzo(a)anthracene	56-55-3	<1.0	<1.0
Benzo(a)pyrene	50-32-8	<1.0	<1.0
Benzo(b)fluoranthene	205-99-2	<1.0	<1.0
Benzo(g,h,i)perylene	191-24-2	<1.0	<1.0
Benzo(k)fluoranthene	207-08-9	<1.0	<1.0
Chrysene	218-01-9	<1.0	<1.0
Dibenz(a,h)anthracene	53-70-3	<1.0	<1.0
Fluoranthene	206-44-0	<1.0	1.1
Fluorene	86-73-7	<1.0	<1.0
Indeno(1,2,3-cd)pyrene	193-39-5	<1.0	<1.0
Naphthalene	91-20-3	<1.0	<1.0
Phenanthrene	85-01-8	<1.0	1.4
Pyrene	129-00-0	<1.0	<1.0
SEMIVOLATILE ORGANICS (ug/wipe)			
Aniline (Benzenamine)	62-53-3	<5.0	<5.0
Benzidine		<5.0	<5.0
Benzoic Acid		<5.0	<5.0
Benzyl alcohol	100-51-6	<5.0	<5.0
bis(2-Chloroethoxy)methane	111-91-1	<5.0	<5.0
bis(2-Chloroethyl) ether	111-44-4	<5.0	<5.0
bis(2-ethylhexyl)phthalate		52	99
4-Bromophenyl-phenylether	101-55-3	<5.0	<5.0
Butylbenzylphthalate	85-68-7	<5.0	<5.0
Carbazole		<5.0	<5.0
4-chloroaniline		<5.0	<5.0
4-Chloro-3-methylphenol (p-Chloro-m-cresol)	59-50-7	<5.0	<5.0
2-Chloronaphthalene	91-58-7	<5.0	<5.0
2-Chlorophenol (o-Chlorophenol)	95-57-8	<5.0	<5.0
4-Chlorophenyl phenyl ether	7005-72-3	<5.0	<5.0
Dibenzofuran	132-64-9	<5.0	<5.0
1,2-Dichlorobenzene (o-Dichlorobenzene)	95-50-1	<5.0	<5.0
1,3-Dichlorobenzene (m-Dichlorobenzene)	541-73-1	<5.0	<5.0
1,4-Dichlorobenzene (p-Dichlorobenzene)	106-46-7	<5.0	<5.0
3,3'-Dichlorobenzidine	91-94-1	<5.0	<5.0
2,4-Dichlorophenol	120-83-2	<5.0	<5.0
2,6-Dichlorophenol	87-65-0	<5.0	<5.0
Diethylphthalate	84-66-2	<5.0	<5.0
4,6-Dinitro-2-methylphenol (4,6-Dinitro-o-cresol)	534-52-1	<5.0	<5.0
2,4-Dinitrophenol	51-28-5	<5.0	<5.0
2,4-Dinitrotoluene	121-14-2	<5.0	<5.0
2,6-Dinitrotoluene	606-20-2	<5.0	<5.0
Di-n-butylphthalate		<5.0	<5.0
Di-n-octylphthalate	117-84-0	<5.0	<5.0
Hexachlorobenzene	118-74-1	<5.0	<5.0
Hexachlorobutadiene	87-68-3	<5.0	<5.0
Hexachlorocyclopentadiene	77-47-4	<5.0	<5.0
Hexachloroethane	67-72-1	<5.0	<5.0
Isophorone	78-59-1	<5.0	<5.0
2-Methylnaphthalene	91-57-6	<5.0	<5.0
2-Methylphenol (o-Cresol)	95-48-7	54	<5.0
4-Methylphenol (p-Cresol)	106-44-5	<5.0	<5.0
2-Nitroaniline (o-Nitroaniline)	88-74-4	<5.0	<5.0
3-Nitroaniline (m-Nitroaniline)	99-09-2	<5.0	<5.0
4-Nitroaniline (p-Nitroaniline)	100-01-6	<5.0	<5.0
2-Nitrophenol (o-Nitrophenol)	88-75-5	<5.0	<5.0
4-Nitrophenol (p-Nitrophenol)	100-02-7	<5.0	<5.0
Nitrobenzene	98-95-3	<5.0	<5.0
N-Nitroso-di-n-propylamine	621-64-7	<5.0	<5.0
N-Nitrosomethyl ethylamine	10595-95-6	<5.0	<5.0
N-Nitrosodiphenylamine (Diphenylamine)	86-30-6	<5.0	<5.0
2,2'-oxybis(1-Chloropropane)	108-60-1	<5.0	<5.0
Pentachlorophenol	87-86-5	<5.0	<5.0
Phenol	108-95-2	<5.0	<5.0
Pyridine	110-86-1	<5.0	<5.0
1,2,4-Trichlorobenzene	120-82-1	<5.0	<5.0
2,4,5-Trichlorophenol	95-95-4	<5.0	<5.0
2,4,6-Trichlorophenol	88-06-2	<5.0	<5.0

Notes:
NA - Not analyzed
N/A - Not applicable
ug/wipe - micrograms per wipe


TABLE 1-5
SUMMARY OF ANALYTICAL RESULTS
Explosion Area
Universal Form and Clamp Company
Bellewood, Illinois

ANALYTE	CAS	SAMPLE													
		1	2	3	4	5	6	7	8	9	10	11	12	13	14
Sample ID No.															
METALS (ug/wipe)															
Arsenic	7440-38-2	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5	2.6
Barium	7440-39-3	5.5	<2.5	16	<2.5	<2.5	<2.5	16	31	32	<2.5	<2.5	140	9.0	550
Cadmium	7440-43-9	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5	2.7	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5
Chromium	7440-47-3	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5	8.2	<2.5	34
Lead	7439-92-1	<2.5	<2.5	3.9	2.7	<2.5	<2.5	5.2	<10	5.8	<2.5	<2.5	16	<2.5	190
Selenium	7782-49-2	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5
Silver	7440-22-4	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5

Notes:
NA - Not analyzed
N/A - Not applicable
ug/wipe - micrograms per wipe

FIGURES

FIGURE 1
SITE LOCATION MAP



Note:

Base map taken from U.S.G.S. Quadrangle "River Forest, Illinois" dated 1997, at a scale of 1:24,000.

PROJECT NO
#15-060104

DESIGNED

DRAWN

CHECKED
L. STOLTZFUS

REVIEWED
L. DAY

DATE
06/24/06

**FIGURE 1
SITE LOCATION MAP**

UNIVERSAL FORM CLAMP COMPANY
840 South 25th Avenue
Bellwood, Illinois 60104





FIGURE 2

PHOTOGRAPH LOCATIONS

2' SQUARE S.

WHEELABRATOR
ROOM

ELECTRICAL
TRANSF. AREA



Legend:



Photograph Location and Viewing Direction

Note:

Base map taken from "Plan View" map by Universal Form Clamp Company dated June 24, 2002.

PROJECT NO

#15-060104

DESIGNED

DRAWN

CHECKED

L. STOLTZFUS

REVIEWED

L. DAY

DATE

06/24/06

FIGURE 1 PHOTOGRAPH LOCATIONS

UNIVERSAL FORM CLAMP COMPANY

840 South 25th Avenue
Bellwood, Illinois 60104



UNITED STATES RISK MANAGEMENT, L.L.C.


FIGURE 3

HOT ZONE


WHEELABRATOR
ROOM

ELECTRICAL
TRANSF. AREA

2' SQUARE S.



Legend:



Hot Zone



Contaminant Reduction Zone



Safe Zone

Note:

Base map taken from "Plan View" map by Universal Form Clamp Company dated June 24, 2002.

PROJECT NO

#15-060104

DESIGNED

DRAWN

CHECKED

L. STOLTZFUS

REVIEWED

L. DAY

DATE

06/24/06

**FIGURE 1
HOT ZONE LOCATION**

UNIVERSAL FORM CLAMP COMPANY


840 South 25th Avenue
Bellwood, Illinois 60104



UNITED STATES RISK MANAGEMENT, L.L.C.

FIGURE 4

SAMPLE LOCATION MAP



Legend:

- 5, 5a Wipe Sample Location
- 2 Air Sample Location

Note:

Base map taken from "Plan View" map by Universal Form Clamp Company dated June 24, 2002.

PROJECT NO

#15-060104

DESIGNED

DRAWN

CHECKED

L. STOLTZFUS

REVIEWED

L. DAY

DATE

06/24/06

FIGURE 1 SAMPLE LOCATIONS

UNIVERSAL FORM CLAMP COMPANY
840 South 25th Avenue
Bellwood, Illinois 60104




FIGURE 5

TANK LOCATION MAP

APPENDICES

APPENDIX A


SITE PHOTOGRAPHS



Photograph No. 001



Photograph No. 004



Photograph No. 002




Photograph No. 005




Photograph No. 003



Photograph No. 006




Photograph No. 007




Photograph No. 010



Photograph No. 008



Photograph No. 011



Photograph No. 009



Photograph No. 012




Photograph No. 013




Photograph No. 016




Photograph No. 014



Photograph No. 017



Photograph No. 015



Photograph No. 018



Photograph No. 019




Photograph No. 022



Photograph No. 020




Photograph No. 023




Photograph No. 021




Photograph No. 024




Photograph No. 025



Photograph No. 028



Photograph No. 026




Photograph No. 029



Photograph No. 027




Photograph No. 030



Photograph No. 031



Photograph No. 034



Photograph No. 032




Photograph No. 035



Photograph No. 033




Photograph No. 036




Photograph No. 037



Photograph No. 040




Photograph No. 038



Photograph No. 041



Photograph No. 039




Photograph No. 042



Photograph No. 043



Photograph No. 046




Photograph No. 044




Photograph No. 047



Photograph No. 045




Photograph No. 048




Photograph No. 049



Photograph No. 052




Photograph No. 050




Photograph No. 053




Photograph No. 051




Photograph No. 054




Photograph No. 055




Photograph No. 058




Photograph No. 056




Photograph No. 059




Photograph No. 057



Photograph No. 060




Photograph No. 061




Photograph No. 064




Photograph No. 062




Photograph No. 065



Photograph No. 063




Photograph No. 066



Photograph No. 067



Photograph No. 070



Photograph No. 068




Photograph No. 071



Photograph No. 069



Photograph No. 072



Photograph No. 073



Photograph No. 076



Photograph No. 074



Photograph No. 077



Photograph No. 075

APPENDIX B

MATERIAL DATA SAFETY SHEETS

MATERIAL SAFETY DATA SHEET

Information Phone # 1-800 728 1958
 Latest Revision Date: 6.13.2005
 EMERGENCY PHONE #: 1-800 535-5053

Universal Form Clamp
 840 South 25th Avenue
 Bellwood, IL 60104

SECTION I

PRODUCT IDENTIFICATION

Trade Name	<i>Uni Cure & Seal 14</i>		
Chemical Family	Acrylic Resin Solution in Aromatic Solvent		
NFPA Ratings (Hazard ID)	Health 2	Fire 2	Reactivity 0
HMIS Ratings (Hazard ID)	Health 2	Fire 2	Reactivity 0
Warning: Combustible liquid (DOT) Flammable Liquid (Air, Marine). Keep containers (with material or empty) away from sparks, excessive heat, flames, welding. Irritant to skin, eyes. May be fatal if ingested or overexposed. Harmful to lungs, central nervous system, mucous membrane, possibly blood, kidney, liver and reproductive system. Spill may create slipping hazard.			

SECTION II

INGREDIENTS, LIMITS AND TOXICOLOGICAL INFORMATION* \

INGREDIENT	Xylene - mixed, META and PARA Isomers	1,2,4-Trimethylbenzene	Cumene	Trimethyl benzene (Mixed Isomers)	Mineral Spirits
CAS#	001330-20-7	000095-63-6	000098-82-8	025551-13-7	64742-88-7
ACGIH TLV/TWA	100 PPM (435 mg/m ³)	25PPM (125 mg/m ³)	50 PPM (435 mg/m ³)	25PPM (125 mg/m ³)	NA
ACGIH TLV/STEL	150 PPM (435 mg/m ³)	N/A	N/A	N/A	NA
OSHA PEL/TWA	100 PPM (435 mg/m ³)	25 PPM (125 mg/m ³)	50 PPM (435 mg/m ³)	25PPM (125 mg/m ³)	NA
OSHA PEL/STEL	150 PPM (655 mg/m ³)	25 PPM (125 mg/m ³)	N/A	N/A	NA
LD50, Oral	4.3 g/Kg (RAT)	5 g/Kg (RAT)	N/A	8.9 g/Kg (RAT)	NA
LD 50, Dermal	3.95 ml/Kg (RABVBIT)	N/A	N/A	N/A	NA
LD 50, Inhalation	5000 PPM/4H (RAT)	N/A	N/A	N/A	NA
PCT BY WT:	2 %	19 %	1 %	28 %	

SECTION III

PHYSICAL DATA

Physical State	LIQUID	Specific Gravity	.912
Appearance	CLEAR COLOR	VOC, Calculated	<700 g/L
Odor	MODERATE AROMATIC	pH	N/A
Boiling Range	HIGH- N/A LOW-281.0 °F	Freezing Point	N/A
Vapor Pressure		Water Solubility	INSOLUBLE

SECTION IV

FIRE AND EXPLOSION HAZARD DATA

Lowest Closed Cup Flashpoint	<110.0 °F
OSHA Flammability Classification	CLASS III
Lower Flammable Limit in Air	.9 % BY VOLUME
Flash Points	110 TO 142 °F
Mechanical Impact Explosion	NO KNOWN HAZARD
Static Electricity Explosion	AVOID STATIC CHARGE
EXTINGUISHING MEDIA	FOAM, CARBON DIOXIDE, DRY CHEMICAL, WATER FOG

UNUSUAL FIRE AND EXPLOSION HAZARDS:

KEEP CONTAINER TIGHTLY CLOSED AND ISOLATE FROM HEAT, ELECTRICAL EQUIPMENT, SPARKS AND FLAME. NEVER USE WELDING OR CUTTING TORCH ON OR NEAR DRUM (EVEN EMPTY) BECAUSE PRODUCT (EVEN JUST RESIDUE) CAN IGNITE EXPLOSIVELY.

SPECIAL FIRE FIGHTING PROCEDURES:

FULL PROTECTIVE EQUIPMENT INCLUDING SELF-CONTAINED BREATHING APPARATUS SHOULD BE USED. WATER SPRAY MAY BE INEFFECTIVE. IF WATER IS USED, FOG NOZZLES ARE PREFERABLE. WATER MAY BE USED TO COOL CLOSED CONTAINERS TO PREVENT PRESSURE BUILD-UP AND POSSIBLE AUTO-IGNITION OR EXPLOSION WHEN EXPOSED TO EXTREME HEAT.

SECTION V**HEALTH HAZARD DATA****EFFECTS OF EXCESSIVE OVEREXPOSURE-PRIMARY ROUTES OF ENTRY ARE:****PRIMARY ROUTE(S) OF ENTRY:**

INHALATION



SKIN



INGESTION

SKIN CONTACT:

IRRITATION. CAN CAUSE DEFATTING OF SKIN, WHICH MAY LEAD TO DERMATITIS.

INHALATION:

IRRITATION TO NOSE AND THROAT. EXTENDED OR REPEATED EXPOSURE TO CONCENTRATIONS ABOVE THE RECOMMENDED EXPOSURE LIMITS MAY CAUSE BRAIN OR NERVOUS SYSTEM DEPRESSION, WITH SYMPTOMS SUCH AS DIZZINESS, HEADACHE OR NAUSEA AND IF CONTINUED INDEFINITELY, LOSS OF CONSCIOUSNESS, LIVER AND KIDNEY DAMAGE.

INGESTION:

MAY CAUSE MOUTH, THROAT, ESOPHAGUS AND STOMACH IRRITATION, NAUSEA VOMITING AND DIARRHEA.

MEDICAL CONDITIONS THAT MAY BE AGGRAVATED BY EXPOSURE TO THIS PRODUCT:

PREEXISTING EYE, SKIN, LIVER, KIDNEY AND RESPIRATORY DISORDERS.

EMERGENCY AND FIRST AID PROCEDURES:

IN CASE OF EYE CONTACT, FLUSH IMMEDIATELY WITH PLENTY OF WATER FOR AT LEAST 15 MINUTES AND GET MEDICAL ATTENTION; FOR SKIN, WASH THOROUGHLY WITH SOAP AND WATER. IF AFFECTED BY INHALATION OF VAPORS OR SPRAY MIST, REMOVE TO FRESH AIR. IF SWALLOWED, GET MEDICAL ATTENTION IMMEDIATELY.

OTHER HEALTH HAZARDS:

LABORATORY ANIMALS EXPOSED TO HIGH DOSES OF XYLENE SHOWED EVIDENCE OF EFFECTS IN THE LIVER, KIDNEYS, LUNGS, CENTRAL NERVOUS SYSTEM, GI TRACT, AND BLOOD FORMING ELEMENTS.

SECTION VI**REACTIVITY DATA****STABILITY:**

STABLE. HAZARDOUS POLYMERIZATION: NONE UNDER NORMAL CONDITIONS.

CONDITIONS TO AVOID:

ELEVATED TEMPERATURES

INCOMPATIBILITY (MATERIAL TO AVOID):

STRONG ACIDS, AND STRONG OXIDIZING AGENTS. IF THIS PRODUCT IS NOT WATER REDUCIBLE, AVOID WATER.

HAZARDOUS DECOMPOSITION PRODUCTS:

THERMAL DECOMPOSITION OR COMBUSTION CAN PRODUCE FUMES CONTAINING ORGANIC ACIDS, CARBON DIOXIDE AND CARBON MONOXIDE.

SECTION VII**SPILL OR LEAK PROCEDURES****STEPS TO BE TAKEN IN CASE MATERIAL IS RELEASED OR SPILLED:**

REMOVE ALL SOURCES OF IGNITION (FLAMES, HOT SURFACES, AND ELECTRICAL, STATIC, OR FRICTIONAL SPARKS). AVOID BREATHING VAPORS. VENTILATE AREA. CONTAIN AND REMOVE WITH INERT ABSORBENT AND NON-SPARKING TOOLS.

WASTE DISPOSAL METHOD:

DISPOSE OF IN ACCORDANCE WITH LOCAL, STATE AND FEDERAL REGULATIONS. DO NOT INCINERATE CLOSED CONTAINERS. INCINERATE IN APPROVED FACILITY.

SECTION VIII**SPECIAL PROTECTION INFORMATION****RESPIRATORY PROTECTION:**

DON'T BREATHE VAPORS. WEAR AN APPROPRIATE, PROPERLY FITTED RESPIRATOR (NIOSH/MSHA APPROVED) DURING USE OF THIS PRODUCT UNTIL VAPORS ARE EXHAUSTED, UNLESS AIR MONITORING DEMONSTRATES VAPOR LEVELS ARE BELOW APPLICABLE LIMITS. FOLLOW RESPIRATOR MANUFACTURER'S DIRECTIONS FOR RESPIRATOR USE. OBSERVE OSHA STANDARD 29CFR 1910.134.

VENTILATION:

PROVIDE GENERAL CLEAN AIR DILUTION OR LOCAL EXHAUST VENTILATION IN VOLUME AND PATTERN TO KEEP THE AIR CONTAMINANT CONCENTRATION BELOW THE LOWER EXPLOSION LIMIT AND BELOW CURRENT APPLICABLE EXPOSURE LIMITS. REFER TO OSHA STANDARD 1910.94.

PROTECTIVE GLOVES:

USE SOLVENT IMPERMEABLE GLOVES TO AVOID CONTACT WITH PRODUCT.

EYE PROTECTION:

DO NOT GET IN EYES. USE SAFETY EYEWEAR WITH SPLASH GUARDS OR SIDE SHIELDS, CHEMICAL GOGGLES, FACE SHIELDS.

OTHER PROTECTIVE EQUIPMENT:

DO NOT GET ON SKIN. USE IMPERMEABLE PROTECTIVE CLOTHING. PREVENT SKIN CONTACT WITH CONTAMINATED CLOTHING. WASH CLOTHING BEFORE REUSE. THOROUGHLY CLEAN CONTAMINATED CLOTHING. WASH BEFORE REUSE. THOROUGHLY CLEAN CONTAMINATED SHOES. EYE BATH AND SAFETY SHOWER SHOULD BE AVAILABLE.

SECTION IX**SPECIAL PRECAUTIONS****PRECAUTIONS TO BE TAKEN IN HANDLING AND STORING:**

DO NOT PRESSURIZE, CUT, WELD, GRIND. DO NOT STORE ABOVE 120 °F. STORE LARGE QUANTITIES IN BUILDINGS DESIGNED TO COMPLY WITH OSHA 1910.106. KEEP AWAY FROM HEAT, SPARKS AND FLAME. KEEP CONTAINERS CLOSED WHEN HOT IN USE AND UPRIGHT TO PREVENT LEAKAGE.

OTHER PRECAUTIONS:

DO NOT TAKE INTERNALLY. WASH HANDS AFTER USING AND BEFORE SMOKING OR EATING. EMPTIED CONTAINERS MAY RETAIN HAZARDOUS RESIDUE AND EXPLOSIVE VAPORS. KEEP AWAY FROM HEAT, SPARKS, FLAMES AND STATIC ELECTRICITY. DON'T CUT OR WELD ON OR NEAR EMPTIED CONTAINERS. FOLLOW ALL HAZARD PRECAUTIONS GIVEN IN THIS SHEET UNTILL CONTAINER IS THOROUGHLY CLEANED OR DESTROYED.

SECTION X**SARA TITLE III INFORMATION**

This product contains the following substances subject to the reporting requirements of Section 313 of Title III of the Superfund Amendments and Reauthorization Act of 1986 and 40 CFR Part 372:

☐ N/A

NAME	XYLENE MIXED ORTHO, META AND PARA ISOMERS	1,2,4- TRIMETHYLBENZENE	CUMENE		
CAS#	001330-20-7	000095-63-6	000098-82-8		
PC. WEIGHT	2.0000	19.0000	1.0000		

SECTION XI**D.O.T. REGULATIONS (TRANSPORTATION)**

Hazard class	3
ID number	UN 1268
Packing Group	III
Proper shipping name	PETROLEUM DISTILLATES N.O.S.
Label	3
US Domestic Ground Shipments	Combustible liquids N.O.S. , NA1993
US Domestic Ground Shipments Non Bulk (in containers 119 gal or less)	Not Regulated by DOT
Cross Border transport (ADR/RID)	
ADR/RID class	3 Flammable Liquids
Danger code (Kemler)	30
UN number	1268
Packing group	III
Description	PETROLEUM DISTILLATES N.O.S.
Marine transport (IMDG)	
IMDG class	3
UN number	1268
Label	3
Packing group	III
EMS Number	F-E,S-E
Marine pollutant	YES
Proper shipping name	PETROLEUM DISTILLATES N.O.S.
Air transport (ICAO-TI and IATA-DGR)	
ICAO/IATA class	3
UN number	1268
Label	3
Packing group	III
Proper shipping name	PETROLEUM DISTILLATES N.O.S.

DISCLAIMER AND LIMITATION OF LIABILITY

The information presented herein has been compiled from sources considered to be dependable and is accurate to the best of the Universal Form Clamp Company's knowledge; however, The Universal Form Clamp Company makes no warranty whatsoever, expressed or implied of MERCHANTABILITY or FITNESS FOR THE PARTICULAR PURPOSE, regarding the accuracy of such data or the results to be obtained from the use thereof. The Universal Form Clamp Company assumes no responsibility for injury to recipient or to third persons or for any property and recipient assumes all such risk.

MATERIAL SAFETY DATA SHEET

Information Phone # 1-800 728 1958
 Latest Revision Date: 1.07.2004
 EMERGENCY PHONE #: 1-800 535-5053

Universal Form Clamp
 840 South 25th Avenue
 Bellwood, IL 60104

SECTION I

PRODUCT IDENTIFICATION

Trade Name	<i>Super Clean & Tilt</i>		
Chemical Family	Hydrocarbon Resin in solvents		
NFPA Ratings (Hazard ID)	Health 2	Fire 3	Reactivity 0
HMIS Ratings (Hazard ID)	Health 2	Fire 3	Reactivity 0
Warning! Flammable Liquid. Keep containers (with material or empty) away from sparks, excessive heat, flames, welding Irritant to skin, eyes. May be fatal if ingested or overexposed. Harmful to lungs, central nervous system, mucous membrane, possibly blood, kidney, liver and reproductive system. Spill may create slipping hazard.			

SECTION II

INGREDIENTS, LIMITS AND TOXICOLOGICAL INFORMATION*

INGREDIENT	Heptane	Methyl Cyclo Hexane			
CAS#	142-82-5	108-87-2			
ACGIH TLV/TWA	500 ppm	400 ppm			
ACGIH TLV/STEL	500 ppm	400 ppm			
OSHA PEL/TWA	500 ppm	400 ppm			
OSHA PEL/STEL	500 ppm	400 ppm			
LD50, Oral	NA	NA			
LD 50, Dermal	NA	NA			
LD 50, Inhalation	NA	NA			
PCT BY WT:	50-80	< 2.5			

SECTION III

PHYSICAL DATA

Physical State	LIQUID	Specific Gravity	.85
Appearance	According to spec	VOC, Calculated	NA
Odor	Petroleum Distillate	pH	N/A
Boiling Range	315-325 °F	Freezing Point	N/A
Vapor Pressure	At 68 F 2.7	Water Solubility	Negligible

SECTION IV

FIRE AND EXPLOSION HAZARD DATA

Lowest Closed Cup Flashpoint	5 °F
OSHA Flammability Classification	CLASS III
Lower Flammable Limit in Air	.9 % BY VOLUME
Flash Points	Above 5 °F
Mechanical Impact Explosion	NO KNOWN HAZARD
Static Electricity Explosion	AVOID STATIC CHARGE
EXTINGUISHING MEDIA	FOAM, CARBON DIOXIDE, DRY CHEMICAL, WATER FOG

UNUSUAL FIRE AND EXPLOSION HAZARDS:

KEEP CONTAINER TIGHTLY CLOSED AND ISOLATE FROM HEAT. ELECTRICAL EQUIPMENT, SPARKS AND FLAME. NEVER USE WELDING OR CUTTING TORCH ON OR NEAR DRUM (EVEN EMPTY) BECAUSE PRODUCT (EVEN JUST RESIDUE) CAN IGNITE EXPLOSIVELY.

SPECIAL FIRE FIGHTING PROCEDURES:

FULL PROTECTIVE EQUIPMENT INCLUDING SELF-CONTAINED BREATHING APPARATUS SHOULD BE USED. WATER SPRAY MAY BE INEFFECTIVE. IF WATER IS USED, FOG NOZZLES ARE PREFERABLE. WATER MAY BE USED TO COOL CLOSED CONTAINERS TO PREVENT PRESSURE BUILD-UP AND POSSIBLE AUTO-IGNITION OR EXPLOSION WHEN EXPOSED TO EXTREME HEAT.

SECTION V**HEALTH HAZARD DATA****EFFECTS OF EXCESSIVE OVEREXPOSURE-PRIMARY ROUTES OF ENTRY ARE:****PRIMARY ROUTE(S) OF ENTRY:**

INHALATION



SKIN



INGESTION

SKIN CONTACT:

IRRITATION. CAN CAUSE DEFATTING OF SKIN, WHICH MAY LEAD TO DERMATITIS.

INHALATION:

IRRITATION TO NOSE AND THROAT. EXTENDED OR REPEATED EXPOSURE TO CONCENTRATIONS ABOVE THE RECOMMENDED EXPOSURE LIMITS MAY CAUSE BRAIN OR NERVOUS SYSTEM DEPRESSION, WITH SYMPTOMS SUCH AS DIZZINESS, HEADACHE OR NAUSEA AND IF CONTINUED INDEFINITELY, LOSS OF CONSCIOUSNESS, LIVER AND KIDNEY DAMAGE.

INGESTION:

MAY CAUSE MOUTH, THROAT, ESOPHAGUS AND STOMACH IRRITATION, NAUSEA VOMITING AND DIARRHEA.

MEDICAL CONDITIONS THAT MAY BE AGGRAVATED BY EXPOSURE TO THIS PRODUCT:

PREEXISTING EYE, SKIN, LIVER, KIDNEY AND RESPIRATORY DISORDERS.

EMERGENCY AND FIRST AID PROCEDURES:

IN CASE OF EYE CONTACT. FLUSH IMMEDIATELY WITH PLENTY OF WATER FOR AT LEAST 15 MINUTES AND GET MEDICAL ATTENTION; FOR SKIN, WASH THOROUGHLY WITH SOAP AND WATER. IF AFFECTED BY INHALATION OF VAPORS OR SPRAY MIST, REMOVE TO FRESH AIR. IF SWALLOWED, GET MEDICAL ATTENTION IMMEDIATELY.

OTHER HEALTH HAZARDS:

LABORATORY ANIMALS EXPOSED TO HIGH DOSES OF XYLENE SHOWED EVIDENCE OF EFFECTS IN THE LIVER, KIDNEYS, LUNGS, CENTRAL NERVOUS SYSTEM, GI TRACT, AND BLOOD FORMING ELEMENTS.

SECTION VI**REACTIVITY DATA****STABILITY:**

STABLE HAZARDOUS POLYMERIZATION: NONE UNDER NORMAL CONDITIONS.

CONDITIONS TO AVOID:

ELEVATED TEMPERATURES

INCOMPATIBILITY (MATERIAL TO AVOID):

STRONG ACIDS, AND STRONG OXIDIZING AGENTS. IF THIS PRODUCT IS NOT WATER REDUCIBLE, AVOID WATER.

HAZARDOUS DECOMPOSITION PRODUCTS:

THERMAL DECOMPOSITION OR COMBUSTION CAN PRODUCE FUMES CONTAINING ORGANIC ACIDS, CARBON DIOXIDE AND CARBON MONOXIDE.

SECTION VII**SPILL OR LEAK PROCEDURES****STEPS TO BE TAKEN IN CASE MATERIAL IS RELEASED OR SPILLED:**

REMOVE ALL SOURCES OF IGNITION (FLAMES, HOT SURFACES, AND ELECTRICAL, STATIC, OR FRICTIONAL SPARKS). AVOID BREATHING VAPORS. VENTILATE AREA. CONTAIN AND REMOVE WITH INERT ABSORBENT AND NON-SPARKING TOOLS.

WASTE DISPOSAL METHOD:

DISPOSE OF IN ACCORDANCE WITH LOCAL, STATE AND FEDERAL REGULATIONS. DO NOT INCINERATE CLOSED CONTAINERS. INCINERATE IN APPROVED FACILITY

SECTION VIII**SPECIAL PROTECTION INFORMATION****RESPIRATORY PROTECTION:**

DON'T BREATHE VAPORS. WEAR AN APPROPRIATE, PROPERLY FITTED RESPIRATOR (NIOSH/MSHA APPROVED) DURING USE OF THIS PRODUCT UNTIL VAPORS ARE EXHAUSTED. UNLESS AIR MONITORING DEMONSTRATES VAPOR LEVELS ARE BELOW APPLICABLE LIMITS FOLLOW RESPIRATOR MANUFACTURER'S DIRECTIONS FOR RESPIRATOR USE. OBSERVE OSHA STANDARD 29CFR 1910.134.

VENTILATION:

PROVIDE GENERAL CLEAN AIR DILUTION OR LOCAL EXHAUST VENTILATION IN VOLUME AND PATTERN TO KEEP THE AIR CONTAMINANT CONCENTRATION BELOW THE LOWER EXPLOSION LIMIT AND BELOW CURRENT APPLICABLE EXPOSURE LIMITS. REFER TO OSHA STANDARD 1910.94.

PROTECTIVE GLOVES:

USE SOLVENT IMPERMEABLE GLOVES TO AVOID CONTACT WITH PRODUCT.

EYE PROTECTION:

DO NOT GET IN EYES. USE SAFETY EYEWEAR WITH SPLASH GUARDS OR SIDE SHIELDS. CHEMICAL GOGGLES, FACE SHIELDS.

OTHER PROTECTIVE EQUIPMENT:

DO NOT GET ON SKIN. USE IMPERMEABLE PROTECTIVE CLOTHING. PREVENT SKIN CONTACT WITH CONTAMINATED CLOTHING. WASH CLOTHING BEFORE REUSE. THOROUGHLY CLEAN CONTAMINATED CLOTHING. WASH BEFORE REUSE. THOROUGHLY CLEAN CONTAMINATED SHOES. EYE BATH AND SAFETY SHOWER SHOULD BE AVAILABLE.

SECTION IX**SPECIAL PRECAUTIONS****PRECAUTIONS TO BE TAKEN IN HANDLING AND STORING:**

DO NOT PERCUTANIZE, CUT, WELD, GRIND. DO NOT STORE ABOVE 120 °F. STORE LARGE QUANTITIES IN BUILDINGS DESIGNED TO COMPLY WITH OSHA 1910.106. KEEP AWAY FROM HEAT, SPARKS AND FLAME. KEEP CONTAINERS CLOSED WHEN HOT IN USE AND UPRIGHT TO PREVENT LEAKAGE.

OTHER PRECAUTIONS:

DO NOT TAKE INTERNALLY. WASH HANDS AFTER USING AND BEFORE SMOKING OR EATING. EMPTIED CONTAINERS MAY RETAIN HAZARDOUS RESIDUE AND EXPLOSIVE VAPORS. KEEP AWAY FROM HEAT, SPARKS, FLAMES AND STATIC ELECTRICITY. DON'T CUT OR WELD ON OR NEAR EMPTIED CONTAINERS. FOLLOW ALL HAZARD PRECAUTIONS GIVEN IN THIS SHEET UNTILL CONTAINER IS THOROUGHLY CLEANED OR DESTROYED.

SECTION X**SARA TITLE III INFORMATION**

This product contains the following substances subject to the reporting requirements of Section 313 of Title III of the Superfund Amendments and Reauthorization Act of 1986 and 40 CFR Part 372: ☐ N/A

NAME	XYLENE MIXED ORTHO, META AND PARA ISOMERS	1,2,4- TRIMETHYLBENZENE	CUMENE		
CAS#	001330-20-7	000095-63-6	000098-82-8		
PC. WEIGHT	2.0000	19.0000	1.0000		

SECTION XI**D.O.T. REGULATIONS (TRANSPORTATION)**

Hazard class	3
ID number	UN 1268
Packing Group	III
Proper shipping name	<i>PETROLEUM DISTILLATES N.O.S.</i>
Label	3
US Domestic Ground Shipments	<i>Flammable liquid</i>
US Domestic Ground Shipments Non Bulk (in containers 119 gal or less)	<i>Flammable liquid</i>
Cross Border transport (ADR/RID)	
ADR/RID class	Flammable liquid
Danger code (Kemler)	30
UN number	1268
Packing group	III
Description	<i>PETROLEUM DISTILLATES N.O.S.</i>
Marine transport (IMDG)	
IMDG class	3
UN number	1268
Label	3
Packing group	III
EMS Number	F-E,S-E
Marine pollutant	NO
Proper shipping name	<i>PETROLEUM DISTILLATES N.O.S.</i>
Air transport (ICAO-TI and IATA-DGR)	
ICAO/IATA class	3
UN number	1268
Label	3
Packing group	III
Proper shipping name	<i>PETROLEUM DISTILLATES N.O.S.</i>

DISCLAIMER AND LIMITATION OF LIABILITY

The information presented herein has been compiled from sources considered to be dependable and is accurate to the best of the Universal Form Clamp Company's knowledge; however, The Universal Form Clamp Company makes no warranty whatsoever, expressed or implied of MERCHANTABILITY or FITNESS FOR THE PARTICULAR PURPOSE, regarding the accuracy of such data or the results to be obtained from the use thereof. The Universal Form Clamp Company assumes no responsibility for injury to recipient or to third persons or for any property and recipient assumes all such risk.

MATERIAL SAFETY DATA SHEET

Information Phone # 1-800 728 1958
Latest Revision Date: 1.14.2004
EMERGENCY PHONE #: 1-800 535-5053

Universal Form Clamp
840 South 25th Avenue
Bellwood, IL 60104

SECTION I

PRODUCT IDENTIFICATION

Trade Name	Uni White Cure Wax		
Chemical Family	Water Emulsion of Wax		
NFPA Rating (Hazard ID)	Health 1	Fire 1	Reactivity 0
HMIS Rating (Hazard ID)	Health 1	Fire 1	Reactivity 0
Warning! Spl may create slipping hazard.			

SECTION II

INGREDIENTS, LIMITS AND TOXICOLOGICAL INFORMATION

INGREDIENT	Slack Wax	Fatty Acids		
CAS#	64742-61-6	61790-12-3		
ACGIH TLV /TWI	NA	NA		
ACGIH TLV /STEL	NA	NA		
OSHA PEL/TWA	NA	NA		
OSHA PEL/STEL	NA	NA		
LD50, Oral	NA	NA		
LD 50, Dermal	NA	NA		
LD 50, Inhalation	NA	NA		
PCT BY WT:	10 - 25	< 2		

SECTION III

PHYSICAL DATA

Physical State	LIQUID	Specific Gravity	1.01
Appearance	Milky white	VOC, Calculated	0-100 g/L
Odor	Slight Ammoniacal	pH	8
Boiling Range	212 F	Freezing Point	N/A
Vapor Pressure	NA	Water Solubility	Soluble

SECTION IV

FIRE AND EXPLOSION HAZARD DATA

Lowest Closed Cup Flashpoint	NA
OSHA Flammability Classification	NA
Lower Flammable Limit in Air	NA
Flash Points	NA
Mechanical Impact Explosion	NA
Static Electricity Explosion	NA
EXTINGUISHING MEDIA	NA

UNUSUAL FIRE AND EXPLOSION HAZARDS:

KEEP CONTAINER TIGHTLY CLOSED AND ISOLATE FROM HEAT, ELECTRICAL EQUIPMENT, SPARKS AND FLAME. NEVER USE WELDING OR CUTTING TORCH ON OR NEAR DRUM (EVEN EMPTY)

SPECIAL FIRE FIGHTING PROCEDURES:

FULL PROTECTIVE EQUIPMENT INCLUDING SELF-CONTAINED BREATHING APPARATUS SHOULD BE USED. WATER SPRAY MAY BE INEFFECTIVE. IF WATER IS USED, FOG NOZZLES ARE PREFERABLE. WATER MAY BE USED TO COOL CLOSED CONTAINERS TO PREVENT PRESSURE BUILD-UP AND POSSIBLE AUTO-IGNITION OR EXPLOSION WHEN EXPOSED TO EXTREME HEAT.

SECTION V**HEALTH HAZARD DATA****EFFECTS OF EXCESSIVE OVEREXPOSURE-PRIMARY ROUTES OF ENTRY ARE:****PRIMARY ROUTE(S) OF ENTRY:**

INHALATION



SKIN



INGESTION

SKIN CONTACT:

IRRITATION.

INHALATION:

NA

INGESTION:

DRINK A LOT OF WATER. IF SYMPTOMS PERSIST GET MEDICAL ATTENTION.

MEDICAL CONDITIONS THAT MAY BE AGGRAVATED BY EXPOSURE TO THIS PRODUCT:

NA

EMERGENCY AND FIRST AID PROCEDURES:

IN CASE OF EYE CONTACT, FLUSH IMMEDIATELY WITH PLENTY OF WATER FOR AT LEAST 15 MINUTES AND GET MEDICAL ATTENTION; FOR SKIN, WASH THOROUGHLY WITH SOAP AND WATER. IF AFFECTED BY INHALATION OF VAPORS OR SPRAY MIST, REMOVE TO FRESH AIR. IF SWALLOWED, GET MEDICAL ATTENTION IMMEDIATELY.

OTHER HEALTH HAZARDS:

NA

SECTION VI**REACTIVITY DATA****STABILITY:**

STABLE HAZARDOUS POLYMERIZATION: NONE UNDER NORMAL CONDITIONS.

CONDITIONS TO AVOID:

ELEVATED TEMPERATURES

INCOMPATIBILITY (MATERIAL TO AVOID):

STRONG ACIDS, AND STRONG OXIDIZING AGENTS. IF THIS PRODUCT IS NOT WATER REDUCIBLE, AVOID WATER.

HAZARDOUS DECOMPOSITION PRODUCTS:

THERMAL DECOMPOSITION OR COMBUSTION CAN PRODUCE FUMES CONTAINING ORGANIC ACIDS, CARBON DIOXIDE AND CARBON MONOXIDE.

SECTION VII**SPILL OR LEAK PROCEDURES****STEPS TO BE TAKEN IN CASE MATERIAL IS RELEASED OR SPILLED:**

USE WATER ABSORPTION MATERIAL. DON'T ALLOW TO DRY - REMOVE IMMEDIATELY

WASTE DISPOSAL METHOD:

DISPOSE OF IN ACCORDANCE WITH LOCAL, STATE AND FEDERAL REGULATIONS. DO NOT INCINERATE CLOSED CONTAINERS. INCINERATE IN APPROVED FACILITY

SECTION VIII**SPECIAL PROTECTION INFORMATION****RESPIRATORY PROTECTION:**

DON'T BREATHE VAPORS. WEAR AN APPROPRIATE, PROPERLY FITTED RESPIRATOR (NIOSH/MSHA APPROVED) DURING USE OF THIS PRODUCT UNTIL VAPORS ARE EXHAUSTED, UNLESS AIR MONITORING DEMONSTRATES VAPOR LEVELS ARE BELOW APPLICABLE LIMITS FOLLOW RESPIRATOR MANUFACTURER'S DIRECTIONS FOR RESPIRATOR USE. OBSERVE OSHA STANDARD 29CFR 1910.134.

VENTILATION:

PROVIDE GENERAL CLEAN AIR DILUTION OR LOCAL EXHAUST VENTILATION IN VOLUME AND PATTERN TO KEEP THE AIR CONTAMINANT CONCENTRATION BELOW THE LOWER EXPLOSION LIMIT AND BELOW CURRENT APPLICABLE EXPOSURE LIMITS. REFER TO OSHA STANDARD 1910.94.

PROTECTIVE GLOVES:

USE SOLVENT IMPERMEABLE GLOVES TO AVOID CONTACT WITH PRODUCT.

EYE PROTECTION:

DO NOT GET IN EYES. USE SAFETY EYEWEAR WITH SPLASH GUARDS OR SIDE SHIELDS. CHEMICAL GOGGLES, FACE SHIELDS.

OTHER PROTECTIVE EQUIPMENT:

DO NOT GET ON SKIN. USE IMPERMEABLE PROTECTIVE CLOTHING. PREVENT SKIN CONTACT WITH CONTAMINATED CLOTHING. WASH CLOTHING BEFORE REUSE. THOROUGHLY CLEAN CONTAMINATED CLOTHING. WASH BEFORE REUSE. THOROUGHLY CLEAN CONTAMINATED SHOES. EYE BATH AND SAFETY SHOWER SHOULD BE AVAILABLE.

SECTION IX**SPECIAL PRECAUTIONS****PRECAUTIONS TO BE TAKEN IN HANDLING AND STORING:**

DO NOT PRESSURIZE, CUT, WELD, GRIND. DO NOT STORE ABOVE 120 °F. STORE LARGE QUANTITIES IN BUILDINGS DESIGNED TO COMPLY WITH OSHA 1910.106. KEEP AWAY FROM HEAT, SPARKS AND FLAME. KEEP CONTAINERS CLOSED WHEN HOT IN USE AND UPRIGHT TO PREVENT LEAKAGE.

OTHER PRECAUTIONS:

DO NOT TAKE INTERNALLY. WASH HANDS AFTER USING AND BEFORE SMOKING OR EATING. EMPTIED CONTAINERS MAY RETAIN HAZARDOUS RESIDUE AND EXPLOSIVE VAPORS. KEEP AWAY FROM HEAT, SPARKS, FLAMES AND STATIC ELECTRICITY. DON'T CUT OR WELD ON OR NEAR EMPTIED CONTAINERS. FOLLOW ALL HAZARD PRECAUTIONS GIVEN IN THIS SHEET UNTILL CONTAINER IS THOROUGHLY CLEANED OR DESTROYED.

SECTION X**SARA TITLE III INFORMATION**

This product contains the following substances subject to the reporting requirements of Section 313 of Title III of the Superfund Amendments and Reauthorization Act of 1986 and 40 CFR Part 372: ☐ N/A

NAME					
CAS#					
PC. WEIGHT					

SECTION XI**D.O.T. REGULATIONS (TRANSPORTATION)**

Hazard class ID number Packing Group Proper shipping name Label US Domestic Ground Shipments US Domestic Ground Shipments Non Bulk (in containers 119 gal or less)	<i>Not Regulated by DOT</i>
Cross Border transport (ADR/RID) ADR/RID class Danger code (Kemler) UN number Packing group Description	<i>Not Regulated by DOT</i>
Marine transport (IMDG) IMDG class UN number Label Packing group EMS Number Marine pollutant Proper shipping name	-
Air transport (ICAO-TI and IATA-DGR) ICAO/IATA class UN number Label Packing group Proper shipping name	-

DISCLAIMER AND LIMITATION OF LIABILITY

The information presented herein has been compiled from sources considered to be dependable and is accurate to the best of the Universal Form Clamp Company's knowledge; however, The Universal Form Clamp Company makes no warranty whatsoever, expressed or implied of MERCHANTABILITY or FITNESS FOR THE PARTICULAR PURPOSE, regarding the accuracy of such data or the results to be obtained from the use thereof. The Universal Form Clamp Company assumes no responsibility for injury to recipient or to third persons or for any property and recipient assumes all such risk.

MATERIAL SAFETY DATA SHEET

Information Phone # 1-800 728 1958
Latest Revision Date: 6.14.2005
EMERGENCY PHONE #: 1-800 535-5053

Universal Form Clamp
840 South 25th Avenue
Bellwood, IL 60104

SECTION I

PRODUCT IDENTIFICATION

Trade Name	Unibond		
Chemical Family	Modified Acrylic Emulsion - Latex		
NFPA Ratings (Hazard ID)	Health 1	Fire 0	Reactivity 0
HMIS Ratings (Hazard ID)	Health 1	Fire 0	Reactivity 0
Warning ! Spill may create slipping hazard. Irritant to eyes.			

SECTION II

INGREDIENTS, LIMITS AND TOXICOLOGICAL INFORMATION

INGREDIENT				
CAS#				
ACGIH TLV/TWA				
ACGIH TLV/STEL				
OSHA PEL/TWA				
OSHA PEL/STEL				
LD50, Oral				
LD 50, Dermal				
LD 50, Inhalation				
PCT BY WT:				

SECTION III

PHYSICAL DATA

Physical State	LIQUID	Specific Gravity	1.01
Appearance	Milky white liquid	VOC, Calculated	N/A
Odor	Slight Ammoniacal	pH	9- 10
Boiling Range	212 F	Freezing Point	N/A
Vapor Pressure	NA	Water Solubility	Soluble

SECTION IV

FIRE AND EXPLOSION HAZARD DATA

Lowest Closed Cup Flashpoint	NA
OSHA Flammability Classification	NA
Lower Flammable Limit in Air	NA
Flash Points	NA
Mechanical Impact Explosion	NA
Static Electricity Explosion	NA
EXTINGUISHING MEDIA	NA

UNUSUAL FIRE AND EXPLOSION HAZARDS:

KEEP CONTAINER TIGHTLY CLOSED AND ISOLATE FROM HEAT, ELECTRICAL EQUIPMENT, SPARKS AND FLAME. NEVER USE WELDING OR CUTTING TORCH ON OR NEAR CONTAINER (EVEN EMPTY)

SPECIAL FIRE FIGHTING PROCEDURES:

FULL PROTECTIVE EQUIPMENT INCLUDING SELF-CONTAINED BREATHING APPARATUS SHOULD BE USED. WATER SPRAY MAY BE INEFFECTIVE. IF WATER IS USED, FOG NOZZLES ARE PREFERABLE. WATER MAY BE USED TO COOL CLOSED CONTAINERS TO PREVENT PRESSURE BUILD-UP AND POSSIBLE AUTO-IGNITION OR EXPLOSION WHEN EXPOSED TO EXTREME HEAT.

SECTION V**HEALTH HAZARD DATA****EFFECTS OF EXCESSIVE OVEREXPOSURE-PRIMARY ROUTES OF ENTRY ARE:****PRIMARY ROUTE(S) OF ENTRY:**

INHALATION



SKIN



INGESTION

SKIN CONTACT:

IRRITATION.

INHALATION:

NA

INGESTION:

DRINK A LOT OF WATER, IF SYMPTOMS PERSIST GET MEDICAL ATTENTION.

MEDICAL CONDITIONS THAT MAY BE AGGRAVATED BY EXPOSURE TO THIS PRODUCT:

NA

EMERGENCY AND FIRST AID PROCEDURES:

IN CASE OF EYE CONTACT, FLUSH IMMEDIATELY WITH PLENTY OF WATER FOR AT LEAST 15 MINUTES AND GET MEDICAL ATTENTION IF NECESSARY; FOR SKIN, WASH THOROUGHLY WITH SOAP AND WATER. IF AFFECTED BY INHALATION OF VAPORS OR SPRAY MIST, REMOVE TO FRESH AIR. IF SWALLOWED, GET MEDICAL ATTENTION IF NECESSARY.

OTHER HEALTH HAZARDS:

NA

SECTION VI**REACTIVITY DATA****STABILITY:**

STABLE HAZARDOUS POLYMERIZATION: NONE UNDER NORMAL CONDITIONS.

CONDITIONS TO AVOID:

ELEVATED TEMPERATURES

INCOMPATIBILITY (MATERIAL TO AVOID):

STRONG ACIDS AND STRONG OXIDIZING AGENTS. IF THIS PRODUCT IS NOT WATER REDUCIBLE, AVOID WATER.

HAZARDOUS DECOMPOSITION PRODUCTS:

THERMAL DECOMPOSITION OR COMBUSTION CAN PRODUCE FUMES CONTAINING ORGANIC ACIDS, CARBON DIOXIDE AND CARBON MONOXIDE.

SECTION VII**SPILL OR LEAK PROCEDURES****STEPS TO BE TAKEN IN CASE MATERIAL IS RELEASED OR SPILLED:**

USE WATER ABSORBING MATERIALS. DON'T ALLOW TO DRY- REMOVE IMMEDIATELY.

WASTE DISPOSAL METHOD:

DISPOSE OF IN ACCORDANCE WITH LOCAL, STATE AND FEDERAL REGULATIONS. DO NOT INCINERATE CLOSED CONTAINERS. INCINERATE IN APPROVED FACILITY

SECTION VIII**SPECIAL PROTECTION INFORMATION****RESPIRATORY PROTECTION:**

DON'T BREATHE VAPORS. WEAR AN APPROPRIATE, PROPERLY FITTED RESPIRATOR (NIOSH/MSHA APPROVED) DURING USE OF THIS PRODUCT UNTIL VAPORS ARE EXHAUSTED. UNLESS AIR MONITORING DEMONSTRATES VAPOR LEVELS ARE BELOW APPLICABLE LIMITS FOLLOW RESPIRATOR MANUFACTURER'S DIRECTIONS FOR RESPIRATOR USE. OBSERVE OSHA STANDARD 29CFR 1910.134.

VENTILATION:

PROVIDE GENERAL CLEAN AIR DILUTION OR LOCAL EXHAUST VENTILATION IN VOLUME AND PATTERN TO KEEP THE AIR CONTAMINANT CONCENTRATION BELOW THE LOWER EXPLOSION LIMIT AND BELOW CURRENT APPLICABLE EXPOSURE LIMITS. REFER TO OSHA STANDARD 1910.94.

PROTECTIVE GLOVES:

USE SOLVENT IMPERMEABLE GLOVES TO AVOID CONTACT WITH PRODUCT.

EYE PROTECTION:

DO NOT GET IN EYES. USE SAFETY EYEWEAR WITH SPLASH GUARDS OR SIDE SHIELDS, CHEMICAL GOGGLES, FACE SHIELDS.

OTHER PROTECTIVE EQUIPMENT:

DO NOT GET ON SKIN. USE IMPERMEABLE PROTECTIVE CLOTHING. PREVENT SKIN CONTACT WITH CONTAMINATED CLOTHING. WASH CLOTHING BEFORE REUSE. THOROUGHLY CLEAN CONTAMINATED CLOTHING. WASH BEFORE REUSE. THOROUGHLY CLEAN CONTAMINATED SHOES. EYE BATH AND SAFETY SHOWER SHOULD BE AVAILABLE.

SECTION IX**SPECIAL PRECAUTIONS****PRECAUTIONS TO BE TAKEN IN HANDLING AND STORING:**

DO NOT PRESSURIZE, CUT, WELD, GRIND. DO NOT STORE ABOVE 120 °F. STORE LARGE QUANTITIES IN BUILDINGS DESIGNED TO COMPLY WITH OSHA 1910.106. KEEP AWAY FROM HEAT, SPARKS AND FLAME. KEEP CONTAINERS CLOSED WHEN HOT IN USE AND UPRIGHT TO PREVENT LEAKAGE.

OTHER PRECAUTIONS:

DO NOT TAKE INTERNALLY. WASH HANDS AFTER USING AND BEFORE SMOKING OR EATING. EMPTIED CONTAINERS MAY RETAIN HAZARDOUS RESIDUE AND EXPLOSIVE VAPORS. KEEP AWAY FROM HEAT, SPARKS, FLAMES AND STATIC ELECTRICITY. DON'T CUT OR WELD ON OR NEAR EMPTIED CONTAINERS. FOLLOW ALL HAZARD PRECAUTIONS GIVEN IN THIS SHEET UNTILL CONTAINER IS THOROUGHLY CLEANED OR DESTROYED.

SECTION X**SARA TITLE III INFORMATION**

This product contains the following substances subject to the reporting requirements of Section 313 of Title III of the Superfund Amendments and Reauthorization Act of 1986 and 40 CFR Part 372:

☐ N/A

NAME					
CAS#					
PC. WEIGHT					

SECTION XI**D.O.T. REGULATIONS (TRANSPORTATION)**

Hazard class ID number Packing Group Proper shipping name Label US Domestic Ground Shipments US Domestic Ground Shipments Non Bulk (in containers 119 gal or less)	<i>Not Regulated by DOT</i>
Cross Border transport (ADR/RID) ADR/RID class Danger code (Kemler) UN number Packing group Description	<i>Not Regulated by DOT</i>
Marine transport (IMDG) IMDG class UN number Label Packing group EMS Number Marine pollutant Proper shipping name	-
Air transport (ICAO-TI and IATA-DGR) ICAO/IATA class UN number Label Packing group Proper shipping name	-

DISCLAIMER AND LIMITATION OF LIABILITY

The information presented herein has been compiled from sources considered to be dependable and is accurate to the best of the Universal Form Clamp Company's knowledge; however, The Universal Form Clamp Company makes no warranty whatsoever, expressed or implied of MERCHANTABILITY or FITNESS FOR THE PARTICULAR PURPOSE, regarding the accuracy of such data or the results to be obtained from the use thereof. The Universal Form Clamp Company assumes no responsibility for injury to recipient or to third persons or for any property and recipient assumes all such risk.

MATERIAL SAFETY DATA SHEET

Information Phone # 1-800 728 1958
Latest Revision Date: 6.14.2005
EMERGENCY PHONE #: 1-800 535-5053

Universal Form Clamp
840 South 25th Avenue
Bellwood, IL 60104

SECTION I

PRODUCT IDENTIFICATION

Trade Name	<i>Uniprimer</i>		
Chemical Family	Modified Acrylic Emulsion - Latex		
NFPA Ratings (Hazard ID)	Health 0	Fire 0	Reactivity 0
HMIS Ratings (Hazard ID)	Health 0	Fire 0	Reactivity 0
Warning! Spill may create slipping hazard. Irritant to eyes.			

SECTION II

INGREDIENTS, LIMITS AND TOXICOLOGICAL INFORMATION

INGREDIENT				
CAS#				
ACGIH TLV/TWA				
ACGIH TLV/STEL				
OSHA PEL/TWA				
OSHA PEL/STEL				
LD50, Oral				
LD 50, Dermal				
LD 50, Inhalation				
PCT BY WT:				

SECTION III

PHYSICAL DATA

Physical State	LIQUID	Specific Gravity	1.01
Appearance	Milky white liquid	VOC, Calculated	N/A
Odor	Slight Ammoniacal	pH	9- 10
Boiling Range	212 F	Freezing Point	N/A
Vapor Pressure	NA	Water Solubility	Soluble

SECTION IV

FIRE AND EXPLOSION HAZARD DATA

Lowest Closed Cup Flashpoint	NA
OSHA Flammability Classification	NA
Lower Flammable Limit in Air	NA
Flash Points	NA
Mechanical Impact Explosion	NA
Static Electricity Explosion	NA
EXTINGUISHING MEDIA	NA

UNUSUAL FIRE AND EXPLOSION HAZARDS:

KEEP CONTAINER TIGHTLY CLOSED AND ISOLATE FROM HEAT. ELECTRICAL EQUIPMENT. SPARKS AND FLAME. NEVER USE WELDING OR CUTTING TORCH ON OR NEAR CONTAINER (EVEN EMPTY)

SPECIAL FIRE FIGHTING PROCEDURES:

FULL PROTECTIVE EQUIPMENT INCLUDING SELF-CONTAINED BREATHING APPARATUS SHOULD BE USED. WATER SPRAY MAY BE INEFFECTIVE. IF WATER IS USED, FOG NOZZLES ARE PREFERABLE. WATER MAY BE USED TO COOL CLOSED CONTAINERS TO PREVENT PRESSURE BUILD-UP AND POSSIBLE AUTO-IGNITION OR EXPLOSION WHEN EXPOSED TO EXTREME HEAT.

SECTION V**HEALTH HAZARD DATA****EFFECTS OF EXCESSIVE OVEREXPOSURE-PRIMARY ROUTES OF ENTRY ARE:****PRIMARY ROUTE(S) OF ENTRY:**

INHALATION



SKIN



INGESTION

SKIN CONTACT:

IRRITATION

INHALATION:

NA

INGESTION:

DRINK A LOT OF WATER, IF SYMPTOMS PERSIST GET MEDICAL ATTENTION.

MEDICAL CONDITIONS THAT MAY BE AGGRAVATED BY EXPOSURE TO THIS PRODUCT:

NA

EMERGENCY AND FIRST AID PROCEDURES:

IN CASE OF EYE CONTACT, FLUSH IMMEDIATELY WITH PLENTY OF WATER FOR AT LEAST 15 MINUTES AND GET MEDICAL ATTENTION IF NECESSARY. FOR SKIN, WASH THOROUGHLY WITH SOAP AND WATER. IF AFFECTED BY INHALATION OF VAPORS OR SPRAY MIST, REMOVE TO FRESH AIR. IF SWALLOWED, GET MEDICAL ATTENTION IF NECESSARY.

OTHER HEALTH HAZARDS:

NA

SECTION VI**REACTIVITY DATA****STABILITY:**

STABLE. HAZARDOUS POLYMERIZATION: NONE UNDER NORMAL CONDITIONS.

CONDITIONS TO AVOID:

ELEVATED TEMPERATURES

INCOMPATIBILITY (MATERIAL TO AVOID):

STRONG ACIDS, AND STRONG OXIDIZING AGENTS. IF THIS PRODUCT IS NOT WATER REDUCIBLE, AVOID WATER.

HAZARDOUS DECOMPOSITION PRODUCTS:

THERMAL DECOMPOSITION OR COMBUSTION CAN PRODUCE FUMES CONTAINING ORGANIC ACIDS, CARBON DIOXIDE AND CARBON MONOXIDE.

SECTION VII**SPILL OR LEAK PROCEDURES****STEPS TO BE TAKEN IN CASE MATERIAL IS RELEASED OR SPILLED:**

USE WATER ABSORBING MATERIALS. DON'T ALLOW TO DRY- REMOVE IMMEDIATELY.

WASTE DISPOSAL METHOD:

DISPOSE OF IN ACCORDANCE WITH LOCAL, STATE AND FEDERAL REGULATIONS. DO NOT INCINERATE CLOSED CONTAINERS. INCINERATE IN APPROVED FACILITY.

SECTION VIII**SPECIAL PROTECTION INFORMATION****RESPIRATORY PROTECTION:**

DON'T BREATHE VAPORS. WEAR AN APPROPRIATE, PROPERLY FITTED RESPIRATOR (NIOSH/MSHA APPROVED) DURING USE OF THIS PRODUCT UNTIL VAPORS ARE EXHAUSTED. UNLESS AIR MONITORING DEMONSTRATES VAPOR LEVELS ARE BELOW APPLICABLE LIMITS FOLLOW RESPIRATOR MANUFACTURER'S DIRECTIONS FOR RESPIRATOR USE. OBSERVE OSHA STANDARD 29CFR 1910.134.

VENTILATION:

PROVIDE GENERAL CLEAN AIR DILUTION OR LOCAL EXHAUST VENTILATION IN VOLUME AND PATTERN TO KEEP THE AIR CONTAMINANT CONCENTRATION BELOW THE LOWER EXPLOSION LIMIT AND BELOW CURRENT APPLICABLE EXPOSURE LIMITS. REFER TO OSHA STANDARD 1910.94.

PROTECTIVE GLOVES:

USE SOLVENT IMPERMEABLE GLOVES TO AVOID CONTACT WITH PRODUCT.

EYE PROTECTION:

DO NOT GET IN EYES. USE SAFETY EYEWEAR WITH SPLASH GUARDS OR SIDE SHIELDS. CHEMICAL GOGGLES, FACE SHIELDS.

OTHER PROTECTIVE EQUIPMENT:

DO NOT GET ON SKIN. USE IMPERMEABLE PROTECTIVE CLOTHING. PREVENT SKIN CONTACT WITH CONTAMINATED CLOTHING. WASH CLOTHING BEFORE REUSE. THOROUGHLY CLEAN CONTAMINATED CLOTHING. WASH BEFORE REUSE. THOROUGHLY CLEAN CONTAMINATED SHOES. EYE BATH AND SAFETY SHOWER SHOULD BE AVAILABLE.

SECTION IX**SPECIAL PRECAUTIONS****PRECAUTIONS TO BE TAKEN IN HANDLING AND STORING:**

DO NOT PRESSURIZE, CUT, WELD, GRIND. DO NOT STORE ABOVE 120 °F. STORE LARGE QUANTITIES IN BUILDINGS DESIGNED TO COMPLY WITH OSHA 1910.106. KEEP AWAY FROM HEAT, SPARKS AND FLAME. KEEP CONTAINERS CLOSED WHEN HOT IN USE AND UPRIGHT TO PREVENT LEAKAGE.

OTHER PRECAUTIONS:

DO NOT TAKE INTERNALLY. WASH HANDS AFTER USING AND BEFORE SMOKING OR EATING. EMPTIED CONTAINERS MAY RETAIN HAZARDOUS RESIDUE AND EXPLOSIVE VAPORS. KEEP AWAY FROM HEAT, SPARKS, FLAMES AND STATIC ELECTRICITY. DON'T CUT OR WELD ON OR NEAR EMPTIED CONTAINERS. FOLLOW ALL HAZARD PRECAUTIONS GIVEN IN THIS SHEET UNTILL CONTAINER IS THOROUGHLY CLEANED OR DESTROYED.

SECTION X**SARA TITLE III INFORMATION**

This product contains the following substances subject to the reporting requirements of Section 313 of Title III of the Superfund Amendments and Reauthorization Act of 1986 and 40 CFR Part 372: ☐ N/A

NAME

CAS#

PC. WEIGHT

SECTION XI**D.O.T. REGULATIONS (TRANSPORTATION)**

Hazard class

ID number

Packing Group

Proper shipping name

Label

US Domestic Ground Shipments

US Domestic Ground Shipments Non Bulk

(in containers 119 gal or less)

*Not Regulated by DOT***Cross Border transport (ADR/RID)**

ADR/RID class

Danger code (Kemler)

UN number

Packing group

Description

*Not Regulated by DOT***Marine transport (IMDG)**

IMDG class

UN number

Label

Packing group

EMS Number

Marine pollutant

Proper shipping name

-

Air transport (ICAO-TI and IATA-DGR)

ICAO/IATA class

UN number

Label

Packing group

Proper shipping name

-

DISCLAIMER AND LIMITATION OF LIABILITY

The information presented herein has been compiled from sources considered to be dependable and is accurate to the best of the Universal Form Clamp Company's knowledge; however, The Universal Form Clamp Company makes no warranty whatsoever, expressed or implied of MERCHANTABILITY or FITNESS FOR THE PARTICULAR PURPOSE, regarding the accuracy of such data or the results to be obtained from the use thereof. The Universal Form Clamp Company assumes no responsibility for injury to recipient or to third persons or for any property and recipient assumes all such risk.

MATERIAL SAFETY DATA SHEET

Information Phone # 1-800 728 1958
Latest Revision Date: 6.13.2005
EMERGENCY PHONE #: 1-800 535-5053

Universal Form Clamp
840 South 25th Avenue
Bellwood, IL 60104

SECTION I

PRODUCT IDENTIFICATION

Trade Name	<i>Unikote Maximum Plus</i>		
Chemical Family	Modified Petroleum Oils		
NFPA Ratings (Hazard ID)	Health 1	Fire 1	Reactivity 0
HMIS Ratings (Hazard ID)	Health 1	Fire 1	Reactivity 0
Warning! Keep containers (with material or empty) away from sparks, excessive heat, flames, welding. Irritant to skin, eyes. May be fatal if ingested or overexposed. Harmful to lungs, central nervous system, mucous membrane, possibly blood, kidney, liver and reproductive system. Spill may create slipping hazard.			

SECTION II

INGREDIENTS, LIMITS AND TOXICOLOGICAL INFORMATION

INGREDIENT	Refined Petroleum Oil	Petroleum Oil	Mineral Oil	
CAS#	64742-58-1	NA	64742-53-6	
ACGIH TLV/TWA	NA	NA	NA	
ACGIH TLV/STEL	NA	NA	NA	
OSHA PEL/TWA	NA	NA	NA	
OSHA PEL/STEL	NA	NA	NA	
LD50, Oral	NA	NA	NA	
LD 50, Dermal	NA	NA	NA	
LD 50, Inhalation	NA	NA	NA	
PCT BY WT:	0-60	0-60	0-40	

SECTION III

PHYSICAL DATA

Physical State	LIQUID	Specific Gravity	.9
Appearance	Clear / Yellow	VOC, Calculated	< 250 g/L
Odor	Low Odor	pH	N/A
Boiling Range	N/A	Freezing Point	N/A
Vapor Pressure	< 0.5 Isoteniscope	Water Solubility	INSOLUBLE

SECTION IV

FIRE AND EXPLOSION HAZARD DATA

Lowest Closed Cup Flashpoint	Above 140 °F
OSHA Flammability Classification	NA
Lower Flammable Limit in Air	NA
Flash Points	Above 140 F
Mechanical Impact Explosion	NA
Static Electricity Explosion	NA
EXTINGUISHING MEDIA	Dry chemical or CO2 is preferred

UNUSUAL FIRE AND EXPLOSION HAZARDS:

KEEP CONTAINER TIGHTLY CLOSED AND ISOLATE FROM HEAT. ELECTRICAL EQUIPMENT, SPARKS AND FLAME. NEVER USE WELDING OR CUTTING TORCH ON OR NEAR DRUM (EVEN EMPTY) BECAUSE PRODUCT (EVEN JUST RESIDUE) CAN IGNITE EXPLOSIVELY.

SPECIAL FIRE FIGHTING PROCEDURES:

FULL PROTECTIVE EQUIPMENT INCLUDING SELF-CONTAINED BREATHING APPARATUS SHOULD BE USED. WATER SPRAY MAY BE INEFFECTIVE. IF WATER IS USED, FOG NOZZLES ARE PREFERABLE. WATER MAY BE USED TO COOL CLOSED CONTAINERS TO PREVENT PRESSURE BUILD-UP AND POSSIBLE AUTO-IGNITION OR EXPLOSION WHEN EXPOSED TO EXTREME HEAT.

SECTION V**HEALTH HAZARD DATA****EFFECTS OF EXCESSIVE OVEREXPOSURE-PRIMARY ROUTES OF ENTRY ARE:****PRIMARY ROUTE(S) OF ENTRY:**

INHALATION



SKIN



INGESTION

SKIN CONTACT:

IRRITATION. CAN CAUSE DEFATTING OF SKIN, WHICH MAY LEAD TO DERMATITIS.

INHALATION:

IRRITATION TO NOSE AND THROAT. EXTENDED OR REPEATED EXPOSURE TO CONCENTRATIONS ABOVE THE RECOMMENDED EXPOSURE LIMITS MAY CAUSE BRAIN OR NERVOUS SYSTEM DEPRESSION, WITH SYMPTOMS SUCH AS DIZZINESS, HEADACHE OR NAUSEA AND IF CONTINUED INDEFINITELY, LOSS OF CONSCIOUSNESS, LIVER AND KIDNEY DAMAGE.

INGESTION:

MAY CAUSE MOUTH, THROAT, ESOPHAGUS AND STOMACH IRRITATION, NAUSEA VOMITING AND DIARRHEA.

MEDICAL CONDITIONS THAT MAY BE AGGRAVATED BY EXPOSURE TO THIS PRODUCT:

PREEXISTING EYE, SKIN, LIVER, KIDNEY AND RESPIRATORY DISORDERS.

EMERGENCY AND FIRST AID PROCEDURES:

IN CASE OF EYE CONTACT, FLUSH IMMEDIATELY WITH PLENTY OF WATER FOR AT LEAST 15 MINUTES AND GET MEDICAL ATTENTION; FOR SKIN, WASH THOROUGHLY WITH SOAP AND WATER. IF AFFECTED BY INHALATION OF VAPORS OR SPRAY MIST, REMOVE TO FRESH AIR. IF SWALLOWED, GET MEDICAL ATTENTION IMMEDIATELY.

OTHER HEALTH HAZARDS:

LABORATORY ANIMALS EXPOSED TO HIGH DOSES OF XYLENE SHOWED EVIDENCE OF EFFECTS IN THE LIVER, KIDNEYS, LUNGS, CENTRAL NERVOUS SYSTEM, GI TRACT, AND BLOOD FORMING ELEMENTS.

SECTION VI**REACTIVITY DATA****STABILITY:**

STABLE. HAZARDOUS POLYMERIZATION: NONE UNDER NORMAL CONDITIONS.

CONDITIONS TO AVOID:

ELEVATED TEMPERATURES

INCOMPATIBILITY (MATERIAL TO AVOID):

STRONG ACIDS, AND STRONG OXIDIZING AGENTS. IF THIS PRODUCT IS NOT WATER REDUCIBLE, AVOID WATER.

HAZARDOUS DECOMPOSITION PRODUCTS:

THERMAL DECOMPOSITION OR COMBUSTION CAN PRODUCE FUMES CONTAINING ORGANIC ACIDS, CARBON DIOXIDE AND CARBON MONOXIDE.

SECTION VII**SPILL OR LEAK PROCEDURES****STEPS TO BE TAKEN IN CASE MATERIAL IS RELEASED OR SPILLED:**

REMOVE ALL SOURCES OF IGNITION (FLAMES, HOT SURFACES, AND ELECTRICAL, STATIC, OR FRICTIONAL SPARKS). AVOID BREATHING VAPORS. VENTILATE AREA. CONTAIN AND REMOVE WITH INERT ABSORBENT AND NON-SPARKING TOOLS.

WASTE DISPOSAL METHOD:

DISPOSE OF IN ACCORDANCE WITH LOCAL, STATE AND FEDERAL REGULATIONS. DO NOT INCINERATE CLOSED CONTAINERS. INCINERATE IN APPROVED FACILITY.

SECTION VIII**SPECIAL PROTECTION INFORMATION****RESPIRATORY PROTECTION:**

DON'T BREATHE VAPORS. WEAR AN APPROPRIATE, PROPERLY FITTED RESPIRATOR (NIOSH/MSHA APPROVED) DURING USE OF THIS PRODUCT UNTIL VAPORS ARE EXHAUSTED, UNLESS AIR MONITORING DEMONSTRATES VAPOR LEVELS ARE BELOW APPLICABLE LIMITS. FOLLOW RESPIRATOR MANUFACTURER'S DIRECTIONS FOR RESPIRATOR USE. OBSERVE OSHA STANDARD 29CFR 1910.134.

VENTILATION:

PROVIDE GENERAL CLEAN AIR DILUTION OR LOCAL EXHAUST VENTILATION IN VOLUME AND PATTERN TO KEEP THE AIR CONTAMINANT CONCENTRATION BELOW THE LOWER EXPLOSION LIMIT AND BELOW CURRENT APPLICABLE EXPOSURE LIMITS. REFER TO OSHA STANDARD 1910.94.

PROTECTIVE GLOVES:

USE SOLVENT IMPERMEABLE GLOVES TO AVOID CONTACT WITH PRODUCT.

EYE PROTECTION:

DO NOT GET IN EYES. USE SAFETY EYEWEAR WITH SPLASH GUARDS OR SIDE SHIELDS. CHEMICAL GOGGLES. FACE SHIELDS.

OTHER PROTECTIVE EQUIPMENT:

DO NOT GET ON SKIN. USE IMPERMEABLE PROTECTIVE CLOTHING. PREVENT SKIN CONTACT WITH CONTAMINATED CLOTHING. WASH CLOTHING BEFORE REUSE. THOROUGHLY CLEAN CONTAMINATED CLOTHING. WASH BEFORE REUSE. THOROUGHLY CLEAN CONTAMINATED SHOES. EYE BATH AND SAFETY SHOWER SHOULD BE AVAILABLE.

SECTION IX**SPECIAL PRECAUTIONS****PRECAUTIONS TO BE TAKEN IN HANDLING AND STORING:**

DO NOT PERFORATE, CUT, WELD, GRIND. DO NOT STORE ABOVE 120 °F. STORE LARGE QUANTITIES IN BUILDINGS DESIGNED TO COMPLY WITH OSHA 1910.10. KEEP AWAY FROM HEAT, SPARKS AND FLAME. KEEP CONTAINERS CLOSED WHEN HOT IN USE AND UPRIGHT TO PREVENT LEAKAGE.

OTHER PRECAUTIONS:

DO NOT TAKE INTERNALLY. WASH HANDS AFTER USING AND BEFORE SMOKING OR EATING. EMPTIED CONTAINERS MAY RETAIN HAZARDOUS RESIDUE AND EXPLOSIVE VAPORS. KEEP AWAY FROM HEAT, SPARKS, FLAMES AND STATIC ELECTRICITY. DON'T CUT OR WELD ON OR NEAR EMPTIED CONTAINERS. FOLLOW ALL HAZARD PRECAUTIONS GIVEN IN THIS SHEET UNTILL CONTAINER IS THOROUGHLY CLEANED OR DESTROYED.

SECTION X**SARA TITLE III INFORMATION**

This product contains the following substances subject to the reporting requirements of Section 313 of Title III of the Superfund Amendments and Reauthorization Act of 1986 and 40 CFR Part 372: ☐ N/A

NAME

CAS#

PC. WEIGHT

SECTION XI**D.O.T. REGULATIONS (TRANSPORTATION)**

Hazard class

ID number

Packing Group

Proper shipping name

Label

US Domestic Ground Shipments

US Domestic Ground Shipments Non Bulk

(in containers 119 gal or less)

Cross Border transport (ADR/RID)

ADR/RID class

Danger code (Kemler)

UN number

Packing group

Description

Marine transport (IMDG)

IMDG class

UN number

Label

Packing group

EMS Number

Marine pollutant

Proper shipping name

Air transport (ICAO-TI and IATA-DGR)

ICAO/IATA class

UN number

Label

Packing group

Proper shipping name

NA

NA

III

Not Regulated by DOT

NA

Not Regulated by DOT

Not Regulated by DOT

Not Regulated by DOT

N/A

N/A

DISCLAIMER AND LIMITATION OF LIABILITY

The information presented herein has been compiled from sources considered to be dependable and is accurate to the best of the Universal Form Clamp Company's knowledge; however, The Universal Form Clamp Company makes no warranty whatsoever, expressed or implied of MERCHANTABILITY or FITNESS FOR THE PARTICULAR PURPOSE, regarding the accuracy of such data or the results to be obtained from the use thereof. The Universal Form Clamp Company assumes no responsibility for injury to recipient or to third persons or for any property and recipient assumes all such risk.

DRAFT

Attachment F
CTEH Air Data

AreaRAE Notes for the Universal Form Clamp response.

CTEH is providing this data in raw format for EPA use. It should be considered a draft of the final data. It can be used as a guide, but interpretation of the data should be left until the final data product is available.

CTEH arrived onsite ~20:00 on 2006/06/28 and began monitoring.

AreaRAE locations:

AR Unit 01 – NW of Hot Zone
AR Unit 02 – NE of Hot Zone
AR Unit 03 – E of Hot Zone
AR Unit 04 – SE of Hot Zone
AR Unit 05 – SW of Hot Zone
AR Unit 07 – East Tank Farm in affected area
AR Unit 08 – West Tank Farm in affected area
AR Unit 09 – Center Room of affected area

2006/06/30 ~0100 – Unit 01 – Heavy Forklift traffic.

2006/06/30 ~0520 – Unit 02 – Calibrated with radio on.

2006/06/30 ~1130 – Unit 02 – Another unit with same radio ID turned on.

2006/07/01 ~0710 – Unit 01 – Vac truck tank opened adjacent to unit.

2006/07/03 ~0430 – Unit 01 – Rain starts and unit 01 gets wet and begins to drift.

2006/07/03 ~0801 – Unit 01 – Vac truck and generator in vicinity of unit 01.

2006/07/04 ~1300 – Unit 07 – Aerosolized adhesive sprayed near unit 07.

2006/07/05 ~1000 – Unit 05 – Propane tank being filled in vicinity of unit 05.


2006/07/05 ~ 1300 – Unit 01 – Bobcat traffic in the vicinity of unit 01.

2006/07/06 ~1100 – Unit 01 – Radio turned on while performing maintenance.


2006/07/07 – Unit 01 – Heavy forklift and bobcat traffic all day.

2006/07/07 ~1400 – Unit 05 – Heavy forklift traffic.

Air Monitors Inside
Affected Area
2006/06/29




Air Monitors Inside
Affected Area
2006/06/30




- AR Unit 07 - East Tank Farm
- ▼ AR Unit 08 - West Tank Farm
- AR Unit 09 - Center Room

Air Monitors Inside
Affected Area
2006/07/01




- AR Unit 07 - East Tank Farm
- ▼ AR Unit 08 - West Tank Farm
- AR Unit 09 - Center Room

Air Monitors Inside
Affected Area
2006/07/02




- AR Unit 07 - East Tank Farm
- ▼ AR Unit 08 - West Tank Farm
- AR Unit 09 - Center Room

Air Monitors Inside
Affected Area
2006/07/03




- AR Unit 07 - East Tank Farm
- ▼ AR Unit 08 - West Tank Farm
- AR Unit 09 - Center Room


Air Monitors Inside
Affected Area
2006/07/04




Air Monitors Inside
Affected Area
2006/07/05




Air Monitors Inside
Affected Area
2006/07/06




Air Monitors Inside
Affected Area
2006/07/07




Air Monitors Inside
Affected Area
2006/07/08




Air Monitors Outside
Affected Area
2006/06/28




Air Monitors Outside
Affected Area
2006/06/29




Air Monitors Outside
Affected Area
2006/06/30




Air Monitors Outside
Affected Area
2006/07/01




Air Monitors Outside
Affected Area
2006/07/02





Air Monitors Outside
Affected Area
2006/07/03




Air Monitors Outside
Affected Area
2006/07/04




Air Monitors Outside
Affected Area
2006/07/05



Air Monitors Outside
Affected Area
2006/07/06



Air Monitors Outside
Affected Area
2006/07/07



- AR Unit 01 - NW of Affected Area
- ▼ AR Unit 02 - NE of Affected Area
- AR Unit 03 - E of Affected Area
- ◆ AR Unit 04 - SE of Affected Area
- ▲ AR Unit 05 - SW of Affected Area

Air Monitors Outside
Affected Area
2006/07/08

